

ISSN 2185-3118

INTERNATIONAL JOURNAL OF INTELLIGENT ENGINEERING AND SYSTEMS

Volume 13 Issue 5 October 2020



Intelligent Networks and Systems Society

DAFTAR ISI

1. *Cover* jurnal
2. Halaman pengesahan
3. Detail jurnal
4. *Cover letter* jurnal
5. Komentar editor terkait penerimaan artikel untuk dipublikasikan
6. Review pertama dari reviewer jurnal
7. Lampiran Jawaban penulis untuk Review pertama dari reviewer jurnal
8. Lampiran Tracing result perbaikan artikel
9. Lampiran Hasil pengecekan plagiasi artikel
10. Review kedua dari reviewer jurnal
11. Email dari editor terkait *Acceptance Letter* Artikel
12. Lampiran *Acceptance Letter*
13. Lampiran tagihan pembayaran publikasi artikel
14. *Copyright Statement* penulis
15. *Invoice* pembayaran publikasi artikel
16. Email dari editor terkait artikel yang siap dipublikasikan
17. Artikel final yang sudah dipublikasi

2

Halaman Pengesahan

**HALAMAN PENGESAHAN
HASIL PENELITIAN**

Judul : Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)

Penulis : Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana, Mitsuo Gen

NIP : 196701031992031003

Instansi : Jurusan Ilmu Komputer, FMIPA, Universitas Lampung

Publikasi : International Journal of Intelligent Engineering and Systems (IJIES) , Vol.13, No.5, pp. 455 – 462, 2020

Alamat Web (Link) : <http://doi.org/10.22266/ijies2020.1031.40>
<http://repository.lppm.unila.ac.id/23902>

Penerbit : Intelligent Networks and Systems Society (INASS)

ISSN : 2185-3118 (eISSN), 2185-310X (pISSN)

Index : SCOPUS Q2 (2020) SJR : 0.24

Jenis Publikasi : Jurnal Internasional Bereputasi

Dekan FMIPA

Dr. Eng. Suropto Dwi Yuwono, M.T
NIP. 197407052000031001

Bandar Lampung, November 2020
Penulis

Dr. Eng. Admi Syarif
NIP. 196701031992031003

Mengetahui
Ketua LPPM, Unila

Dr. Lusmelia Afriani, D.E.A
NIP. 196505101993032008

KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN UNIVERSITAS LAMPUNG	
TGL	4-12-2020
NO INVEN	488/JIB/I/FMIPA/2020
JENIS	jurnal
PARAF	SI


3

Detail Jurnal




1. Detail Jurnal

Nama Jurnal : International Journal of Intelligent Engineering and Systems
 Publisher : Intelligent Networks and Systems Society
 ISSN : 21853118 (Online), 2185310X (Prints)
 Index Status : Q2
 URL : <http://www.inass.org/publications.html>
 Publication Frequency : Quarterly

2. SJR Detail



Country	Japan - SIR Ranking of Japan	11 H Index
Subject Area and Category	Computer Science Computer Science (miscellaneous) Engineering Engineering (miscellaneous)	
Publisher	Intelligent Networks and Systems Society	
Publication type	Journals	
ISSN	21853118, 2185310X	
Coverage	2008-2020	
Scope	International Journal of Intelligent Engineering and Systems is an OPEN ACCESS international journal which gains a foothold in Asia and opens to the world. It aims to promote the integration of intelligent engineering and systems. The focus is to publish papers on state-of-the-art intelligent computing, network engineering, electrical/electronics engineering, and industrial engineering and systems, with emphasis on novel technologies, theoretical work and engineering applications. The audience includes researchers, managers and operators for intelligent engineering and systems as well as designers and developers.	



3. Scopus

The International Journal of Intelligent Engineering and Systems has been officially approved for inclusion in SCOPUS, which is the largest abstract and citation database of research literature and quality web sources covering nearly 18,000 titles from more than 5,000 publishers. Scopus is a registered trademark of Elsevier B.V.

Scopus has become the source for data to establish the annual The Times Higher Education Supplement (THES) World University Rankings because of its transparency, high quality, and broad coverage with all types of university journals.

Source details

International Journal of Intelligent Engineering and Systems

Scopus coverage years: from 2008 to Present

Publisher: Intelligent Networks and Systems Society

ISSN: 2185-310X E-ISSN: 2185-3118

Subject area: [Engineering: General Engineering](#) [Computer Science: General Computer Science](#)

Source type: Journal

[View all documents >](#)


[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

Improved CiteScore methodology

CiteScore 2019 counts the citations received in 2016-2019 to articles, reviews, conference papers, book chapters and data papers published in 2016-2019, and divides this by the number of publications published in 2016-2019. [Learn more >](#)

CiteScore **2019** 

$$1.5 = \frac{885 \text{ Citations } 2016 - 2019}{571 \text{ Documents } 2016 - 2019}$$



Calculated on 06 May, 2020

CiteScoreTracker 2020 

$$1.8 = \frac{1,408 \text{ Citations to date}}{766 \text{ Documents to date}}$$

Last updated on 02 March, 2021 - Updated monthly

CiteScore rank 2019

Category	Rank	Percentile
Engineering		
General Engineering	#131/299	 56th
Computer Science		
General Computer Science	#121/221	 45th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site !\[\]\(1f99bf65f43889da445ecc1fe8d9504f_img.jpg\)](#)

4. Topics

The topics covered by the journal include, but are not limited to the following:

- Soft computing
- Hard computing
- Vision computing
- Hybrid computing
- Grid computing

- Intelligent information engineering
- Information Education System
- Communication network
- Sensor network
- Computer network
- Network simulation
- Security engineering for networks and computers
- Multi-core technology and parallel processing systems
- Bio-inspired systems
- Circuits design and systems
- Signal processing systems
- Industrial engineering systems
- Power System control
- Power distribution
- Robot engineering and applications
- Intelligent CAD/CAE/CAM systems
- Advanced design and fabrication systems
- Emerging design theory and technologies in manufacturing systems

5. Editorial Staff

5.1. Advisory Board

- Hirofumi Sasaki, Professor Emeritus of Tokai University, Japan
- Hassan Bevrani, University of Kurdistan, Iran

5.2. Editor-in-Chief

- Kei Eguchi, Fukuoka Institute of Technology, Japan

5.3. Associate Editors-in-Chief

- Amphawan Julsereewong, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Sawai Pongswatd, King Mongkut's Institute of Technology Ladkrabang, Thailand

5.4. Editorial Board

- Nam-Soo Kim, Cheongju University, Republic of Korea
- B. T. P. Madhav, K L University, India
- Farzin Asadi, Kocaeli University, Turkey
- Win Pa Pa, University Computer Studies Yangon, Myanmar

- Prasit Julsereewong, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Worapong Tangsrirat, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Prapart Ukakimaparn, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Sawatsakorn Chaiyasoonthorn, Ramkhamhaeng University, Thailand
- Krit Smerpitak, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Apinai Rerkratn, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Pittaya Pannil, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Anucha Kaewpoonsuk, Naresuan University, Thailand
- Teerawat Thepmanee, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Chirdpong Deelertpaiboon, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Natee Thong-un, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Sart Kummool, King Mongkut's Institute of Technology Ladkrabang, Thailand
- Ichirou Oota, National Institute of Technology Kumamoto College, Japan
- Takaaki Ishibashi, National Institute of Technology Kumamoto College, Japan
- Kou Yamada, Gunma University, Japan
- Kuniaki Fujimoto, Tokai University, Japan
- Mitsutoshi Yahara, Tokai University Fukuoka Junior College, Japan
- Shuji Kurebayashi, Shizuoka University, Japan
- Wanglok Do, Fukuoka Institute of Technology, Japan
- Riyanarto Sarno, Institut Teknologi Sepuluh Nopember, Indonesia

5.5. Board member responsibilities

- Editorial board members must obey the direction provided by the Editors-in-Chief of the journal.
- Editorial board members must judge every submission equally and transparently.
- Editorial board members should not reveal any information regarding the author, reviewer or the paper information to anyone.
- Editorial board members are responsible for timely publishing the accepted papers.
- Editorial board members may attend the Editorial Board meetings occasionally scheduled by the Editorial Office for taking part in the discussion for the improvement of the Journal.
- Editors should not have any conflict of interest with any assignment.
- Editors should be responsible for a fast and transparent peer review process.
- Editors should keep the policy of fast and effective peer review.
- Editors should be responsible for any query regarding reconsideration of editorial decisions and should provide the decision quickly and clearly with proper reasons.
- Editors should be responsible for selecting potential reviewers considering their expertise in particular subject areas and keeps monitoring the review process.

- Editors will be responsible to convey the expectations of the journal to the reviewers with the review scope, quality and timeliness for an effective, fair and constructive review for the assigned submission.
- Editors should keep in mind the time required for reviewing papers before sending any reminder to the reviewer so that assigned reviewer should get appropriate time he or she requires.
- Editors-in-Chief can take the final decision for any publication oriented issue.

17

**Artikel final yang
sudah dipublikasi**

CONTENTS

Analysis and Prediction of Crop Production in Andhra Region using Deep Convolutional Regression Network

Vamsidhar Talasila, Chitturi Prasad, Guttikonda Trinesh Sagar Reddy, Allada Aparna

Page 1 - 9

The Prediction of Diseases using Rough Set Theory with Recurrent Neural Network in Big Data Analytics

Vamsidhar Talasila, Kotakonda Madhubabu, Meghana Chakravarthy Mahadasyam, Naga Jyothi Atchala, Lakshmi Sowjanya Kande

Page 10 - 18

Automatic Face Recognition Using Enhanced Firefly Optimization Algorithm and Deep Belief Network

Prakash Annamalai

Page 19 - 28

Delay Aware Routing Protocol Using Optimized AODV with BBO for MPLS-MANET

Ambika Belakere Jayaramu, Moodukonaje Krishnappa Banga

Page 29 - 37

Optimal Antenna Slot Design for Hepatocellular Carcinoma Microwave Ablation Using Multi-Objective Fuzzy Decision Making

Petch Nantivatana, Pattarapong Phasukkit, Supan Tungjitkusolmun, Keerati Chayakulkheeree

Page 38 - 50

A Hybrid Fuzzy Rule-Based Multi-Criteria Framework for Security Assessment of Medical Device Software

Abdullah Algarni, Masood Ahmad, Abdulaziz Attaallah, Alka Agrawal, Rajeew Kumar, Raees Ahmad Khan

Page 51 - 62

Automatic Computer Aided Diagnostic for COVID-19 Based on Chest X-Ray Image and Particle Swarm Intelligence

Suhaila N. Mohammed, Fatin Sadiq Alkinani, Yasmin A. Hassan

63 - 73

Robust Parameter Estimation of an Electric Vehicle Lithium-Ion Battery Using Adaptive Forgetting Factor Recursive Least Squares

Mouncef Elmarghichi, Mostafa bouzi, Naoufl Ettalabi

74 - 84

A Framework for Spam Detection in Twitter Based on Recommendation System

Fatna Elmendili, Younès El Bouzekri El Idrissi

85 - 96

Twitter Sentiment Analysis using Aspect-based Bidirectional Gated Recurrent Unit with Self-Attention Mechanism

Mohan Kumar Antharasanahalli Venkataramaiah, Nandakumar Ambuga Narayana Achar

97 - 110

Squirrel Search Optimizer: Nature Inspired Metaheuristic Strategy for Solving Disparate Economic Dispatch Problems

Murugesan Suman, Vadugapalayam Ponnuvel Sakthivel, Palanigounder Duraisamy Sathya

111 - 121

Optimizing Machine Learning Parameters for Classifying the Sweetness of Pineapple Aroma Using Electronic Nose

Mhd Arief Hasan, Riyanarto Sarno, Shoffi Izza Sabilla

122 - 132

Backstepping Integral Sliding Mode Control Method for Maximum Power Point Tracking for Optimization of PV System Operation Based on High-Gain Observer

Rafika El idrissi, Ahmed Abbou, Mohcine Mokhlis

133 - 144

Modified Adaptive Sliding Mode Control for Trajectory Tracking of Mini-drone Quadcopter Unmanned Aerial Vehicle

Jutarut Chaoraingern, Vittaya Tipsuwanporn, Arjin Numsomran

145 - 158

Touch and Step Voltage Evaluation based on Computer Simulation for a Mass Rapid Transit System in Thailand

Chaiyut Sumpavakup, Kritsada Mongkoldee, Tosaphol Ratniyomchai, Thanatchai Kulworawanichpong

159 - 169

New Enhanced Symbiotic Organisms Search for Optimal Location and Sizing of Distributed Generation in Radial Distribution System

Umar Umar, Gema Setyawan, Faanzir Faanzir, Firdaus Firdaus, Dimas Fajar U.P, Adi Soeprijanto, Ontoseno Penangsang

170 - 180

Fuzzy Multi Criteria Decision Analysis Method for Assessing Security Design Tactics for Web Applications

Mamdouh Alenezi, Mohammad Nadeem, Alka Agrawal, Rajeev Kumar, Raees Ahmad Khan

181 - 196

Blind Robust and Self-Embedding Fragile Image Watermarking for Image Authentication and Copyright Protection with Recovery Capability

Lusia Rakhmawati, Suwadi Suwadi, Wirawan Wirawan

197 - 210

Two Stage Fuzzy Inference Systems for Autonomous Lighting in 3D Animated Movie Scene

Andreas Andreas, Mochamad Hariadi, Mauridhi H. Purnomo, Kunio Kondo

211 - 225

Automated Approach for Extraction of Microaneurysms and Hemorrhages in Retinal Fundus Images

Hussain F. Jaafar, Hilal Al-Libawy, Qais K. Al-Gayem

226 - 237

Colour Image Enhancement by Fuzzy Logic Based on Sigmoid Membership Function

Hazim G. Daway, Esraa G. Daway, Hana H. Kareem

238 - 246

Physical Fitness Recommender Framework for Thyroid Patients using Restricted Boltzmann Machines

Vaishali S Vairale, Samiksha Shukla

247 - 256

Speech Emotion Recognition Using MELBP Variants of Spectrogram Image

Suhaila N. Mohammed, Alia K. Abdul Hassan

257 - 266

A New Similarity Method based on Weighted Graph Models for Matching Parallel Business Process Models

Yohanes Setiawan, Kelly Rossa Sungkono, Rivanarto Sarno

267 - 276

Secure and Verifiable Multi-Party Computation Using Indistinguishability Obfuscation

Smita Chaudhari, Gandharba Swain, Pragnyaban Mishra

277 - 285

Darts Game Optimizer: A New Optimization Technique Based on Darts Game

Mohammad Dehghani, Zeinab Montazeri, Hadi Givi, Josep M. Guerrero, Gaurav Dhiman

286 - 294

Object Tracking in Occlusion and Contrast Conditions using Patch-wise Sparse Method

Yashesh Joshi, Hiren Mewada

295 - 306

A Secured Digital Handwritten Signature Prototype for Visually Impaired People

Mohamed Taha, Mazen M. Selim, Ahmed Yousry

307 - 316

A New Local Gaussian Variational Level Set for Globus Pallidus Segmentation

Yohanes Setiawan, Chastine Fatichah, Riyanarto Sarno

317 - 326

Utilizing Fuzzy Logic in Developing Reversible Data Hiding Method

Mohammad Muzayyin Amrulloh, Tohari Ahmad

327 - 336

Throughput Enhancement of the Edge User Equipments Based on the Power-Bandwidth Tradeoff in the Optical Attocell Networks

Abdelmoujoud Assabir, Jamal Elmhamdi, Ahmed Hammouch

337 - 355

A New Similarity Method based on Weighted-Linear Temporal Logic Tree and Weighted Directed Acyclic Graph for Graph-based Business Process Models

Khairiyah Nur Aisyah, Kelly R. Sungkono, Riyanarto Sarno

356 - 367

Multilevel thresholding and Morphological Relationship Approach for Automatic Detection of Anterior and Posterior Commissure in Mid-sagittal Brain MRI

Khairiyah Nur Aisyah, Chastine Fatichah, Riyanarto Sarno

368 - 378

Exploiting Comparable Corpora to Enhance Bilingual Lexicon Induction from Monolingual Corpora

Rizka Wakhidatus Sholikah, Yasuhiko Morimoto, Agus Zainal Arifin, Chastine Fatichah, Ayu Purwarianti

379 - 391

Bidirectional GRU for Targeted Aspect-Based Sentiment Analysis Based on Character-Enhanced Token-Embedding and Multi-Level Attention

Esther Irawati Setiawan, Ferry Ferry, Joan Santoso, Surya Sumpeno, Kimiya Fujisawa, Mauridhi Hery Purnomo

392 - 407

Multi-User Massive MIMO Systems Based on Hybrid Analog-Digital Beamforming for Millimeter-wave Communications

Mohammed K. Hussein, Nasser N. Khamiss

408 - 415

An Integrated System for the Seamless Localization and Specification of a Position Based on an Indoor-Outdoor Conditions in Ubiquitous Computing Environments

Khamla NonAlinsavath, Lukito Edi Nugroho, Widyawan, Kazuhiko Hamamoto, Somphone Kanthavong

416 - 428

A Novel FOC Vector Control Structure Using RBF Tuning PI and SM for SPIM Drives

Ngoc Thuy Pham, Thuan Duc Le

429 - 440

Improving Classification Performance of Fetal Umbilical Cord Using Combination of SMOTE Method and Multiclassifier Voting in Imbalanced Data and Small Dataset

Gede Angga Pradipta, Retantyo Wardoyo, Aina Musdholifah, I Nyoman Hariyasa Sanjaya

441 - 444

Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)

Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana, Mitsuo Gen

455 - 462

A Framework of Computational Model for Predicting the Spread of COVID-19 Pandemic in Saudi Arabia

Abdullah Baz, Hosam Alhakami, Ebtihal Alshareef

463 - 475

Smart Solution for STSP Semantic Traveling Salesman Problem via Hybrid Ant Colony System with Genetic Algorithm

Eman K. Elsayed, Asmaa Hekal Omar, Khadija ElAbd Elsayed

476 - 489

hMatcher: Matching Schemas Holistically

Aola Yousfi, Moulay Hafid El Yazidi, Ahmed Zellou

490 - 501

Solving Capacitated Vehicle Routing Problem Using Chicken Swarm Optimization with Genetic Algorithm

Nora Niazy, Ahmed El-Sawy, Mahmoud Gadallah

502 - 513

Football Game Based Optimization: an Application to Solve Energy Commitment Problem

Mohammad Dehghani, Mohammad Mardaneh, Josep M. Guerrero, O. P. Malik, Vijay Kumar

514 - 523

Custom Convolutional Neural Network with Data Augmentation and Bayesian Optimization for Gram-Negative Bacteria Classification

Budi Dwi Satoto, Mohammad Imam Utoyo, Riries Rulaningtyas, Eko Budi Koendhori

524 - 538

Learning to Hash with Convolutional Network for Multi-label Remote Sensing Image Retrieval

Marwa Sayed Moustafa, Sayed Ahmed, Amal Ahmed Hamed

539 - 548

Design of Minkowski Fractal Iteration in Monopole Patch Antenna

Bharathraj Kumar Medhal, Preveen Jayappa, Jagadeesha Shivamurthy

549 - 559

Mining Zone Determination of Natural Sandy Gravel using Fuzzy AHP and SAW, MOORA and COPRAS Methods

Adiba Sabilla Ajrina, Riyanarto Sarno, Hari Ginardi, Aziz Fajar

560 - 571



Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)

Admi Syarif^{1*} Dian Anggraini¹ Kurnia Muludi¹
 Wamiliana² Mitsuo Gen³

¹*Department of Computer Science, Faculty of Mathematics and Sciences,
 Lampung University Jl. S. Brodjonegoro No.1, Bandar Lampung, Indonesia, 35145*

²*Department of Mathematics Faculty of Mathematics and Sciences, Lampung University Jl. S. Brodjonegoro No.1,
 Bandar Lampung, Indonesia, 35145*

³*Department of Computer Science, Tokyo University of Science, Tokyo, Japan*

* Corresponding author's admi.syarif@fmipa.unila.ac.id

Abstract: One of the essential and well-known classes of combinatorial optimization problems commonly studied by researchers in the last five decades is called the Knapsack Problem (KP). Many variants of KP have been introduced for different real-world applications. Among them, the multiple-choice multi-dimensional Knapsack Problem (mm-KP) is the most complex model with an NP-hard problem. Several authors have reported the robustness of heuristics for mm-KP; irrespective of its advantages, no method currently has the ability to solve the problem optimally all time. This paper aims to determine the best GA strategy and evaluate the performance of several heuristic algorithms to solve mm-KP. We investigate the use of two techniques that are included in the GA approach. The first, two different strategies are adopted to handle infeasible chromosomes, namely penalty and repairing procedure. Second, we develop a new-simple local search to improve the quality of the solution found. Experimental studies on the 13 (thirteen) Benchmark instances are conducted to evaluate the effectiveness of the approach based on solutions quality, the number of the optimal solution reached, and average errors. The results showed that hr-GA tends to reach optimal/near-optimal solutions. Furthermore, the results from studies on heuristic algorithms also show that hr-GA is a promising approach, with local search used to immensely improve the quality.

Keywords: Repairing strategy, Local search, Heuristic method, Genetic algorithm, Knapsack problem.

1. Introduction

In 1950, Dantzig introduced the classical Knapsack Problem (KP), which is one of the famous combinatorial optimization problems. It represents the problem of selecting the subsets of the n items to maximize the corresponding profit, and the total weight does not exceed the Knapsack capacity. Practical applications of KP can be found in some of our daily life, such as the everyday diet program, an optimal investment plan, cargo loading, cutting stock, budget control, and financial management [1]. Different variants of KP are found in the literature, including, multiple-choice KP (mc-KP), multi-dimensional KP (md-KP), and multiple-choices

multi-dimensional KP (mm-KP) [2]. Among them, mm-KP is the most complex belongs to the class of an NP-hard problem. It is considered as a variant of the md-KP where items are divided into groups, and precisely one item per group must be selected. The applications of mm-KP can be found in many real-life applications, including Chip Multiprocessor Runtime Resource Management [3], Global Routing of Wiring in Circuits [4], and Service Level Agreement [5].

The methods proposed in the literature to solve mm-KP can be grouped into two classes: exact and heuristic methods. Since mm-KP is an NP-hard problem, its search space exponentially grows as the problem size increases. Therefore, many researchers pay more attention to develop heuristic methods to

solve mm-KP. Although the heuristics do not guarantee the finding of an optimal solution, those have been reported useful in determining optimal/near-optimal solutions for many hard optimization problems, including mm-KP.

To our knowledge, the first heuristic algorithm to solve mm-KP was reported by Moser et al. [6]. The authors introduced a Lagrangian Relaxation algorithm that was repeatedly permuting to reduce the infeasibility of solutions. A heuristic algorithm based on aggressive resource usage was proposed by Khan et al. [7]. This heuristic algorithm performs better than Moser's Algorithm. Then, Hifi presented several approaches to solve mm-KP. First, Hifi et al. proposed a heuristic approach with a guided-local search that used the principle based on trying several diversified solutions obtained after penalizing the costs of the objective function with penalties parameters [8]. Hifi et al. also developed an algorithm based on a reactive local search to try a diversification search and to escape local optima [9]. The authors reported that their methods are able to outperform Moser's and Khan's algorithms.

Later, Cherfi and Hifi presented column generation methods hybridized with branch-and-bound [10]. They reported that the approaches could obtain better solutions than former approaches on the benchmark instances. An ant colony algorithm approach to solve mm-KP was given by Iqbal et al. [11]. A heuristic method called oscillation (OSC Algorithm) was introduced by Htiouech et al. [12]. The authors used the constraint normalization method to improve the quality of solutions. Xia et al. developed another similar approach to the OSC algorithm, called Stochastic Local Search (SLS) [13]. The algorithm adopted a simple additive weighting scheme to adjust the weight (multiplier) on dimensions.

In one latest paper, Htiouech and Alzaidi proposed a heuristic algorithm called AMMKP [14]. The authors presented the way to decompose the mm-KP into many smaller sub-problems, and each subproblem then solved by an agent. The results show that the approach is able to solve several benchmark instances in the literature effectively.

Since Holland introduced it in 1975 [15], the Genetic Algorithm (GA) has been a prevalent heuristic method. Previous studies have shown the robustness of GA for various hard optimization problems, including the logistic problem [16] [17], scheduling problem [18], vehicle routing problem [19], and so on. For some specific cases, however, it often tends to provide local optimum and takes more time to reach optimal solutions. Therefore, it is

crucial to carry out studies on designing an effective and efficient GA approach.

The most essential and influential component associated with the implementation of GA is the method used to represent the chromosome. For many optimization problems, it is difficult to express the chromosome in a way capable of fulfilling the constraint functions. This is because the generated chromosome in the population is either feasible or infeasible. Two strategies are usually adopted to overcome the infeasible situation, namely repairing and penalty [20]. Another critical issue in the applications of GA is associated with the strategies used to quit the local-optimal solution. The most common approach is to develop and hybridize GA with a local search technique [21].

This paper aims to determine the best GA strategy to solve mm-KP. To improve the quality of the solution, we developed a new simple local search and hybridized it into the GA loop. The approaches adopt both repairing and penalty strategy, namely as repairing-based (sr-GA), hybrid repairing-based GA (hr-GA), and hybrid penalty-based GA (hp-GA). Furthermore, some comparisons with other heuristic methods are also made based on the solution quality, average error, and the number of instances solved optimally.

To evaluate the approaches, we conducted some numerical experiments on set Benchmark test problems taken from OR-Library. The 13 (thirteen) widely studied instances are used to measure the performances of the algorithms. The experimental results show that hr-GA has the merit of high effectiveness and can obtain competitive results with the other heuristics.

We organize this paper into five sections. The second outlines the mathematical formulation of mm-KP. The brief designs of the proposed algorithms, including the chromosome representation, genetic operation, and local search technique, are presented in the third section. The numerical experiments and the comparison of results to other methods are described in the fourth section. Finally, conclusions are drawn in the last part.

2. Mathematical model and algorithm

Let

i	index of class
j	index of item
k	index of resource
R_k	resource constraint $R = R_1, R_2, R_3, \dots, R_m$
r_{ij}^k	the need for the k^{th} resource for the j^{th} item in the i^{th} class

mm-KP aims to fill one item from each class of Knapsack in order to satisfy the resource capacity

constraints and maximize the total profit values. Formally the mathematical formulation of mm-KP can be written as follows:

$$\max Z = \sum_{i=1}^n \cdot \sum_{j=1}^{r_i} x_{ij} v_{ij} \quad (1)$$

s.t.

$$\sum_{i=1}^n \cdot \sum_{j=1}^{r_i} r_{ij}^k x_{ij} \leq R_k, k \in \{1, \dots, m\} \quad (2)$$

$$\sum_{j=1}^{r_i} x_{ij} = 1, i \in \{1, \dots, n\} \quad (3)$$

$$x_{ij} \in \{0,1\}, i \in \{1, \dots, n\}, j \in \{1, \dots, r_i\} \quad (4)$$

Here, the value of x_{ij} is either 1 or 0, which implies that item j in the i -th class is chosen, or not chosen. The v_{ij} represents the profit value of item j in the i -th class.

3. Design of the algorithms

3.1 Chromosome representation and evaluation

When implementing GA for a specific application, the first step is to determine a way to represent a possible solution to the problems. We have to generate some feasible chromosomes, which is as much as the desired population size. For this research, we represent chromosome by using a string, that its length is equal to the number of classes. For example, the dataset IO1 comprises of five groups (i), five items (j), and five resources (k) in each class, with a resource constraint (R_k) of 25. The chromosome representation for this instance IO1 can be illustrated in Fig. 1. The data for this instance (IO1) is as follows:

In the above chromosome, the index represents the class, while the value item gene represents the item index j in each class i . From the chromosome, the selected items are 4, 5, 3, 2, and 4 in the 1st, 2nd, 3rd, 4th, and 5th class. The decoding mechanism is done by selecting one item for each category. The number of resource consumption (r_{ijk}) of each item is used to check for the resource constraint. Here, the total value of r_{ijk} cannot exceed the (R_k) amount of each class, as shown in Table 2.



Figure. 1 Chromosome representation for instance IO1

Table 1. Data for IO1 Instance

1					
7	1	3	1	1	6
17	1	4	9	9	3
25	4	3	9	8	2
35	4	5	8	0	6
36	6	8	3	0	7
2					
9	0	0	4	4	2
10	0	0	1	8	7
10	1	1	6	0	6
39	9	1	2	2	4
44	8	7	0	8	2
3					
15	2	0	5	5	5
19	2	3	2	6	2
20	3	1	6	4	7
44	6	7	5	6	9
50	9	5	9	2	2
4					
5	0	1	3	8	0
25	2	2	7	0	8
32	5	5	6	1	9
37	6	3	6	9	1
37	7	9	7	2	3
5					
24	4	0	7	0	2
30	4	8	9	0	0
32	5	2	7	2	0
43	5	5	9	5	2
44	9	2	2	2	3

Table 2. The decoding of the chromosome

	4	5	3	2	4
r_{ij1}	4	8	3	2	5
r_{ij2}	5	7	1	2	5
r_{ij3}	8	0	6	7	9
r_{ij4}	0	8	4	0	5
r_{ij5}	6	2	7	8	1
R_k	23	25	21	19	25

3.2 Crossover and mutation

When implementing GA, two genetic operations are usually used to involve the new solution space, namely as crossover and mutation. The crossover operation is used to produce new offspring by recombining gen between selected parents. When choosing the crossover method, we have to consider the chromosome representation. There are several variants of the crossover methods introduced in the literature, such as one-point crossover, two-point crossover, PMX, WMX, etc.[8]. For this research, we




Figure. 2 The illustration of two-point crossover




Figure. 3 The illustration of swap mutation operation

adopted the two-point crossover technique, as illustrated in Fig. 2 [22]. The following process explains the steps of the crossover operation.

- Step 1: Choose two parents arbitrarily for crossover.
- Step 2: Randomly determine two points
- Step 3: Exchange the substring between these two points.

3.3 Selection strategy

The last stage of the GA process is the selection strategy to determine the chromosomes for the next generation. This stage adopted the elitist selection method. The *pop_size* best chromosomes (the highest fitness value) are chosen for the next generation.

3.4 Local search

Genetic algorithms (GA) function as a global search technique; however, it may often take a relatively long computational time to converge for a global optimum [24]. To solve this, many researchers suggested hybridizing GA with the local search technique. In this research, we developed a new and simple local search technique called Switching Local Search (SLS). It is done by first selecting a gene in the chromosome and changing its value randomly. The following Algorithm 1 illustrates the overall description of the proposed algorithms.

Algorithm 1: GAs for mm-KP

Input: data for the mm-KP test problem

Output: the best solution

Genetic Algorithm {

Generate Initial population P(t);

Evaluation Initial population P(t);

Penalty strategy;

While (not STOPPING CONDITION)

Crossover;

Mutation;

Evaluation;

(Penalty/Repairing strategy);

Selection;

Local Search Best chromosome P(t);

P = P(t+1);

}
}

It is shown that two different strategies are used to handle an infeasible chromosome resulted in crossover and mutation operations. The first strategy includes a procedure to repair the infeasible chromosome. The second strategy applies the penalty value for the infeasible chromosome. As mm-KP is the maximization problem, the penalty value will decrease the objective value. Thus, it will reduce the opportunity of the chromosome to be selected for the next generation. The local search procedure was included in the GA loop and implemented to the best chromosome to improve the solution quality.

4. Experimental design and results

4.1 Experimental design

To evaluate the effectiveness of the algorithms, several experimental studies have been conducted on 13 (thirteen) different size Benchmark instances taken from OR-Library. The test problems were divided into 3 (three) groups according to the size; small size (I01-I06), medium (I07-I09), and large (I10-I13). The number of variables in these 13 test problems varies from 25 to 4000. The detail of the

Table 3. Details of the instances, where *n* denotes the number of classes, *r_i* is the number of items in each group, and *m* is the number of resources

No.	Test problem	Data				Parameter	
		<i>N</i>	<i>r_i</i>	<i>m</i>	<i>R_k</i>	<i>Pop_size</i>	<i>Max_gen</i>
1	I01	5	5	5	25	50	1000
2	I02	10	5	5	50	50	1500
3	I03	15	10	10	75	50	2000
4	I04	20	10	10	100	100	1000
5	I05	25	10	10	125	100	1500
6	I06	30	10	10	150	100	2000
7	I07	100	10	10	500	200	1000
8	I08	150	10	10	750	200	1500
9	I09	200	10	10	1000	250	2000
10	I10	250	10	10	1250	300	1000
11	I11	300	10	10	1500	300	1500
12	I12	350	10	10	1750	450	2000
13	I13	400	10	10	2000	500	2000

Table 4. Performance of the GA approaches on all instances (SD: Standard Deviation)

Dataset	Optimum	sr-GA			hp-GA			hr-GA		
		Best	Average	SD	Best	Average	SD	Best	Average	SD
I01	173	173	173	0	173	170	2.9	173	173	0
I02	364	364	351	6.7	355	346.1	5.2	364	361	0.9
I03	1602	1536	1502.5	15.9	1556	1518	14.5	1600	1552.5	28.7
I04	3597	3433	3380.8	32.5	3488	3410	39.2	3571	3541.4	22
I05	3905.7	3900.4	3800.8	103	3905.7	3892	26.9	3905.7	3902	2.6
I06	4799.3	4787.2	4698.3	72.6	4799.3	4769.9	30.5	4799.3	4796	4.2
I07	24587	23071	22997.8	39.7	23717	23627	51.1	23870	23541.1	79.2
I08	36877	35536	34819.8	345.1	35547	32933	7764	35626	34932.4	90.2
I09	49167	47309	46237.6	540.7	47415	45946	748.1	47370	47338.1	43.8
I10	61437	58876	57826	568	59226	58898	245.1	59228	59056	40.3
I11	73773	70706	70557.3	142.1	70724	66620	1724.7	71021	70782.5	99.4
I12	86071	82089	89510.1	212	82305	77908	1195.6	82627	82342.8	104.5
I13	98429	94006	93478	279.2	94116	88429	1319.2	94570	94321.2	163

sr-GA: standard repairing-based GA (without local search)

hr-GA: hybrid repairing-based GA

hp-GA: hybrid penalty-based GA

test problems used for the experiments is shown in Table 3.

4.2 Results and discussion

A total of three GA approaches were developed, namely standard repairing GA (sr-GA), hybrid penalty-based (hp-GA), and hybridized penalty-based GA (hp-GA) by using Matlab R2015b and run on PC Processor intel® Core™i5-3470S. For the experiments, we set the values of crossover probability and mutation probability as 0.4 and 0.2, respectively. Each algorithm is run 20 (twenty) times for each test problem.

Table 4 summarizes the overall results of the experiments, where the best and the average values represent the best and the average fitness value from the 20 (twenty) running times. Standard deviation (SD) is the distribution of statistical measures of the data distribution. Optimum is the best-obtained solution in the literature. The results highlight that repairing-based GA has better performance than penalty-based GA. Due to the difficulties in generating feasible chromosomes, the penalty strategy cannot give good results for all of the test problems. In addition, many offspring, which led to GA operations is also infeasible. It can be seen from these results that combining GA with the local search will improve the solution quality immensely. The overall results show that hr-GA has better performance to solve mm-KP all of the time.

To assess the merit and limit of the proposed approach, we compare the performance of the new hr-GA to other heuristic algorithms available in the

following literature: Moser [6], Heuristic [25], Modified-Reactive-Local-Search (MRLS) [9], Khan-Li-Manning-Akbar Algorithm (KLMA) [7], Derived algorithm [8], Ant Colony Algorithm [11], OSC Algorithm [12], SLS Algorithm [13] and AMMKP algorithm [14].

Table 5 summarizes the comparison of the results obtained by the heuristic algorithms. Similarly, in this Table, we also indicate our achievements that have the values greater than or equal to the best-published results in bold. These results show that hr-GA tends to reach optimal/near-optimal solutions to the problem. It can obtain the number of solution that better than or equal to the best solution in 5 cases among 13 cases, which better or same as the results given by Moser (1 case), Heuristic (1 case), RLS (4 cases), KLMA (2 cases), Derived Algorithm (2 cases), Ant Colony algorithm (5 cases), OSC algorithm (4 cases), SLS algorithm (6 cases) and AMMKP (11 cases).

In this research, we calculate the percentage error value for each instance by using the following formula:

$$Error = \frac{best-optimum}{optimum} \times 100\% \quad (5)$$

The error comparisons of the heuristic methods for each test problem are illustrated in Figure 4. It shows that hr-GA can obtain good quality and reach optimal/optimal solution to the problem most of the time.

In this research, we also analyze the algorithm based on the average errors given by the methods for

Table 5. Results of some heuristic methods on all mm-KP instances

Dataset	Optimum	Moser	Heuristic	RLS	KLMA	Der_Algo	Ant	OSC	SLS	AMMKP	hr-GA
I01	173	151	167	173	167	173	173	173	173	173	173
I02	364	291	354	364	354	356	364	364	364	364	364
I03	1602	1464	1533	1595	1533	1553	1602	1594	1602	1594	1600
I04	3597	3375	3437	3564	3437	3502	3569	3514	3592	3592	3571
I05	3905.7	3905.7	3899.1	3905.7	3905.7	3905.2	3905.7	3905.7	3905.7	3905.7	3905.7
I06	4799.3	4115.2	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3
I07	24857	23556	23912	24121	23912	23983	24159	24162	24311	24310	24170
I08	36877	35373	35979	36110	35979	36007	36240	36405	36463	36530	36641
I09	49167	47205	47901	48291	47901	48048	48367	48567	48580	48711	48191
I10	61437	58648	59811	60291	59811	60176	60475	60858	60661	60911	60228
I11	73773	70532	71760	72283	71760	72003	72558	73022	72778	73200	72003
I12	86071	82377	84141	84446	84141	84160	84707	85284	84889	85338	85015
I13	98429	94166	96003	96850	96003	96103	96834	97545	97082	97744	97050
#Best		1	1	4	2	2	5	4	6	11	5




Figure 4. Error comparison between heuristic approaches on all mm-KP instances

those 13 test problems. The computation indicates that hr-GA provides competitive solutions with the average error equal to 1.02%, better than those obtained by Moser (7.13%), Heuristic (2.62%), RLS (1.2%), KLMA (2.6%), and Derived algorithm (1.93%), and the ant colony algorithm (1.03%). However, in comparison to the OSC algorithm (0.91%), SLS algorithm (0.77%), and AMMKP

(0.61%), it still has a slightly larger average error. We illustrate the comparison of the average error for each method in the following Figure 5.

5. Conclusion

This paper analyzed three different GA approaches to solving mm-KP. The proposed methods adopt different strategies to handle




Figure 5. Comparison of the average errors between the heuristic methods

infeasible chromosomes, namely penalty and repairing procedure. Those are also hybridized a new simple local search technique to improve the solution quality. Several numerical experiments on a set of Benchmark instances taken from OR-Library have been conducted to evaluate the performance of the algorithms. The results show that repairing-based GA has better performance than penalty-based GA. Hybridizing GA with local search has also improved the solution quality immensely. The comparisons with other heuristic algorithms are also made based on the solution quality, the number of optimal solutions obtained, and average errors. It concludes that hr-GA is able to get competitive results with the other heuristics. These findings add to a growing body of literature on the applications of GA.

Conflicts of Interest

The authors declare no conflict of interest.

Author Contributions

Mitsuo Gen gives the idea for the Algorithm; Admi Syarif and Dian Anggrainii designed the experiments; Dian Anggraini performed the experiments; Admi Syarif and Kurnia Muludi supervised the study, analyzed the results, verified the findings of the study, and wrote the paper.

Acknowledgments

The authors are grateful to “Hibah Unggulan” Lampung University, Grant-in-Aid No. 1514/UN26.21/PN/2020, 2020, for assisting this research. We thank the anonymous reviewers for

their constructive comments that helped us a lot in substantially improving this paper.

References

- [1] J. Gottlieb, “Permutation-based evolutionary algorithms for multi-dimensional knapsack problems”, In: *Proc. of the 2000 ACM Symposium on Applied Computing - Volume 1 (SAC '00)*, New York, USA, Vol. 1, pp. 408–414, 2000.
- [2] Y. Chen and J. K. Hao, “A ‘reduce and solve’ approach for the multiple-choice multi-dimensional knapsack problem”, *European Journal of Operational Research*, Vol. 239, No. 2, pp. 313–322, 2014.
- [3] H. Shojaei, A. H. Ghamarian, T. Basten, M. Geilen, S. Stuijk, and R. Hoes, “A parameterized compositional multi-dimensional multiple-choice knapsack heuristic for CMP run-time management”, In: *Proc. of the 46th Annual Design Automation Conf. (DAC '09)*, New York, USA, pp. 917–922, 2009.
- [4] H. Shojaei, T. H. Wu, A. Davoodi, and T. Basten, “A Pareto-algebraic framework for signal power optimization in global routing”, In: *Proc. of the International Symposium on Low Power Electronics and Design*, New York, USA, pp. 407–412, 2010.
- [5] L. Arockiam and N. Sasikaladevi, “Simulated Annealing Versus Genetic Based Service Selection Algorithms”, *International Journal of u- and e- Service, Science and Technology*, Vol. 5, No. 1, pp. 35–50, 2012.
- [6] M. Moser, D. P. Jokanovic, and N. Shiratori, “An algorithm for the multi-dimensional multiple-choice knapsack problem”, *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, Vol. E80-A, No. 3, pp. 582–589, 1997.
- [7] S. Khan, K. F. Li, E. G. Manning, and M. M. Akbar, “Solving the Knapsack Problem for Adaptive Multimedia Systems”, *Studia Informatica Universalis*, Vol. 2, pp. 157–178, 2002.
- [8] M. Hifi, M. Michrafy, and A. Sbihi, “Heuristic algorithms for the multiple-choice multi-dimensional knapsack problem”, *Journal of the Operational Research Society*, Vol. 55, No. 12, pp. 1323–1332, 2004.
- [9] M. Hifi, M. Michrafy, and A. Sbihi, “A reactive local search-based algorithm for the multiple-choice multi-dimensional knapsack problem”, *Computational Optimization and Applications*, Vol. 33, No. 2–3, pp. 271–285, 2006.

- [10] N. Cherfi and M. Hifi, "A column generation method for the multiple-choice multi-dimensional knapsack problem", *Computational Optimization and Applications*, Vol. 46, No. 1, pp. 51–73, 2010.
- [11] S. Iqbal, M. F. Bari, and M. S. Rahman, "Solving the Multi-dimensional multi-choice knapsack problem with the help of ants", In: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Berlin, Heidelberg, Vol. 6234, pp. 312–323, 2010.
- [12] S. Htiouech, S. Bouamama, and R. Attia, "Using surrogate information to solve the multidimensional multi-choice knapsack problem", In: *Proc. of IEEE Congress on Evolutionary Computation*, Cancun, Mexico, pp. 2102–2107, 2013.
- [13] Y. Xia, C. Gao, and J. L. Li, "A Stochastic Local Search Heuristic for the Multidimensional Multiple-choice Knapsack Problem", In: *Communications in Computer and Information Science*, Berlin, Heidelberg, Vol. 562, pp. 513–522, 2015.
- [14] S. Htiouech and A. Alzaidi, "Smart Agents for the Multidimensional Multi-Choice Knapsack Problem", *International Journal of Computer Applications*, Vol. 174, No. 6, pp. 5–9, 2017.
- [15] J. H. Holland, *Adaptation in Natural and Artificial Systems: an Introductory Analysis with Applications to Biology, Control, and Artificial Intelligence*, University of Michigan Press, 1975.
- [16] A. Syarif and M. Gen, "Solving exclusionary side constrained transportation problem by using a hybrid spanning tree-based genetic algorithm", *Journal of Intelligent Manufacturing*, Vol. 14, No. 3–4, pp. 389–399, 2003.
- [17] Hiassat, A. Diabat, and I. Rahwan, "A genetic algorithm approach for location-inventory-routing problem with perishable products", *Journal of Manufacturing Systems*, Vol. 42, pp. 93–103, 2017.
- [18] M. Gen and L. Lin, "Multiobjective evolutionary algorithm for manufacturing scheduling problems: State-of-the-art survey", *Journal of Intelligent Manufacturing*, Vol. 25, No. 5, pp. 849–866, 2014.
- [19] M. A. Mohammed, M. K. Abd Ghani, R. I. Hamed, S. A. Mostafa, M. S. Ahmad, and D. A. Ibrahim, "Solving vehicle routing problem by using improved genetic algorithm for the optimal solution", *Journal of Computational Science*, Vol. 21, pp. 255–262, 2017.
- [20] A. H. C. Van Kampen, C. S. Strom, and L. M. C. Buydens, "Lethalization, penalty and repair functions for constraint handling in the genetic algorithm methodology", *Chemometrics and Intelligent Laboratory Systems*, Vol. 34, No. 1, pp. 55–68, 1996.
- [21] M. Gen and A. Syarif, "Hybrid genetic algorithm for multi-time period production/distribution planning", *Computers and Industrial Engineering*, Vol. 48, No. 4, pp. 799–809, 2005.
- [22] S. Hou, Y. Liu, H. Wen, and Y. Chen, "A self-crossover genetic algorithm for job shop scheduling problem", In: *Proc. of IEEE International Conf. on Industrial Engineering and Engineering Management*, pp. 549–554, 2011.
- [23] M. Gen and R. Cheng, *Genetic Algorithms and Engineering Optimization*, John Wiley & Sons, New York, 2000.
- [24] W. Wan and J. B. Birch, "An improved hybrid genetic algorithm with a new local search procedure", *Journal of Applied Mathematics*, Vol. 2013, 2013.
- [25] <ftp://cermse.univ-paris1.fr/pub/CERMSEM/hifi/MMKP/> (accessed Jul. 15, 2019).

4

Cover Letter Jurnal

International Journal of Intelligent Engineering and Systems (IJIES)

Cover Letter

<http://www.inass.org>

Please complete this form and send it to us with your manuscript.

Title of a corresponding author (Prof./Assoc.Prof./Assis.Prof./Dr./Mr./Ms.) * Choose either	Dr. Eng.
Full Name and Surname of Corresponding Author	Admi Syarif
Paper Title	Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)
Co-author(s)	Dian Anggraini, Kurnia Muludi, Wamiliana and Mitsuo Gen
Organisation	Department of Computer Science, Faculty of Mathematics and Sciences, Lampung University, Jl. S. Brodjonegoro No.1, Bandar Lampung, 35145
Country	Indonesia
E-mail	admi.syarif@fmipa.unila.ac.id

Publication Option:

Please **delete** either:

✓ **Special Publication + Format Correction: (USD 250)**

In this option, your manuscript is formatted by IJIES staffs. Accepted papers will be published **about 2 months later**.

(* **Paypal** is the only payment method. The bank transfer is not supported.)

The review process of IJIES consists of two processes: 1st review and 2nd review. Each process requires **about 2 weeks** to review your manuscript.

Note: Please submit your 1st version with **a twin-column format to clarify the page length** of your manuscript.

----- Please read the following conditions carefully -----

Before Submission

Please confirm the following terms.

- ✓ **The paper length is more than 8 pages. (Max. 10 pages.)**
(If the page length exceeds 10 pages, the **extra page charge USD50 per extra page** will be requested.)

- ✓ **Your paper is not Survey Research (or Review paper).**
- ✓ **All figures/tabels/equations are original works.**
- ✓ **All figures/tabels are clear.**
(The letter of figures is 10-point Times New Roman.)
- ✓ **The full name of authors is given in your manuscript.**
- ✓ **Manuscript submitted to the IJIES journal signifies that it has not been published previously, has not been copyrighted, has not been submitted elsewhere. The authors declare no conflict of interest.**

Currently, the IJIES is indexed by **SCOPUS**.

(see <https://www.scopus.com/sourceid/21100199790?origin=sbrowse>)

However, please bear in mind that SCOPUS suddenly drop journals from the list. **No refund** will be given even if the IJIES is dropped from SCOPUS list.

From April 1, 2020

Information of IJIES Awards

Excellent Citation Award

The Excellent Citation Award of IJIES is granted to an individual or group who has made significant and important contributions to the International Journal of Intelligent Engineering and Systems (IJIES).

Nomination criteria:

More than 15 citation counts are necessary **within a year** after paper publication.
(e.g. If your paper was published in 2019, more than 15 citation counts are necessary until 31/12/2021.)

How to apply "Excellent Citation Award":

To proof your citation counts, please submit "Author search result" of "Scopus Preview" to IJIES office. (Check <https://www.scopus.com/>)

* The citation is counted by using "Scopus" database.

For Excellent Citation Award recipients:

Honorary certificate & Free Publication Charge will be provided to an individual or group.

Outstanding Citation Award

The Outstanding Citation Award of IJIES is granted to an individual or group who has made significant and important contributions to the International Journal of Intelligent Engineering and Systems (IJIES).

Nomination criteria:

More than 20 citation counts are necessary within **three years** after paper publication.
(e.g. If your paper was published in 2017, more than 30 citation counts are necessary until 31/12/2020.)

From 01/04/2020

How to apply "Outstanding Citation Award":

To proof your citation counts, please submit "Author search result" of "Scopus Preview" to IJIES office. (Check <https://www.scopus.com/>)

* The citation is counted by using "Scopus" database.

For Outstanding Citation Award recipients:

Honorary certificate will be provided to an individual or group.

INVAS

5

**Komentar editor
terkait penerimaan
artikel untuk
dipublikasikan**



ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

ijies3205: Paper submission

4 messages

EGUCHI Kei <eguti@fit.ac.jp>

Mon, May 11, 2020 at 11:39 AM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear author(s),

Thank you for your interest and support to IJIES.
I am hereby to confirm the delivery of your paper, Paper ID is " ijies3205 ".
It has been sent for reviewing.
The notification will be feedback within two weeks.
Appreciate your patiently wait.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

From: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Sent: Monday, May 11, 2020 12:55 PM

To: ijies@inass.org; ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>; Wamiliana Wamiliana <wamilianakhan@gmail.com>

Subject: Paper submission

May 12, 2020

Dear Chairman

First of all, we would like to appreciate your great work in managing this high-quality journal. It is our great pleasure to inform you that we would like to submit our full paper for consideration for publication on the International Journal of Intelligent Engineering and systems. We have made our paper following http://www.inass.org/share/IJIES_Format.docx. The current version paper has also been checked for the similarity by Turnitin (12 percent). We attach our full article and "Cover Letter" in this email.

Thank you very much for your assistance, and we look forward to hearing any comments and suggestions from you in the near future.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@yahoo.com><mailto:arif@fmipa.unila.ac.id>

EGUCHI Kei <eguti@fit.ac.jp>

Wed, May 20, 2020 at 6:46 AM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear author(s),

Congratulations!

The 1st review for your paper was accepted.

However, we are sorry to inform you that your paper cannot be recommended for publication in IJIES, in its current form.


Please revise your paper according to the attached reviewers' comments.

Please note that if your paper is still not satisfactorily revised or cannot be returned to us within TWO months from the date of this letter, your paper will not be recommended to the journal above.

Thanks for your understanding and cooperation.

Kind Regards,
IJIES Editors.

[Quoted text hidden]

 **3205.docx**
49K

ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
To: sketqo@gmail.com

Tue, May 26, 2020 at 10:53 AM

Dear chairman

First of all, we would like to thank you for your quick response for our submission. We have received the review report of our paper. Now we are revising our the manuscript following the comments of the reviewer. We shall resubmit the revised version as soon as possible, Again thank you very much.

On Wed, May 20, 2020 at 11:47 AM ADMI SYARIF <admi.syarif@fmipa.unila.ac.id> wrote:
[Quoted text hidden]

ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
Draft To: EGUCHI Kei <eguti@fit.ac.jp>
Cc: ijies@inass.org

Wed, Jul 15, 2020 at 9:56 AM

[Quoted text hidden]

6

**Review pertama dari
reviewer jurnal**

Intelligent Networks and Systems Society

Review Form

International Journal of Intelligent Engineering and Systems (IJIES)

Paper ID	Ijies3205
Paper Title	Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)

Recommendation for Publication

- | | |
|--|--|
| <input type="checkbox"/> (Evaluation A:) Accept | <input type="checkbox"/> (Evaluation B:) Accept after Minor Revision |
| <input type="checkbox"/> (Evaluation C:) Accept after Major Revision | <input type="checkbox"/> (Evaluation D:) Reject |

Comments from reviewers 1 & 2:

The novelty of this work is weak, because this is a comparison report between existing techniques. The finding of this research is small impact. Besides, the research survey of this work is thin. Nobody can understand the novelty of this work.

1. The research survey is not enough. The articles listed in References are old. (Most of them are out of date. In SCOPUS, the papers published within 3 years are used to calculate CiteScore.) The authors should survey past studies in detail.
2. The quotation of previous articles, such as [6-11], is rough. These citations are meaningless. You must quote articles properly.
3. There is no left-hand in Eq. (1).
4. The width of algorithm 1 is too wide.
5. This paper lacks in-depth discussions in Sect.4. The impact is lost by a short discussion of the findings. Readers will fail to understand the scientific contribution of this research. Show the theoretical reason why the proposed technique is better than existing techniques, because there is no theoretical explanation about compared existing techniques in previous sections. These existing techniques appeared suddenly in comparison. Explain the detail of the existing technique in previous sections.
6. Do not rotate the sheet of the paper. (see pp. 6-7.) Besides, unify the font size of tables to 10pt.
7. There is no Y-axis label in Figs. 4 and 5.
8. Eq. (5) has editing problems.
9. The results of this research are not clear in Conclusions. Furthermore, the benefits of the proposed method are not supported by theory. So, I fail to understand the scientific contribution of this research.
10. The results of this research are not clear in Conclusions. Show the scientific contribution of this work with concrete data.
11. Are there any more updated references, as the most newly one is in 2014, which needs to be updated?
12. Please improve the reference format. **This is very important for indexing service.** If you did not follow the following format, your paper will be rejected automatically.

***Do not use "et al." in author names.**

e.g.

[1] R. Ruskone, S. Airault, and O. Jamet, "Vehicle Detection on Aerial Images", *International Journal of Intelligent Engineering and Systems*, Vol.1, No.1, pp.123-456, 2009.

(In the case of Journal Papers)

[2] R. Ruskone, L. Guigues, S. Airault, and O. Jamet, "Vehicle Detection on Aerial Images", In: *Proc. of*

Review Form

International Conf. On Pattern Recognition, Vienna, Austria, pp.900-904, 1996.

(In the case of Conference Proceedings)

*Note: e.g. In the case of the author name:"John Doe", express as "J. Doe". ("John" is the first name and "Doe" is the family name.)

* * Please send your revised manuscript with the response letter for the 2nd review. (Please highlight modifications and additions inside the paper by red font.)

From Editor:

Please add "Conflicts of Interest" and "Author Contributions". (see the IJES format.docx)

Conflicts of Interest (Mandatory)

Declare conflicts of interest or state "The authors declare no conflict of interest." Authors must identify and declare any personal circumstances or interest that may be perceived as inappropriately influencing the representation or interpretation of reported research results.

Author Contributions (Mandatory)

For research articles with several authors, a short paragraph specifying their individual contributions must be provided. The following statements should be used as follows: "conceptualization, XXX and YYY; methodology, XXX; software, XXX; validation, XXX, YYY, and ZZZ; formal analysis, XXX; investigation, XXX; resources, XXX; data curation, XXX; writing—original draft preparation, XXX; writing—review and editing, XXX; visualization, XXX; supervision, XXX; project administration, XXX; funding acquisition, YYY", etc. **Authorship must be limited to those who have contributed substantially to the work reported.**

Evaluation of Paper

Contents	Innovation	<input type="checkbox"/> Highly Innovate <input type="checkbox"/> Sufficiently Innovate <input type="checkbox"/> Slightly Innovate <input type="checkbox"/> Not Novel
	Integrity	<input type="checkbox"/> Poor <input type="checkbox"/> Fair <input type="checkbox"/> Good <input type="checkbox"/> Outstanding
	Presentation	<input type="checkbox"/> Totally Accessible <input type="checkbox"/> Mostly Accessible <input type="checkbox"/> Partially Accessible <input type="checkbox"/> Inaccessible
	Technical depth	<input type="checkbox"/> Superficial <input type="checkbox"/> Suitable for the non-specialist <input type="checkbox"/> Appropriate for the generally knowledgeable individual working in the field <input type="checkbox"/> Suitable only for an expert
Presentation & English	<input type="checkbox"/> Satisfactory <input type="checkbox"/> Needs improvement <input type="checkbox"/> Poor	
Overall organization	<input type="checkbox"/> Satisfactory <input type="checkbox"/> Could be improved <input type="checkbox"/> Poor	

7

**Lampiran Jawaban
penulis untuk Review
pertama dari reviewer
jurnal**



Answer to the reviewer comments

Title: Comparing of Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)

Authors: Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana, and Mitsuo Gen

Dear reviewer 2

First of all, we would like to thank you for giving the opportunity to submit our revised manuscript, “Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)” for publication in the *International Journal of Intelligent Engineering and Systems*. We greatly appreciate the time and effort that the reviewers dedicated to providing feedback on our manuscript. We found that those comments and advice have improved and enriched the quality of the paper immensely. We have incorporated most of the suggestions made by the reviewers. Those changes are highlighted in the manuscript. Please see below, in blue, for a point-by-point response to the reviewers’ comments and concerns. We also have made the proof-reading by native-speaker and similarity check (Plagiarism) of the manuscript by using Turnitin (12 percent).

1. The research survey is not enough. The articles listed in the References are old. (Most of them are out of date. In SCOPUS, the papers published within three years are used to calculate CiteScore.) The authors should survey past studies in detail.

We agree with the reviewer’s assessment. Accordingly, throughout the manuscript, we have revised the paper.

- We have added past survey studies on the subject.
- We have made more discussion on the problem.
- We have added some recent references to this revised paper.

2. The quotation of previous articles, such as [6-11], is rough. These citations are meaningless. You must quote articles properly.

● Following your recommendation, we have deleted the suggested references. We also have added several recent studies on the revised manuscript. We have made it clear the citations of the paper.

3. There is no left-hand in Eq. (1).

● We are very sorry for our carelessness. We have modified our paper following this comment.

4. The width of algorithm 1 is too wide.

- We agree that this comment. Algorithm 1 has been modified following this suggestion.
5. This paper lacks in-depth discussions in Sect.4. The impact is lost by a short discussion of the findings. Readers will fail to understand the scientific contribution of this research. Show the theoretical reason why the proposed technique is better than existing techniques, because there is no theoretical explanation about compared existing techniques in previous sections. These existing techniques appeared suddenly in comparison. Explain the detail of the existing technique in previous sections.
 - Thank you for pointing this out. We agree with your opinion. We have made a significant modification of the paper. More discussion on the existing algorithm has also been presented in Section 1. Section 3 gives a detailed explanation of the proposed approaches. In Section 4, we have a more detailed discussion on the experimental design and the finding results. We have made it clear the contribution of this research.
 6. Do not rotate the sheet of paper. (see pp. 6-7.) Besides, unify the font size of tables to 10pt.
 - As suggested by the reviewer, we have modified it in the manuscript.
 7. There is no Y-axis label in Figs. 4 and 5.
 - We are so sorry for this carelessness. The figures have been modified following this suggestion.
 8. Eq. (5) has editing problems.
 - Thank you for pointing this out. Eq. (5) has been updated
 9. The results of this research are not clear in Conclusions. Furthermore, the benefits of the proposed method are not supported by theory. So, I fail to understand the scientific contribution of this research.
 - Thank you very much. We have made significant revisions on the paper to make clear the contribution of this research. While we appreciate the reviewer's feedback, we think this study makes a valuable contribution to the field because :
 - This paper determines the best GA strategy to solve mm-KP.
 - In this paper, we developed a new simple local search and hybridized it into the GA loop to improve the quality of the solution.
 - This paper presents some comparisons of the proposed method with other Heuristic on the solution quality, average error, and the number of instances solved optimally.
 - The experimental results show that hr-GA has the merits of high effectiveness and can obtain competitive results with the other heuristics.
 - The conclusion has modified following your suggestion.
 10. The results of this research are not clear in Conclusions. Show the scientific contribution of this work with concrete data.

● The revised manuscript has been modified following this suggestion. A more detailed explanation of the theory and experimental design have been provided to show the contribution of this work. Following this comment, we also have modified the conclusion. It would be our great pleasure if you can check the modification on the revised paper (See Table 4, Table 5, Table 5, Figure 4, and Figure 5 on the revised paper).

To assess the merit and limit of the proposed approach, we compare the performance of the new hr-GA to other heuristic algorithms available in the following literature: Moser [6], Hifi-Michrafy-Sbihi (HMS) [25], Modified-Reactive-Local-Search (MRLS) [9], Khan-Li-Manning-Akbar Algorithm (KLMA) [7], Der_Algorithm [26], Ant Colony Algorithm [11], OSC Algorithm [12], SLS Algorithm [13] and AMMKP algorithm [14].

The results indicate the achievements of the proposed method in comparison to the other heuristics. It is shown that hr-GA tends to reach optimal/near-optimal solutions (See Table 4, Table 5, Table 5, and Figure 4 on the revised paper. It can obtain competitive results on the number of solution that better than or equal to the best solution in 5 cases among 13 cases, which better or same as the results given by Moser (1 case), Heuristic (1 case), HMS (2 cases), RLS (4 cases), KLMA (2 cases), Derivatives Algorithm (2 cases), Ant Colony algorithm (5 cases), OSC algorithm (4 cases), SLS algorithm (6 cases) and AMMKP (11 cases).

We summarize the comparison of the solution quality based on the average error for each test problem. These results indicate that hr-GA can obtain good quality and reach optimal/optimal solution. The also hr-GA provides better or competitive solutions with error on average equal to 1.02%, better than those obtained by Moser (7.13%), Heuristic (2.62%), HMS (2%), RLS (1.2%), KLMA (2.6%) and Derivatives Algorithm (1.93). Ant colony algorithm (1.03%), OSC algorithm (0.91%), SLS algorithm (0.77%) and AMMKP (0.61%).

s.

11. Are there any more updated references, as the most newly one is in 2014, which needs to be updated?

● Thank you very much. The revised manuscript has been modified following this suggestion. We have given some new references in the paper.

- [1] S. Iqbal, M. F. Bari, and M. S. Rahman, "Solving the Multi-dimensional multi-choice knapsack problem with the help of ants", In: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Berlin, Heidelberg, Vol. 6234, pp. 312–323, 2010.
- [2] S. Htiouech, S. Bouamama, and R. Attia, "Using surrogate information to solve the multidimensional multi-choice knapsack problem", In: *Proc. of IEEE Congress on Evolutionary Computation*, Cancun, Mexico, pp. 2102–2107, 2013.
- [3] Y. Xia, C. Gao, and J. L. Li, "A Stochastic Local Search Heuristic for the Multidimensional Multiple-choice Knapsack Problem", In: *Communications in Computer and Information Science*, Berlin, Heidelberg, Vol. 562, pp. 513–522, 2015.
- [4] S. Htiouech and A. Alzaidi, "Smart Agents for the Multidimensional Multi-choice Knapsack Problem", *International Journal of Computer Applications*, Vol. 174, No. 6, pp. 5–9, 2017.
- [5] J. H. Holland, *Adaptation in natural and artificial systems: an introductory analysis with applications to biology, control, and artificial intelligence*, University of Michigan Press, 1975.
- [6] A. Hiassat, A. Diabat, and I. Rahwan, "A genetic algorithm approach for location-inventory-routing problem with perishable products", *Journal of Manufacturing Systems*, Vol. 42, pp. 93–103, 2017.

- [7] M. Gen and L. Lin, "Multiobjective evolutionary algorithm for manufacturing scheduling problems: State-of-the-art survey", *Journal of Intelligent Manufacturing*, Vol. 25, No. 5, pp. 849–866, 2014.
- [8] M. A. Mohammed, M. K. Abd Ghani, R. I. Hamed, S. A. Mostafa, M. S. Ahmad, and D. A. Ibrahim, "Solving vehicle routing problem by using improved genetic algorithm for the optimal solution", *Journal of Computational Science*, Vol. 21, pp. 255–262, 2017.

12. Please improve the reference format. This is very important for indexing service. If you did not follow the following format

Thank you very much. The reference format has been modified following instructions to the author. We are very sorry for our carelessness.



Answer to the editor comments

Title: Comparing of Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)

Authors: Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana, and Mitsuo Gen

Dear editor

First of all, we would like to express our great thanks for giving the opportunity to submit the revised version of our manuscript, “Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)” for publication in the *International Journal of Intelligent Engineering and Systems*. We appreciate your great effort in providing feedback on our manuscript. In this revised version, we have made several modifications to our paper following reviewer comments and suggestions. Those changes are highlighted in the document. We found that your comments and advice have improved and enriched the quality of the paper immensely. We have carefully checked and have proof-reading by a native-speaker on the earliest version of our document. We also have similarity (Plagiarism) of the manuscript by using Turnitin (12 percent).

1. Please add “Conflicts of Interest” and “Author Contributions.” (see the IJIES format.docx)
 - Thank you very much. We have modified our paper following this suggestion.

Conflicts of Interest: The authors declare no conflict of interest.

Author Contributions: Mitsuo Gen gives the idea for the Algorithm; Admi Syarif and Dian Anggrainii designed the experiments; Dian Anggraini performed the experiments; Admi Syarif and Kurnia Muludi supervised the study, analyzed the results, verified the findings of the study, and wrote the paper.

2. Please see the IJIES format.docx
 - We have modified the manuscript following this comment

Last but not least, we also would like to express our great thanks for your great effort in managing this journal.

Dr. Eng. Admi Syarif

8

**Lampiran Tracing
result perbaikan artikel**



Comparing Various Genetic Algorithm Approaches for Multiple-choice ~~Multidimensional~~ Multi-dimensional Knapsack Problem (mm-KP)

Admi Syarif^{*}, Dian Anggraini¹, Kurnia Muludi¹, Wamiliana² and Mitsuo Gen³

¹Department of Computer Science, Faculty of Mathematics and Sciences, Lampung University Jl. S. Brodjonegoro No.1, Bandar Lampung, Indonesia, 35145

²Department of Mathematics Faculty of Mathematics and Sciences, Lampung University Jl. S. Brodjonegoro No.1, Bandar Lampung, Indonesia, 35145

³Department of Computer Science Tokyo University of Science, Tokyo, Japan

*corresponding author: Admi Syarif, admi.syarif@fmipa.unila.ac.id

Abstract: One of the essential and well-known classes of combinatorial optimization problems commonly studies by researchers in the last five decades is called the Knapsack Problem (KP). Many variants of KP formulation have been introduced for different real-world applications, such as diet program, investment plan, cargo, stock, etc. However, among these variants. Among them, the multiple-choice multidimensional multi-dimensional Knapsack Problem (mm-KP) is the most complex model with an NP-hard problem. Several authors have reported the robustness of heuristics for mm-KP; irrespective of its advantages, no method currently has the ability to solve the problem optimally all time.

The main objective of this research is This paper aims to determine the best GA strategy and evaluate the performance of three several heuristic algorithms to solve mm-KP. We investigate the use of two techniques that are included in the GA approach. The first, two different Genetic Algorithm (GA) approaches for solving mm-KP. The first is a standard strategies are adopted to handle infeasible chromosomes, namely penalty and repairing-based GA (sr-GA), followed by the hybridized repairing-based GA (hr-GA) that combines the procedure. Second, we develop a new-simple local search technique to the repairing-based GA. Finally, a hybridized penalty-based GA (hp-GA) was developed using to improve the local search technique. The proposed approaches are computationally analyzed through intensive numerical experiments quality of the solution found. Experimental studies on the 13 (thirteen) Benchmark instances taken from OR-Library. Meanwhile, the algorithm is measured are conducted to evaluate the effectiveness of the approach based on solutions quality, the number of the optimal solution reached, and average errors. The results showed that hr-GA tends to reach optimal/near-optimal solutions within reasonable computational time. Furthermore, the results from studies on heuristic algorithms also show that hr-GA is a promising approach, with local search used to immensely improve the quality.

Keywords: repairing strategy, local search, heuristic method, Genetic Algorithm, Knapsack Problem.

- Style Definition: Normal: Font: Times New Roman
- Style Definition: Heading 1: Indent: Left: 0 cm, Hanging: 0.63 cm
- Style Definition: Heading 2: Left
- Style Definition: List Paragraph
- Style Definition: SectionHeading
- Style Definition: Normal (Web)
- Style Definition: TextBody
- Style Definition: Chapter Title
- Style Definition: Reference Heading: Font: 11 pt, Not Bold, Indent: Left: 0 cm, Hanging: 0.61 cm, First line: 0 ch, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.63 cm + Indent at: 1.27 cm, Don't keep with next, Tab stops: 10.91 cm, Left
- Style Definition: IJASEIT Author Affiliation
- Style Definition: table col head
- Style Definition: Bibliography1
- Formatted: Font: +Body (Calibri)
- Formatted: Font: +Body (Calibri)
- Formatted: Font: Not Italic, English (United States)
- Formatted: Paragraph
- Formatted: Font: +Body (Calibri)
- Formatted: Font: 10.5 pt
- Formatted: Centered, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Indent: Left 0.8 ch, First line: 0 ch, Right 0.8 ch
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: +Body (Calibri)

1. Introduction

In 1950, Dantzig introduced the classical Knapsack Problem (KP), which is one of the famous optimization problems. It represents the subsets of the n items and ensures that the total weight of the Knapsack capacity is not exceeded while maximizing the corresponding profit. Practical applications of classical KP can be found in some of our daily life, such as the everyday diet program, an optimal investment plan, cargo loading, cutting stock, budget control, and financial management [1].

Several variations of KP have been previously discussed. These include multiple-choice Knapsack Problem (mc-KP) [1], multidimensional Knapsack Problem (md-KP) [2], and multiple-choices multidimensional Knapsack Problem (mm-KP) [3], as the most complex and NP-hard problem. It is considered as a combination of mc-KP and md-KP cases. mm-KP has many real-life applications, which include Chip Multiprocessor Runtime Resource Management [3], Global Routing of Wiring in Circuits [4], and Service Level Agreement [5]. Due to its high complexity, several studies introduced heuristic approaches to solve their problems. However, none of the methods has the ability to solve mm-KP optimally all time.

One of the popular heuristic methods used over the past few decades is the Genetic Algorithm (GA) [5]. This method rapidly evolves the solutions of many hard optimization problems. Previous studies have also shown the robustness of GA for many logistic optimization problems [6]–[11]. For some specific cases, however, it tends to provide local optimum and takes more time to reach optimal solutions. Therefore, it is crucial to carry out studies on designing an effective and efficient GA approach.

The most essential and influential component associated with the implementation of GA is the method used to represent the chromosome. For many combinatorial optimization problems, it is difficult to express the chromosome in a way capable of fulfilling the constraint functions. This is because the generated chromosome in the population is either feasible or infeasible. Two strategies are usually adopted to overcome the infeasible situation, namely repairing and penalty [12]. The first strategy includes a procedure to repair the infeasible chromosome. However, it is often challenging to develop this procedure for a specific problem. The second strategy is the penalty that applies the function/value for the infeasible chromosome. For the maximization problem, the penalty function decreases objective value and reduces the fitness value and opportunity selected for the next generation.

Another critical issue in the applications of GA is associated with the strategies used to quit the local optimal solution. The most common strategy is to develop and hybridize GA with a local search technique. This strategy has been shown to improve the solution quality immensely [8].

The main objective of this research is to validate the performance of three different GA approaches to solve mmKP, namely standard repairing-based (sr-GA), hybrid repairing-based GA (hr-GA), and hybrid penalty-based GA (hp-GA). The numerical experiments are conducted by using 13 Benchmark test problems, taken from OR Library. The performances of the algorithm are measured based on the solution quality and the average computational Time (ACT). The authors also compared the results to some heuristic methods [13]–[14].

This research is further organized

1. Introduction

In 1950, Dantzig introduced the classical Knapsack Problem (KP), which is one of the famous combinatorial optimization problems. It represents the problem of selecting the subsets of the n items to maximize the corresponding profit, and the total weight does not exceed the Knapsack capacity. Practical applications of KP can be found in some of our daily life, such as the everyday diet program, an optimal investment plan, cargo loading, cutting stock, budget control, and financial management [1].

Different variants of KP are found in the literature, including multiple-choice KP (mc-KP), multidimensional KP (md-KP), and multiple-choices multi-dimensional KP (mm-KP) [2]. Among them, mm-KP is the most complex belongs to the class of an NP-hard problem. It is considered as a variant of the md-KP where items are divided into groups, and precisely one item per group must be selected. The applications of mm-KP can be found in many real-life applications, including Chip Multiprocessor Runtime Resource Management [3], Global Routing of Wiring in Circuits [4], and Service Level Agreement [5].

The methods proposed in the literature to solve mm-KP can be grouped into two classes: exact and heuristic methods. Since mm-KP is an NP-hard problem, its search space exponentially grows as the problem size increases. Therefore, many researchers pay more attention to develop heuristic methods to solve mm-KP. Although the heuristics do not guarantee the finding of an optimal solution, those have been reported useful in determining optimal/near-optimal solutions for many hard optimization problems, including mm-KP.

To our knowledge, the first heuristic algorithm to solve mm-KP was reported by Moser et al. [6]. The authors introduced a Lagrangian Relaxation algorithm that was repeatedly permuting to reduce the infeasibility of solutions. A heuristic algorithm based on aggressive resource usage was proposed by Khan et al. [7]. This heuristic algorithm performs better than Moser's Algorithm. Then, Hifi presented several approaches to solve mm-KP. First, Hifi et al. proposed a heuristic approach with a guided-local search that used the principle based on trying several diversified solutions obtained after penalizing the costs of the objective function with penalties parameters [8]. Hifi et al. also developed an algorithm based on a reactive local search to try a diversification search and to escape local optima [9]. The authors reported that their methods are able to outperform Moser's and Khan's algorithms.

Later, Cherfi and Hifi presented column generation methods hybridized with branch-and-bound [10]. They reported that the approaches could obtain better solutions than former approaches on the benchmark instances. An ant colony algorithm approach to solve mm-KP was given by Iqbal et al. [11]. A heuristic method called oscillation (OSC Algorithm) was introduced by Htiouech et al. [12]. The authors used the constraint normalization method to improve the quality of solutions. Xia et al. developed another similar approach to the OSC algorithm, called Stochastic Local Search (SLS) [13]. The algorithm adopted a simple additive weighting scheme to adjust the weight (multiplier) on dimensions.

In one latest paper, Htiouech and Alzaidi proposed a heuristic algorithm called AMMKP [14]. The authors presented the way to decompose the mm-KP into many smaller sub-problems, and each subproblem then solved by an agent. The results show that the approach is able to solve several benchmark instances in the literature effectively.

Since Holland introduced it in 1975 [15], the Genetic Algorithm (GA) has been a prevalent heuristic method. Previous studies have shown the robustness of GA for various hard optimization

problems, including the logistic problem [16] [17], scheduling problem [18], vehicle routing problem [19], and so on. For some specific cases, however, it often tends to provide local optimum and takes more time to reach optimal solutions. Therefore, it is crucial to carry out studies on designing an effective and efficient GA approach.

The most essential and influential component associated with the implementation of GA is the method used to represent the chromosome. For many optimization problems, it is difficult to express the chromosome in a way capable of fulfilling the constraint functions. This is because the generated chromosome in the population is either feasible or infeasible. Two strategies are usually adopted to overcome the infeasible situation, namely repairing and penalty [20]. Another critical issue in the applications of GA is associated with the strategies used to quit the local-optimal solution. The most common approach is to develop and hybridize GA with a local search technique [21].

This paper aims to determine the best GA strategy to solve mm-KP. To improve the quality of the solution, we developed a new simple local search and hybridized it into the GA loop. The approaches adopt both repairing and penalty strategy, namely as repairing-based (sr-GA), hybrid repairing-based GA (hr-GA), and hybrid penalty-based GA (hp-GA). Furthermore, some comparisons with other heuristic methods are also made based on the solution quality, average error, and the number of instances solved optimally.

To evaluate the approaches, we conducted some numerical experiments on set Benchmark test problems taken from OR-Library. The 13 (thirteen) widely studied instances are used to measure the performances of the algorithms. The experimental results show that hr-GA has the merit of high effectiveness and can obtain competitive results with the other heuristics.

We organize this paper into five sections. The second outlines the mathematical formulation of mm-KP. The third presents brief designs of the proposed algorithm, which includes algorithms, including the chromosome representation of chromosome, genetic operation, and local search technique, are presented in the third section. The numerical experiments and the comparative comparison of results of other methods are described in the fourth section. Finally, conclusions are drawn in the last session part.

2. Mathematical Model and Algorithm

Let

Formatted: Bullets and Numbering

Formatted: Indent: First line: 1.5 ch

i index of class
 j index of item
 k index of resource
 R_k resource constraint $R = R_1, R_2, R_3, \dots, R_m$
 r_{ij}^k the need for the k^{th} resource for the j^{th} item in the i^{th} class

This research mm-KP aims to fill one item from each class of Knapsack in order to satisfy the resource capacity constraints and maximize the total profit values. The mm-KP is formally the mathematical formulation of mm-KP is as follows:

$$\max \sum_{i=1}^n \sum_{j=1}^{r_i} x_{ij} v_{ij} \quad (1)$$

s.t.

$$\sum_{i=1}^n \sum_{j=1}^{r_i} r_{ij}^k x_{ij} \leq R_k, k \in \{1, \dots, m\} \quad (2)$$

$$\sum_{j=1}^{r_i} x_{ij} = 1, i \in \{1, \dots, n\} \quad (3)$$

$$x_{ij} \in \{0, 1\}, i \in \{1, \dots, n\}, j \in \{1, \dots, r_i\} \quad (4)$$

with v_{ij} The profit value of item j in the i -th class

In the above model Here, the value of x_{ij} is either 1 or 0, which implies that item j in the i -th class is chosen, or not chosen. The v_{ij} represents the profit value of item j in the i -th class.

3. Design of the Algorithm

3.1 Chromosome Representation and Evaluation

When implementing GA for a specific application, the first step in the GA process is to determine a way to represent a possible solution to the problems. We have to generate some feasible chromosomes, which is as much as the desired population size. The number of classes has the ability to significantly affect the size of the specified population. For the mm-KP, the number of genes on the chromosome is equal to the number of classes. For this research, we represent chromosome by using a string, that its length is equal to the number of classes. For example, the following dataset I01 comprises of five groups (i), five items (j), and five resources (k) in each class, respectively with a resource constraint (R_k) of 25. The data for this instance (I01) is as follows:

7.00	1	3	1	1	6
17.00	1	4	9	9	3
25.00	4	3	9	8	2
35.00	4	5	8	0	6
36.00	6	8	3	0	7
2					
9.00	0	0	4	4	2
10.00	0	0	1	8	7
10.00	1	1	6	0	6
39.00	9	1	2	2	4
44.00	8	7	0	8	2
3					
15.00	2	0	5	5	5
19.00	2	3	2	6	2
20.00	3	1	6	4	7
44.00	6	7	5	6	9
50.00	9	5	9	2	2
4					
5.00	0	1	3	8	0
25.00	2	2	7	0	8
32.00	5	5	6	1	9
37.00	6	3	6	9	1
37.00	7	9	7	2	3
5					
24.00	4	0	7	0	2
30.00	4	8	9	0	0
32.00	5	2	7	2	0
43.00	5	5	9	5	2
44.00	9	2	2	2	3

The chromosome representation for this instance is shown in Figure 1. The data for this instance (I01) is as follows:




Figure 1: Chromosome representation for instance I01

Table 1. Data for I01 Instance

	1				
7	1	3	1	1	6
17	1	4	9	9	3
25	4	3	9	8	2
35	4	5	8	0	6
36	6	8	3	0	7
	2				

- Formatted Table
- Formatted: Font: Not Italic
- Formatted Table
- Formatted: List Paragraph, Right, Right: -0.4 cm, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.08 cm + Indent at: 0.71 cm, Tab stops: Not at 2.55 cm
- Formatted: English (United States)
- Formatted: English (United States)
- Formatted: English (United States)
- Formatted: English (United States)
- Formatted: Right, Right: -0.19 cm, Tab stops: Not at 2.21 cm
- Formatted: Indent: Left: 0.57 cm
- Formatted: English (United States)
- Formatted: Right, Right: -0.19 cm, Tab stops: Not at 2.55 cm
- Formatted: Indent: Left: 1.32 cm
- Formatted: English (United States)
- Formatted: Right, Right: -0.19 cm, Tab stops: Not at 2.56 cm
- Formatted: Paragh, Left, Right: 0.09 cm
- Formatted: English (United States)
- Formatted: English (United States)
- Formatted: English (United States)
- Formatted: Bullets and Numbering

- Formatted: Font: Not Bold
- Formatted: Font: Not Bold

9	0	0	4	4	2
10	0	0	1	8	7
10	1	1	6	0	6
39	9	1	2	2	4
44	8	7	0	8	2
3					
15	2	0	5	5	5
19	2	3	2	6	2
20	3	1	6	4	7
44	6	7	5	6	9
50	9	5	9	2	2
4					
5	0	1	3	8	0
25	2	2	7	0	8
32	5	5	6	1	9
37	6	3	6	9	1
37	7	9	7	2	3
5					
24	4	0	7	0	2
30	4	8	9	0	0
32	5	2	7	2	0
43	5	5	9	5	2
44	9	2	2	2	3

r_{ij2}	5	7	1	2	5
r_{ij3}	8	0	6	7	9
r_{ij4}	0	8	4	0	5
r_{ij5}	6	2	7	8	1
R_k	23	25	21	19	25

3.2 Crossover and Mutation

In the GA process, two genetic operations known as crossover and mutation are usually used to involve the new solution space. The crossover operation is used to produce new offspring by recombining genes between selected parents. When choosing the crossover method, chromosome representation is considered. There are several variants of crossover methods introduced in the literature, such as one-point, two-point, PMX, WMX, etc. [14]. However, this adopted the two-point crossover technique [15]. The process is shown in the following steps:

- Formatted: Font: +Body (Calibri)
- Formatted: Font: +Body (Calibri)
- Formatted: Font: +Body (Calibri)
- Formatted: Font: +Body (Calibri)

Formatted: Indent: First line: 1.5 ch

In the above chromosome, the index represents the class, while the value item gene ~~is used to~~ represents the item index j in each class i . From the chromosome, the selected items are 4, 5, 3, 2, and 4 in the 1st, 2nd, 3rd, 4th, and 5th classes, respectively. ~~class. The decoding mechanism is done by selecting one item for each category. The number of resource consumption (r_{ijk}) of each item is used to check for the resource constraint. Here, the total value of r_{ijk} cannot exceed the (R_k) amount of each class, as shown in Table 2.~~

~~The decoding process of a chromosome is conducted by calculating the value of the goods (profit) and resource needs for each gene resource in order to exceed the resource constraint on each dataset. The decoding mechanism is carried out by selecting an item for each category such that the total value of the r_{ijk} does not exceed the amount of R_k .~~

~~The use of data, on the number of resource consumption (r_{ijk}) of each item is used to check for the resource constraint. Here, the total value of r_{ijk} does not exceed the (R_k) amount of each class, as shown in Table 2.~~

Table 2: Chromosome Decoding

Table 2. The decoding of the chromosome

	4	5	3	2	4
r_{j1}	4	8	3	2	5

When implementing GA, two genetic operations are usually used to involve the new solution space, namely as crossover and mutation. The crossover operation is used to produce new offspring by recombining gen between selected parents. When choosing the crossover method, we have to consider the chromosome representation. There are several variants of the crossover methods introduced in the literature, such as one-point crossover, two-point crossover, PMX, WMX, etc.[8]. For this research, we adopted the two-point crossover technique, as illustrated in Figure 2 [22]. The following process explains the steps of the crossover operation.

- Step 1: Choose two parents arbitrarily for crossover.
- Step 2: Randomly determine two points
- Step 3: Exchange the substring between these two points.




Figure 2 shows the illustration of the two-point crossover.





Figure 2: Illustration of two-point Crossover

The main objective of the mutation process is to prevent premature convergence to the local optimal by exchanging the information within a chromosome. Therefore, this research adopted the swap mutation technique by randomly selecting and interchanging two genes in the chromosome, as shown in Figure 3.



The main objective of the mutation is to prevent premature convergence to the local optimal. It is usually done by exchanging the information within a chromosome. There are also several variants of mutation strategies for different chromosome representations, including inversion mutation, displacement mutation, swap mutation, and so on [23]. We used the swap mutation technique by randomly selecting and interchanging two genes in the chromosome, as shown in Figure 3.




Figure 3: Illustration of swap mutation operation

3.3 Selection Strategy

The last stage of the GA process is the selection strategy, which is used to determine the chromosomes for the next generation. This stage used the elitist approach for selection, with the next method. The pop_size best chromosomes chosen based on (the highest fitness value) are chosen for the next generation.

3.4 Local Search

Genetic algorithms (GAs) function as a global search technique; however, they may often take a relatively long time to converge for a global optimum [16]. Therefore, hybridizing GA, with the local search, is the right choice to obtain a better solution. This paper used a novel, simple, and efficient local search technique by selecting a gene in the chromosome and changing its value randomly. This local search procedure was implemented to the best chromosome in the population, using the maximum generation as the stopping condition. The overall description of

- Formatted: Font: Not Bold
- Formatted: Left, Indent: Left: 0.25 cm, Hanging: 1.25 cm
- Formatted: Font color: Auto
- Formatted: Font: Not Bold, Font color: Auto
- Formatted: Indent: Left: 0 cm, First line: 0.64 ch
- Formatted: Font color: Auto
- Formatted: Font: Not Bold, Font color: Auto
- Formatted: Indent: Hanging: 3.21 ch, Left: 0.64 ch, First line: -3.21 ch
- Formatted: Font color: Auto
- Formatted: Indent: First line: 1.5 ch
- Formatted: Font: Not Bold
- Formatted: Font: Not Bold
- Formatted: Caption

the proposed algorithm is illustrated in the following Algorithm 1.

Genetic algorithms (GA) function as a global search technique; however, it may often take a relatively long computational time to converge for a global optimum [24]. To solve this, many researchers suggested hybridizing GA with the local search technique. In this research, we developed a new and simple local search technique called Switching Local Search (SLS). It is done by first selecting a gene in the chromosome and changing its value randomly. The following Algorithm 1 illustrates the overall description of the proposed algorithms.

Algorithm 1: GAs for mm-KP

Input: Data data for the mm-KP test problem
Output: the best solution

```

Genetic Algorithm {
  Generate Initial population P(t);
  Evaluation Initial population P(t);
  Penalty strategy;
  While (not STOPPING CONDITION) {
    Crossover;
    Mutation;
    Evaluation;
    (Penalty/repairing/Repairing strategy);
    Selection;
    Local Search Best chromosome P(t);
    P = P(t+1);
  }
}

```

It is shown that two different strategies are used to handle an infeasible chromosome resulted in crossover and mutation operations. The first strategy includes a procedure to repair the infeasible chromosome. The second strategy applies the penalty value for the infeasible chromosome. As mm-KP is the maximization problem, the penalty value will decrease the objective value. Thus, it will reduce the opportunity of the chromosome to be selected for the next generation. The local search procedure was included in the GA loop and implemented to the best chromosome to improve the solution quality.

4. Experimental Design and Discussion Results

4.1 Experimental Design of The Experiments

To evaluate the effectiveness and efficiency of the algorithms, several experiments were experimental studies have been conducted on 13 (thirteen) different size Benchmark instances taken

from OR-Library <http://eormsem.univ-paris1.fr/pub/>. The test problems were divided into 3 (three) groups, according to the size. Those are, small size (I01-I06), medium (I07-I09), and large (I10-I13). The number of variables in these 13 instances test problems, varies from 25 to 4000. Table 3 shows the detail of the test problems and GA parameter values used for the experiments. is shown in Table 3.

Table 3: Details of the instances, where n denotes the number of classes, r_i is the number of items in each group, and m is the number of resources

No.	Dataset est problem	Data				Parameter		
		N	r_i	m	R_k	pop size	Pop max gen	Max gen
1	I01	5	5	5	25	50	1000	
2	I02	10	5	5	50	50	1500	
3	I03	15	10	10	75	50	2000	
4	I04	20	10	10	100	100	1000	
5	I05	25	10	10	125	100	1500	
6	I06	30	10	10	150	100	2000	
7	I07	100	10	10	500	200	1000	
8	I08	150	10	10	750	200	1500	
9	I09	200	10	10	1000	250	2000	
10	I10	250	10	10	1250	300	1000	
11	I11	300	10	10	1500	300	1500	
12	I12	350	10	10	1750	450	2000	
13	I13	400	10	10	2000	500	2000	

4.2 Results and Discussion

A total of three GA approaches were developed, namely standard repairing GA (sr-GA), hybrid penalty-based (hp-GA), and hybridized penalty-based GA (hp-GA) by using Matlab R2015b and run on PC Processor intel® Core™i5-3470S. For the experiments, we set the values of crossover probability and mutation probability are set to as 0.4 and 0.2, respectively. For each test problem, the Each algorithm is run 20 (twenty) times. Table 3 for each test problem.

Table 4 summarizes the overall results of the experiments, where the best and the worst average values are used to represent the best and the average fitness value from the 20 (twenty) running times. Standard Deviation (SD) is the measure of the distribution of statistics statistical measures of the data distribution of data. Optimum is the best-obtained solution in the literature. The results highlight that repairing-based GA has better performance than penalty-based GA. This is due Due to the difficulties of GA in generating feasible

- Formatted ... [29]
- Formatted ... [30]
- Formatted ... [31]
- Formatted ... [32]
- Formatted ... [33]
- Formatted ... [34]
- Formatted ... [35]
- Formatted ... [39]
- Formatted ... [40]
- Formatted ... [36]
- Formatted ... [42]
- Formatted ... [41]
- Formatted ... [38]
- Formatted ... [37]
- Formatted ... [43]
- Formatted ... [45]
- Formatted ... [44]
- Formatted ... [1]
- Formatted ... [2]
- Formatted ... [3]
- Formatted ... [46]
- Formatted ... [47]
- Formatted ... [48]
- Formatted ... [49]
- Formatted ... [4]
- Formatted ... [50]
- Formatted ... [51]
- Formatted ... [52]
- Formatted ... [53]
- Formatted ... [54]
- Formatted ... [5]
- Formatted ... [55]
- Formatted ... [56]
- Formatted ... [57]
- Formatted ... [58]
- Formatted ... [59]
- Formatted ... [60]
- Formatted ... [61]
- Formatted ... [62]
- Formatted ... [63]
- Formatted ... [64]
- Formatted ... [65]
- Formatted ... [66]
- Formatted ... [67]
- Formatted ... [68]
- Formatted ... [6]
- Formatted ... [8]
- Formatted ... [7]
- Formatted ... [69]
- Formatted ... [70]
- Formatted ... [71]
- Formatted ... [72]
- Formatted ... [73]
- Formatted ... [74]
- Formatted ... [75]
- Formatted ... [9]
- Formatted ... [10]
- Formatted ... [11]
- Formatted ... [76]
- Formatted ... [77]
- Formatted ... [78]
- Formatted ... [79]
- Formatted ... [80]
- Formatted ... [81]
- Formatted ... [82]
- Formatted ... [12]
- Formatted ... [83]

chromosomes. the penalty strategy cannot give good results for all of the test problems. In addition, many offspring, which led to GA operations is also infeasible. The result also shows it can be seen from these results that combining GA with the local search immensely will improve the solution quality immensely. The overall results show that hr-GA has better performance to solve mm-KP all of the time.

~~To obtain more information, the solution quality is compared to some methods in the following literatures, Upper Bound [13], Moser [17], HMS [18], Reactive Local Search (RLS) [19], Modified-Reactive Local Search (MRLS) [19], Khan (KLMA) [20], Der Algo [14]. Table 5 summarizes the comparison of the results obtained by the algorithms.~~

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

To assess the merit and limit of the proposed approach, we compare the performance of the new hr-GA to other heuristic algorithms available in the following literature: Moser [6], Heuristic [25], Modified-Reactive-Local-Search (MRLS) [9], Khan-Li-Manning-Akbar Algorithm (KLMA) [7], Derived algorithm [8], Ant Colony Algorithm [11], OSC Algorithm [12], SLS Algorithm [13] and AMMKP algorithm [14].

Table 4. Performance of the GA Approaches on all instances (SD: Standard Deviation)

Dataset	Optimum	sr-GA				hp-GA				hr-GA			
		Best	Worst	Average	SD	Best	Worst	Average	SD	Best	Worst	Average	SD
I01	173.0	173.0	173.0	173.0	0.0	173.0	167.0	170.0	2.9	173.0	173.0	173.0	0.0
I02	364.0	364.0	344.0	351.0	6.7	355.0	336.0	346.1	5.2	364.0	361.0	361.0	0.9
I03	1602.0	1536.0	1481.0	1502.5	15.9	1556.0	1498.0	1518.0	14.5	1600.0	1518.0	1552.5	28.7
I04	3597.0	3433.0	3326.0	3380.8	32.5	3488.0	3331.0	3410.0	39.2	3571.0	3507.0	3541.4	22.0
I05	3905.7	3900.4	3617.0	3800.8	103.0	3906.0	3905.7	3892.0	26.9	3905.7	3900.4	3902.0	2.6
I06	4799.3	4787.2	4547.6	4698.3	72.6	4799.3	4688.7	4769.9	30.5	4799.3	4786.6	4796.0	4.2
I07	24587.0	23071.0	22979.0	22997.8	39.7	23717.0	23524.0	23627.0	51.1	23870.0	22979.0	23541.1	79.2
I08	36877.0	35536.0	34500.0	34819.8	345.1	35547.0	3451.0	32933.0	7764.0	35626.0	34573.0	34932.4	90.2
I09	49167.0	47309.0	47285.0	46237.6	540.7	47415.0	45030.0	45946.0	748.1	47370.0	47285.0	47338.1	43.8
I10	61437.0	58876.0	58876.0	57826.0	568.0	5926.0	59226.0	58898.0	245.1	59228.0	58919.0	59056.0	40.3
I11	73773.0	70706.0	70686.0	70557.3	142.1	70724.0	67242.0	66620.0	1724.7	71021.0	70686.0	70782.5	99.4
I12	86071.0	82089.0	82013.0	89510.1	212.0	82305.0	78137.0	77908.0	1195.6	82627.0	82013.0	82342.8	104.5
I13	98429.0	94006.0	93125.0	93478.0	279.2	94116.0	88802.0	88429.0	1319.2	94570.0	940636.0	94321.2	163.0

sr-GA: standard repairing-based GA (without local search)

hr-GA: hybrid repairing-based GA

hp-GA: hybrid penalty-based GA

- Formatted ... [134]
- Formatted ... [141]
- Formatted ... [142]
- Formatted ... [143]
- Formatted ... [135]
- Formatted ... [137]
- Formatted ... [140]
- Formatted ... [136]
- Formatted ... [138]
- Formatted ... [139]
- Deleted Cells ... [147]
- Deleted Cells ... [154]
- Deleted Cells ... [159]
- Formatted ... [144]
- Formatted ... [148]
- Formatted ... [149]
- Formatted ... [151]
- Formatted ... [153]
- Formatted ... [162]
- Formatted ... [145]
- Formatted ... [146]
- Formatted ... [150]
- Formatted ... [152]
- Formatted ... [155]
- Formatted ... [165]
- Formatted ... [156]
- Formatted ... [158]
- Formatted ... [157]
- Formatted ... [160]
- Formatted ... [161]
- Formatted ... [163]
- Formatted ... [164]
- Deleted Cells ... [178]
- Deleted Cells ... [187]
- Formatted ... [169]
- Formatted ... [170]
- Formatted ... [171]
- Formatted ... [172]
- Formatted ... [173]
- Formatted ... [174]
- Formatted ... [175]
- Formatted ... [176]
- Formatted ... [177]
- Formatted ... [185]

Table 5 Comparative results of some heuristic methods for solving mm-KP

Table 5 summarizes the comparison of the results obtained by the heuristic algorithms. Similarly, in this Table, we also indicate our achievements that have the values greater than or equal to the best-published results in bold. These results show that hr-GA tends to reach optimal/near-optimal solutions to the problem. It can obtain the number of solution that better than or equal to the

best solution in 5 cases among 13 cases, which better or same as the results given by Moser (1 case), Heuristic (1 case), RLS (4 cases), KLMA (2 cases), Derived Algorithm (2 cases), Ant Colony algorithm (5 cases), OSC algorithm (4 cases), SLS algorithm (6 cases) and AMMKP (11 cases).

Table 5. Results of some heuristic methods on all mm-KP instances

Data set	Up per bound	Optimum	Moser	Heuristic	H	M	KLMA	Der Algo	hr-GA	Ant	GAOS	SLS	AMMKP	hr-GA	GA
I01	182.71	173	151.0	167.0	173.0	173.0	173.0	173.0	173.0	173.0	173.0	173.0	173.0	173.0	173.0
I02	365.80	364	291.0	354.0	35	364.0	36	354.0	356.0	355.03	64	364.0	364.0	361.03	364
I03	162.6.5	1602	1464.0	1533.0	15	1595	16	1533.0	1553.0	1602.15	1529.0	1602	1594	1600	15
I04	363.1.6	3597	3375.0	3437.0	35	3564	35	3437.0	3502.0	3488.0	3433.0	3592	3592	3571	35
I05	390.5.9	3905.7	3905.7	3899.1	38	3905.97	38	3905.7	3905.2	390.03	3900.4	3905.7	3905.7	3905.7	3905.7
I06	481.2.8	4799.3	4115.2	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3
I07	246.07.95	24857	23556.0	23912.0	23	2412	24	23912.0	23983.0	23717	23905	24311	24310	2417	24
I08	369.04.41	36877	35373.0	35979.0	36	3611	36	35979.0	36007.0	35543	35536	36641.03	36530	36641.0	36
I09	491.93.87	49167	47205.0	47901.0	48	4829	49	47901.0	48048.0	45261	47309	48580	48711	4819	48
I10	614.86.30	61437	58648.0	59811.0	60	6029	61	59811.0	60176.0	59276	58989	59228.06	60770	60228	60
I11	737.97.74	73773	70532.0	71760.0	72	7228	73	71760.0	72003.0	66726	70706	72778	73200	7200	72

Deleted Cells ... [463]

Deleted Cells ... [467]

Deleted Cells ... [470]

Deleted Cells ... [481]

Formatted ... [479]

Formatted ... [461]

Formatted ... [465]

Inserted Cells ... [478]

Formatted ... [464]

Formatted ... [462]

Formatted ... [471]

Formatted ... [469]

Inserted Cells ... [477]

Formatted ... [468]

Formatted ... [472]

Formatted ... [466]

Formatted ... [473]

Formatted ... [474]

Formatted ... [475]

Formatted ... [480]

Formatted ... [476]

Deleted Cells ... [491]

Formatted ... [490]

Formatted ... [486]

Formatted ... [487]

Formatted ... [488]

Formatted ... [489]

Formatted ... [492]

Formatted ... [494]

Formatted ... [493]

Formatted ... [495]

Formatted ... [496]

Formatted ... [497]

Formatted ... [498]

Formatted ... [482]

Formatted ... [483]

Formatted ... [484]

Formatted ... [485]

Deleted Cells ... [505]

Deleted Cells ... [509]

Formatted ... [506]

Formatted ... [507]

Formatted ... [503]

Formatted ... [504]

Formatted ... [508]

Formatted ... [510]

Formatted ... [511]

Formatted ... [512]

Formatted ... [513]

Formatted ... [515]

Formatted ... [516]

Formatted ... [499]

Formatted ... [500]

Formatted ... [501]

Formatted ... [502]

Formatted ... [514]

Formatted ... [517]

Inserted Cells ... [518]

Deleted Cells ... [539]

Formatted ... [532]

Formatted ... [525]

Formatted ... [526]

Formatted ... [536]

Formatted ... [537]

Formatted ... [523]

Formatted ... [524]

	861 00:			84141 16	84 00	8444 6-0	86 9-0			82150 084707	82089 085284	85015 4889	08		85338	85015 0
I12	86071	82377 0	0	84141	16	8444	6-0	9-0	84141 0	84160 0	82150 084707	82089 085284	85015 4889	08	85338	85015 0
I13	984 48: 64	98429	94166 0	0	96003 10	96 00	84 3-0	96 9-0	96003 0	96103 0	94260 096834	94006 097545	97050 7082	09	97744	97050 0
	#Best	1	1	1	4	2	2	5	4	6	11	5				




Figure 4. error comparison between heuristic approaches on all mm-KP instances

Formatted: Font: 10 pt, Font color: Auto

Formatted: Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt

Formatted: Font: 10 pt, Font color: Auto

Formatted: Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Formatted: Font: 10 pt

Formatted: Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Formatted: Font: 10 pt, Font color: Auto

Formatted: ... [686]

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: ... [687]

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: Font: 10 pt, Font color: Auto

Formatted: ... [688]

Formatted: Font: 10 pt

Formatted: ... [684]

Formatted: Font: 10 pt

Formatted: Font: 10 pt, Font color: Auto

Formatted: ... [685]

In this research, we calculate the percentage error value for each instance by using the following formula:

$$\text{Upper Bound Error} = \frac{\text{best-optimum} - \text{optimum}}{\text{optimum}} \times 100\%$$

- Martello,
S., & Toth,
P., 1997. (5)

- Mosers : M. Moser, D. P. Jokanović, and N. Shiratori. 1997.
- Heuristic : <http://cermse.univ-paris1.fr/pub/CERMSEM/hifi/MMKP/>
- HMS : Hifi, Michrafy and Sbihi Algorithm by Abdelkader Sbihi, Michrafy Mustapha, Mhand Hifi, 2004.
- RLS : Reactive Local Search Algorithm by Abdelkader Sbihi, Michrafy Mustapha, Mhand Hifi, 2005.
- MRLS : Modified Reactive Local Search by Abdelkader Sbihi, Michrafy Mustapha, Mhand Hifi, 2007.
- KLMA : Khan, Li, Manning and Akbar Algorithm by S. Khan, K.F. Li, E.G. Manning, and MD. M. Akbar, 2002.
- Der_Algo : Derivied Algorithm. Hifi, M., Michrafy, M., dan Sbihi, A., 2005
- GA : Genetic Algorithm by Khandaker Moinur Rahman, Syed Ishtiaque Ahmed, 2009.
- sr-GA : standard repairing-based GA
- hr-GA : hybrid repairing-based GA

Formatted: Right, Indent: First line: 0.22 cm, Right: -0.15 cm

Formatted: Indent: Left: 0.29 cm

Formatted Table

Formatted: Font color: Auto

Formatted: Font color: Auto

In this research, the relative error values and the number of comparisons of solutions optimally solved by GAs and other heuristics were computed. The percentage error value the heuristic methods for each instance is calculated by using the following formula:

$$Error = \frac{best - optimum}{-} \times 100\% \quad \dots\dots(5)$$





Figure 4 Number of instances solved optimally by methods



Figures 4 and 5 show the comparison of the average errors of the methods and the number of instances. These results indicate test problem are illustrated in Figure 4. It shows that hr-GA has the ability to can obtain good quality and reach more optimal solutions. However, in comparison to MRLS, the effectiveness of the GA needs to be improved.

average error equal to 1.02%, better than those obtained by Moser (7.13%), Heuristic (2.62%), RLS (1.2%), KLMA (2.6%), and Derived algorithm (1.93%), and the ant colony algorithm (1.03%). However, in comparison to the OSC algorithm (0.91%), SLS algorithm (0.77%), and AMMKP (0.61%), it still has a slightly larger average error. We illustrate the comparison of the average error for each method in the following Figure 5.




Figure 5 Comparative Comparison of the average error of errors between the heuristic methods

5. Conclusion

This paper analyzed three different Genetic Algorithm (GA) approaches for solving mm-KP. The algorithms mainly differ in the handling method for the proposed methods adopt different strategies to handle infeasible chromosome. The research chromosomes, namely penalty and repairing procedure. Those are also hybridized a new simple local search technique to the GA. The effectiveness and efficiency of the approaches are evaluated by intensive improve the solution quality. Several numerical experiments on a set of Benchmark instances taken from OR-Library. Furthermore, the proposed method was compared to have been conducted to evaluate the performance of the

/optimal solution to the problem most of the time.

In this research, we also analyze the algorithm based on the average errors given by the methods for those 13 test problems. The computation indicates that hr-GA provides competitive solutions with the

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font color: Text 1, English (United States)

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Normal, Justified

Formatted: Bullets and Numbering

algorithms. The results show that repairing-based GA has better performance than penalty-based GA. Hybridizing GA with local search has also improved the solution quality immensely. The comparisons with other heuristic algorithms are also made based on the solution quality, the number of optimal solutions obtained, and average errors. ~~The results show it concludes that hr-GA has the ability to reach optimal/near optimal solutions within reasonable computational time. It is also demonstrated that hybridizing GA with local search improves the solution quality immensely, able to get competitive results with the other heuristics.~~ These findings add to a growing body of literature on the applications of GA.

Conflicts of Interest

The authors declare no conflict of interest.

Author Contributions

Mitsuo Gen gives the idea for the Algorithm; Admi Svarif and Dian Angrainii designed the experiments; Dian Angrainii performed the experiments; Admi Svarif and Kurnia Muludi supervised the study, analyzed the results, verified the findings of the study, and wrote the paper.

Acknowledgments

The authors are grateful to "~~Hibah Unggulan~~" Lampung University, Grant-in-Aid No. 1514/UN26.21/PN/2020, 2020, for assisting this research. ~~The authors are also thankful~~ We thank the anonymous reviewers for the help provided by Dr. F. Lumbanraja and the their constructive comments of the anonymous referees that helped us a lot in substantially improving this paper.

References

- [1] J. Gottlieb, "Permutation-based evolutionary algorithms for multi-dimensional knapsack problems", In: *Proc. of the 2000 ACM symposium on Applied computing - Volume 1 (SAC '00)*, New York, USA, Vol. 1, pp. 408–414, 2000.
- [2] Y. Chen and J. K. Hao, "A 'reduce and solve' approach for the multiple-choice multi-dimensional knapsack problem", *European Journal of Operational Research*, Vol. 239, No. 2, pp. 313–322, 2014.
- [3] H. Shojaei, A. H. Ghamarian, T. Basten, M. Geilen, S. Stuijk, and R. Hoes, "A parameterized compositional multi-choice knapsack heuristic for CMP run-time

management", In: *Proc. of the 46th Annual Design Automation Conference (DAC '09)*, New York, USA, pp. 917–922, 2009.

- [4] H. Shojaei, T. H. Wu, A. Davoodi, and T. Basten, "A Pareto-algebraic framework for signal power optimization in global routing", In: *Proc. of the International Symposium on Low Power Electronics and Design*, New York, USA, pp. 407–412, 2010.
- [5] L. Arockiam and N. Sasikaladevi, "Simulated Annealing Versus Genetic Based Service Selection Algorithms", *International Journal of u- and e- Service, Science and Technology*, Vol. 5, No. 1, pp. 35–50, 2012.
- [6] M. Moser, D. P. [1] J. Gottlieb, "Permutation based evolutionary algorithms for multidimensional knapsack problems," *Proc. 2000 ACM Symp. Appl. Comput. - SAC, '00*, pp. 408–414, 2000, DOI: 10.1145/335603.335866.
- [2] Y. Chen and J. K. Hao, "A 'reduce and solve' approach for the multiple choice multidimensional knapsack problem," *Eur. J. Oper. Res.*, vol. 239, no. 2, pp. 313–322, 2014, DOI: 10.1016/j.ejor.2014.05.025.
- [3] H. Shojaei, A. H. Ghamarian, T. Basten, M. Geilen, S. Stuijk, and R. Hoes, "A Parameterized Compositional Multi-dimensional Multiple-choice Knapsack Heuristic for CMP Run-time Management," in *2009 46th ACM/IEEE Design Automation Conference*, 2009, pp. 917–922, DOI: 10.1145/1629911.1630147.
- [4] H. Shojaei, T. H. Wu, and A. Davoodi, "A Pareto-algebraic framework for signal power optimization in global routing," *Low Power Electron. Des. (ISLPED), 2010 ACM/IEEE Int. Symp.*, pp. 407–412, 2010, DOI: 10.1145/1840845.1840935.
- [5] L. Arockiam and N. Sasikaladevi, "Simulated Annealing Versus Genetic Based Service Selection Algorithms," vol. 5, no. 1, pp. 35–50, 2012.
- [6] A. Syarif and M. Gen, "Solving exclusionary side-constrained transportation problem by using a hybrid spanning tree-based genetic algorithm," *J. Intell. Manuf.*, 2003; DOI: 10.1023/A:1024610128238.
- [7] A. Syarif, Y. S. Yun, and M. Gen, "Study on multi-stage logistic chain network: A spanning tree-based genetic algorithm approach," *Comput. Ind. Eng.*, 2002; DOI: 10.1016/S0360-8352(02)00076-1.
- [8] M. Gen and A. Syarif, "Hybrid genetic algorithm for multi-time period production/distribution planning," in

Formatted: Not Expanded by / Condensed by

Formatted: Font: 11 pt, Font color: Text 1

Formatted: Heading 1, None, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt, After: 0 pt

Formatted: English (United States)

Formatted: English (United States)

Formatted: Paragraph, Left, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United States)

Formatted: English (United States)

Formatted: Font: Bold

Formatted: Heading 1, None, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt, After: 0 pt

- Computers and Industrial Engineering*, 2005, DOI: 10.1016/j.cie.2004.12.012.
- [9] A. Syarif and M. Gen, "Solving Exclusionary Side Constraint Transportation Problem: a Genetic Algorithm With Fuzzy Logic Approach," *J. Intell. Manuf.*, 2003.
- [10] M. Gen, A. Syarif, and A. Yoshida, "Multi-Product Manufacturing and Distribution System Design By Using Genetic Algorithm," *Proc. Int. Conf. Eng. Des. Autom.*
- [11] A. Syarif and M. Gen, "Hybrid Genetic Algorithm for Production Distribution System in Supply Chain," *Int. J. Smart Eng. Syst. Des.*, vol. 5, pp. 1-11, 2003, DOI: 10.1080-10255810390245609.
- [12] A. H. C. Van Kampen, C. S. Strom, and L. M. C. Buydens, "Lethalization, penalty and repair functions for constraint handling in the genetic algorithm methodology," vol. 34, pp. 55-68, 1996.
- [13] S. Martello and P. Toth, "Upper bounds and algorithms for hard 0-1 knapsack problems," *Oper. Res.* 45, pp. 768-778, 1997, DOI: <http://dx.doi.org/10.1287/opre.45.5.768>.
- [14] M. Hifi, M. Michrafy, and A. Sbihi, "Algorithms for the multiple-choice multidimensional knapsack problem," *LARIA, Lab. Rech. en Inform. d'Amiens*, vol. 55, no. 12, pp. 1323-1332, 2003, DOI: 10.1504/IJOR.2009.024531.
- [15] S. Hou, Y. Liu, H. Wen, and Y. Chen, "A self-crossover genetic algorithm for job-shop scheduling problem," in *2011 IEEE International Conference on Industrial Engineering and Engineering Management*, 2011, pp. 549-554.
- [16] W. Wan and J. B. Birch, "An improved hybrid genetic algorithm with a new local search procedure," *J. Appl. Math.*, 2013, DOI: 10.1155/2013/103591.
- [17] M. Moser, D. P. Jukanovic, and N. Shiratori, "An Algorithm for The Multidimensional Multiple-Choice Knapsack Problem," *IEICE Trans. Fundam. Electron.*, vol. 80, no. 3, pp. 582-589, 1997.
- [18] M. Hifi, M. Michrafy, and A. Sbihi, "Heuristic algorithms for the multiple-choice multidimensional knapsack problem," *J. Oper. Res. Soc.*, vol. 55, no. 12, pp. 1323-1332, 2003.
- [19] M. Hifi, M. Michrafy, and A. Sbihi, "A reactive local search-based algorithm for the multiple-choice multidimensional knapsack problem," *Comput. Optim. Appl.*, vol. 33, no. 2-3, pp. 271-285, 2006, DOI: 10.1007/s10589-005-3057-0.
- [20] S. Khan, K. F. Li, E. G. Manning, and M. M. Akbar, "Solving the Knapsack Problem for Adaptive Multimedia Systems," *Stud. Informatica, an Int. Journal, Spec. Issue Cutting, Pack. Knapsacking Probl.*, vol. 2, pp. 154-174, 2002.
- [6] Jukanovic, and N. Shiratori, "An algorithm for the multi-dimensional multiple-choice knapsack problem", *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, Vol. E80-A, No. 3, pp. 582-589, 1997.
- [7] S. Khan, K. F. Li, E. G. Manning, and M. M. Akbar, "Solving the Knapsack Problem for Adaptive Multimedia Systems", *Studia Informatica Universalis*, Vol. 2, pp. 157-178, 2002.
- [8] M. Hifi, M. Michrafy, and A. Sbihi, "Heuristic algorithms for the multiple-choice multi-dimensional knapsack problem", *Journal of the Operational Research Society*, Vol. 55, No. 12, pp. 1323-1332, 2004.
- [9] M. Hifi, M. Michrafy, and A. Sbihi, "A reactive local search-based algorithm for the multiple-choice multi-dimensional knapsack problem", *Computational Optimization and Applications*, Vol. 33, No. 2-3, pp. 271-285, 2006.
- [10] N. Cherfi and M. Hifi, "A column generation method for the multiple-choice multi-dimensional knapsack problem", *Computational Optimization and Applications*, Vol. 46, No. 1, pp. 51-73, 2010.
- [11] S. Iqbal, M. F. Bari, and M. S. Rahman, "Solving the Multi-dimensional multi-choice knapsack problem with the help of ants". In: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Berlin, Heidelberg, Vol. 6234, pp. 312-323, 2010.
- [12] S. Htiouech, S. Bouamama, and R. Attia, "Using surrogate information to solve the multidimensional multi-choice knapsack problem", In: *Proc. of IEEE Congress on Evolutionary Computation*, Cancun, Mexico, pp. 2102-2107, 2013.
- [13] Y. Xia, C. Gao, and J. L. Li, "A Stochastic Local Search Heuristic for the Multidimensional Multiple-choice Knapsack Problem", In: *Communications in Computer and Information Science*, Berlin, Heidelberg, Vol. 562, pp. 513-522, 2015.
- [14] S. Htiouech and A. Alzaidi, "Smart Agents for the Multidimensional Multi-choice Knapsack

- Problem”, *International Journal of Computer Applications*, Vol. 174, No. 6, pp. 5–9, 2017.
- [15] J. H. Holland, *Adaptation in natural and artificial systems : an introductory analysis with applications to biology, control, and artificial intelligence*, University of Michigan Press, 1975.
- [16] A. Syarif and M. Gen, “Solving exclusionary side constrained transportation problem by using a hybrid spanning tree-based genetic algorithm”, *Journal of Intelligent Manufacturing*, Vol. 14, No. 3–4, pp. 389–399, 2003.
- [17] A. Hiassat, A. Diabat, and I. Rahwan, “A genetic algorithm approach for location-inventory-routing problem with perishable products”, *Journal of Manufacturing Systems*, Vol. 42, pp. 93–103, 2017.
- [18] M. Gen and L. Lin, “Multiobjective evolutionary algorithm for manufacturing scheduling problems: State-of-the-art survey”, *Journal of Intelligent Manufacturing*, Vol. 25, No. 5, pp. 849–866, 2014.
- [19] M. A. Mohammed, M. K. Abd Ghani, R. I. Hamed, S. A. Mostafa, M. S. Ahmad, and D. A. Ibrahim, “Solving vehicle routing problem by using improved genetic algorithm for the optimal solution”, *Journal of Computational Science*, Vol. 21, pp. 255–262, 2017.
- [20] A. H. C. Van Kampen, C. S. Strom, and L. M. C. Buydens, “Lethalization, penalty and repair functions for constraint handling in the genetic algorithm methodology”, *Chemometrics and Intelligent Laboratory Systems*, Vol. 34, No. 1, pp. 55–68, 1996.
- [21] M. Gen and A. Syarif, “Hybrid genetic algorithm for multi-time period production/distribution planning”, *Computers and Industrial Engineering*, Vol. 48, No. 4, pp. 799–809, 2005.
- [22] S. Hou, Y. Liu, H. Wen, and Y. Chen, “A self-crossover genetic algorithm for job shop scheduling problem”, In: *Proc. of IEEE International Conf. on Industrial Engineering and Engineering Management*, pp. 549–554, 2011.
- [23] M. Gen and R. Cheng, *Genetic Algorithms and Engineering Optimization*, John Wiley & Sons, New York, 2000.
- [24] W. Wan and J. B. Birch, “An improved hybrid genetic algorithm with a new local search procedure”, *Journal of Applied Mathematics*, Vol. 2013, 2013.
- [25] <ftp://cermse.univ-paris1.fr/pub/CERMSEM/hifi/MMKP/> (accessed Jul. 15, 2019).

Formatted: Paragh

Page 6: [1] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [2] Formatted	Admi Syarif	15/07/2020 10.26.00
Paragh		
Page 6: [3] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [3] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [4] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [4] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [4] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [5] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [5] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [5] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 11 pt, Not Expanded by / Condensed by		
Page 6: [6] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 6: [7] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Hanging: 1.25 cm		
Page 6: [8] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 6: [9] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 6: [10] Formatted	Admi Syarif	15/07/2020 10.26.00

Indent: Left: 0.75 cm, First line: 0 cm

Page 6: [11] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 6: [11] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 6: [11] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 6: [12] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [12] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [12] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [12] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [13] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [14] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: 0.5 cm

Page 6: [15] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 6: [16] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: 0.25 cm, Hanging: 0.75 cm

Page 6: [17] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [17] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [18] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: 0 cm, Hanging: 0.75 cm

Page 6: [19] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [19] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [19] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [19] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [20] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [21] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [22] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [22] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 6: [23] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.25 cm, Hanging: 1.25 cm

Page 6: [24] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 6: [25] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Hanging: 1.25 cm		
Page 6: [26] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 12 pt		
Page 6: [27] Change	Admi Syarif	15/07/2020 10.26.00
Formatted Bullets and Numbering		
Page 6: [28] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 12 pt		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [29] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: Not Italic, English (United States)		
Page 6: [30] Formatted	Admi Syarif	15/07/2020 10.26.00

Default Paragraph Font, Font: NimbusRomNo9L-Regu, 9 pt, Not Expanded by / Condensed by

Page 6: [31] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Normal, Indent: First line: 0 cm, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Page 6: [32] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [33] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: 0 cm, Right: 0 cm

Page 6: [34] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [35] Formatted **Admi Syarif** **15/07/2020 10.26.00**

English (United States)

Page 6: [36] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [36] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [36] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [37] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.14 cm, Hanging: 0.07 cm

Page 6: [38] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [39] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri), Bold

Page 6: [40] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [40] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Bold

Page 6: [41] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered

Page 6: [42] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: Bold

Page 6: [43] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: Bold

Page 6: [44] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Indent: Left: -0.24 cm, Hanging: 0.04 cm

Page 6: [45] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: Bold

Page 6: [45] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: Bold

Page 6: [46] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [47] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [48] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [49] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [50] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [51] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [52] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [53] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [54] Formatted	Admi Syarif	15/07/2020 10.26.00
-------------------------------	--------------------	----------------------------

Font: +Body (Calibri)

Page 6: [55] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [56] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [57] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [58] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [59] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [60] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [61] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [62] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [63] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [64] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [65] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [66] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [67] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [68] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		

Page 6: [69] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [70] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [71] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [72] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [73] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [74] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [75] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [76] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [77] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [78] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [79] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [80] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [81] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [82] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [83] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: +Body (Calibri)

Page 6: [84] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [85] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [86] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [87] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [88] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [89] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [90] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [91] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [92] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [93] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [94] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [95] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [96] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [97] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [98] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [99] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [100] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [101] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [102] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [103] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [104] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [105] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [106] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [107] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [108] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [109] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [110] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [111] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		

Page 6: [112] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [113] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [114] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [115] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [116] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [117] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [118] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [119] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [120] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [121] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [122] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [123] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [124] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [125] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: +Body (Calibri)		
Page 6: [126] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: +Body (Calibri)

Page 6: [127] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [128] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [129] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [130] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [131] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: +Body (Calibri)

Page 6: [132] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 11 pt

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold

Page 6: [133] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: Not Bold

Page 6: [133] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: Not Bold

Page 6: [133] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: Not Bold

Page 6: [133] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: Not Bold

Page 6: [133] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: Not Bold

Page 8: [134] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Not Bold

Page 8: [134] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Not Bold

Page 8: [134] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Not Bold

Page 8: [135] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, English (United States)

Page 8: [136] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [137] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 8: [138] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, English (United States)

Page 8: [139] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [140] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 8: [141] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [141] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [142] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [142] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [143] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [143] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [144] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [145] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [146] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [147] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
Deleted Cells		
Page 8: [148] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [149] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm		
Page 8: [150] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [151] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [152] Formatted	Admi Syarif	15/07/2020 10.26.00

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [153] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [154] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 8: [155] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [156] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [157] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [158] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Not Italic, English (United States)

Page 8: [158] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Not Italic, English (United States)

Page 8: [159] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 8: [160] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Not Italic, English (United States)

Page 8: [161] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [162] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Not Italic

Page 8: [163] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [164] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [165] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [166] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, English (United States)

Page 8: [167] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [168] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 8: [169] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, English (United States)

Page 8: [170] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [171] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 8: [172] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, English (United States)

Page 8: [173] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [174] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold

Page 8: [175] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, English (United States)

Page 8: [176] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [177] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 8: [178] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
------------------------------------	--------------------	----------------------------

Deleted Cells

Page 8: [179] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [180] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [180] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [181] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold		
Page 8: [181] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold		
Page 8: [182] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [183] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [184] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [185] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [185] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [186] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [186] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [187] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
Deleted Cells		
Page 8: [188] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [189] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [189] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: 10 pt, English (United States)

Page 8: [190] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [191] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [192] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [193] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [194] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [195] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [196] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [197] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [198] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold

Page 8: [199] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 8: [200] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [201] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [202] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [203] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [203] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [204] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [205] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [206] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [207] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [207] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [208] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [208] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [209] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [210] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [211] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [212] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [213] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [214] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [215] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [216] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm		
Page 8: [217] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [218] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [219] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [220] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [221] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [222] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [223] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [224] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [224] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [225] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [226] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [227] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [228] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: 10 pt

Page 8: [229] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [229] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [230] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 8: [231] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [232] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [233] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [234] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [234] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [235] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [236] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [237] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [238] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [239] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [240] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [241] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [242] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [243] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [244] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [245] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [246] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [247] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [247] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [248] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [249] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [250] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [251] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [252] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [252] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [253] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [254] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [255] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [256] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [256] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [257] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [258] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [259] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [260] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [261] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm		
Page 8: [262] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [263] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [264] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [265] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [266] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: 10 pt, English (United States)

Page 8: [267] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [268] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [269] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [269] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [270] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [271] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [272] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [273] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [274] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [274] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [275] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [276] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [277] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [278] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [278] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [279] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [280] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [281] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [282] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [283] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [284] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [285] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [286] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [287] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [288] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [289] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [290] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [291] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [291] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [292] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [293] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [294] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [294] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [295] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [296] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [297] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [298] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [298] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [299] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [300] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [301] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [302] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [303] Formatted	Admi Syarif	15/07/2020 10.26.00

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [304] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [305] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [306] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [307] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [308] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [309] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [310] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [311] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [311] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [312] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [313] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [314] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [315] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [316] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [316] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [317] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [318] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [319] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [320] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [320] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [321] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [322] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [323] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [324] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [325] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [326] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [327] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [328] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [329] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [330] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [331] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [332] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [333] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [333] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [334] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [335] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [336] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [337] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [338] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [339] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [339] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [340] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [341] Formatted	Admi Syarif	15/07/2020 10.26.00

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [342] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [343] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [343] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [344] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [345] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [346] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [347] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [348] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [349] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [350] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [351] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [352] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [353] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [354] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [355] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [356] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [356] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [357] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [358] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [359] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [360] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [361] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [361] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [362] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [363] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [364] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [365] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [365] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [366] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [367] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [368] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [369] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [370] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm		
Page 8: [371] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [372] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [373] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [374] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [375] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [376] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [377] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [378] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [378] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [379] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: 10 pt

Page 8: [380] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [381] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [382] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [383] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [383] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [384] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [385] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [386] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [387] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [387] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [388] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [389] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [390] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [391] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [392] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [393] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [394] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [395] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [396] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [397] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [398] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [399] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [400] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [400] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [401] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [402] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [403] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [404] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [405] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [405] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [406] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [407] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [408] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [409] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [409] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [410] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [411] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [412] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [413] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [414] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm		
Page 8: [415] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [416] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [417] Formatted	Admi Syarif	15/07/2020 10.26.00

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [418] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [419] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [420] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [421] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [422] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [422] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [423] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [424] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [425] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [426] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [427] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [427] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, English (United States)

Page 8: [428] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [429] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [430] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [431] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [431] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [432] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [433] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [434] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [435] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [436] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, First line: 0 cm, Right: -0.2 cm

Page 8: [437] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [438] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [439] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [440] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 8: [441] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, English (United States)

Page 8: [442] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm

Page 8: [443] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [444] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [444] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [445] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [446] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [447] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [448] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [449] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [449] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, English (United States)		
Page 8: [450] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [451] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm		
Page 8: [452] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 8: [453] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [453] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, English (United States)		
Page 8: [454] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: Not Bold, Font color: Auto, English (United States)

Page 8: [455] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: First line: 0 cm, Line spacing: Multiple 1.08 li

Page 8: [456] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font color: Auto, English (United States)

Page 8: [457] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold, Font color: Auto, English (United States)

Page 8: [458] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Normal, Line spacing: Multiple 1.08 li

Page 8: [459] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font color: Auto, English (United States)

Page 8: [460] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold, Font color: Auto, English (United States)

Page 8: [460] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Not Bold, Font color: Auto, English (United States)

Page 9: [461] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [462] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [463] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [464] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [465] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [466] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [467] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [468] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [469] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [470] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [471] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [472] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [473] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [474] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [475] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [476] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [477] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [478] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [479] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [480] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: Times New Roman, 10 pt

Page 9: [481] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [482] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [483] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [484] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [485] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [486] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [486] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [487] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [488] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [488] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [489] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [490] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [490] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [491] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [492] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [493] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [494] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [495] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto, English (United States)

Page 9: [495] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto, English (United States)

Page 9: [496] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [497] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [498] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [499] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [500] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [501] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [502] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [503] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [503] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [504] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [505] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [506] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [507] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [508] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [509] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [510] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [511] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [512] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [513] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [514] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [515] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [516] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [517] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [518] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [519] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [520] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [521] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [522] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [523] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [523] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [524] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [525] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [526] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [527] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [528] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [529] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,

Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [530] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [531] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [532] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [532] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [533] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [534] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [535] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [536] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [537] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,

Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [538] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [539] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
------------------------------------	--------------------	----------------------------

Deleted Cells

Page 9: [540] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 9: [541] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [542] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [543] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [544] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [544] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [545] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [546] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [547] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [548] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [549] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [550] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [551] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [552] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [553] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [554] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [555] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [556] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [557] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [558] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [559] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [560] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [561] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [562] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [563] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [564] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [565] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [566] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [567] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
------------------------------------	--------------------	----------------------------

Deleted Cells

Page 9: [568] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [569] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [570] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [571] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [572] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [573] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 9: [574] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [575] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt

Page 9: [576] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [577] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [578] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Bold, Font color: Auto

Page 9: [579] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, Font color: Auto, English (United States)		
Page 9: [579] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, Font color: Auto, English (United States)		
Page 9: [580] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
Deleted Cells		
Page 9: [581] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Bold, Font color: Auto		
Page 9: [582] Formatted	Admi Syarif	15/07/2020 10.26.00
Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around		
Page 9: [583] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 9: [584] Formatted	Admi Syarif	15/07/2020 10.26.00
Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around		
Page 9: [585] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt		
Page 9: [586] Formatted	Admi Syarif	15/07/2020 10.26.00
Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around		
Page 9: [587] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Font color: Auto		
Page 9: [587] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Font color: Auto		
Page 9: [588] Formatted	Admi Syarif	15/07/2020 10.26.00
Font: 10 pt, Font color: Auto		
Page 9: [589] Deleted Cells	Admi Syarif	15/07/2020 10.26.00
Deleted Cells		
Page 9: [590] Formatted	Admi Syarif	15/07/2020 10.26.00

Font: 10 pt, Font color: Auto

Page 9: [591] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [592] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [593] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [594] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [595] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [596] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [597] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [598] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [599] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [600] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [601] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [602] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [603] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [604] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [605] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [606] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [607] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [608] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [609] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [610] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [610] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [611] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [612] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [613] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [614] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [615] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [616] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [617] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [618] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [619] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [620] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [621] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [622] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [623] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [624] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [625] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [626] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [627] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [628] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [629] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [629] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [630] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [631] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [632] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [633] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [634] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [635] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [636] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [637] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [638] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [639] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [640] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [641] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [642] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [643] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [644] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 9: [645] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [646] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [647] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [648] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [649] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [649] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [650] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [651] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [652] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [653] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [654] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [655] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [656] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [657] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [658] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [659] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [660] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [661] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Bold, Font color: Auto

Page 9: [662] Inserted Cells **Admi Syarif** **15/07/2020 10.26.00**

Inserted Cells

Page 9: [663] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [664] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [665] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt

Page 9: [666] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [667] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [667] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [668] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [669] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [670] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [671] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [672] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [673] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [674] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [675] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [676] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [677] Formatted	Admi Syarif	15/07/2020 10.26.00
--------------------------------	--------------------	----------------------------

Font: 10 pt, Font color: Auto

Page 9: [678] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [679] Inserted Cells	Admi Syarif	15/07/2020 10.26.00
-------------------------------------	--------------------	----------------------------

Inserted Cells

Page 9: [680] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [681] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 9: [682] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Font: 10 pt, Font color: Auto

Page 9: [683] Deleted Cells **Admi Syarif** **15/07/2020 10.26.00**

Deleted Cells

Page 10: [684] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column, Vertical: In line,
Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 10: [685] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 10: [686] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 10: [687] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

Page 10: [688] Formatted **Admi Syarif** **15/07/2020 10.26.00**

Centered, Indent: Left: -0.2 cm, Right: -0.2 cm, Position: Horizontal: Left, Relative to: Column,
Vertical: In line, Relative to: Margin, Horizontal: 0 cm, Wrap Around

9

**Lampiran Hasil
pengecekan plagiasi
artikel**

IJIES_Admi Syarif - Plagialism Check

by Admi Syarif

Submission date: 13-Nov-2020 01:18PM (UTC+0530)

Submission ID: 1444793303

File name: 2020103140.pdf (452.76K)

Word count: 4667

Character count: 23827



32

Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)

Admi Syarif^{1*} Dian Anggraini¹ Kurnia Muludi¹
 Wamiliana² Mitsuo Gen³

¹*Department of Computer Science, Faculty of Mathematics and Sciences,
 Lampung University Jl. S. Brodjonegoro No.1, Bandar Lampung, Indonesia, 35145*

²*Department of Mathematics Faculty of Mathematics and Sciences, Lampung University Jl. S. Brodjonegoro No.1,
 Bandar Lampung, Indonesia, 35145*

³*Department of Computer Science, Tokyo University of Science, Tokyo, Japan*

* Corresponding author's admi.syarif@fmipa.unila.ac.id

Abstract: One of the essential and well-known classes of combinatorial optimization problems commonly studied by researchers in the last five decades is called the Knapsack Problem (KP). Many variants of KP have been introduced for different real-world applications. Among them, the multiple-choice multi-dimensional Knapsack Problem (mm-KP) is the most complex model with an NP-hard problem. Several authors have reported the robustness of heuristics for mm-KP; irrespective of its advantages, no method currently has the ability to solve the problem optimally all time. This paper aims to determine the best GA strategy and evaluate the performance of several heuristic algorithms to solve mm-KP. We investigate the use of two techniques that are included in the GA approach. The first, two different strategies are adopted to handle infeasible chromosomes, namely penalty and repairing procedure. Second, we develop a new-simple local search to improve the quality of the solution found. Experimental studies on the 13 (thirteen) Benchmark instances are conducted to evaluate the effectiveness of the approach based on solutions quality, the number of the optimal solution reached, and average errors. The results showed that hr-GA tends to reach optimal/near-optimal solutions. Furthermore, the results from studies on heuristic algorithms also show that hr-GA is a promising approach, with local search used to immensely improve the quality.

Keywords: Repairing strategy, Local search, Heuristic method, Genetic algorithm, Knapsack problem.

1. Introduction

In 1950, Dantzig introduced the classical Knapsack Problem (KP), which is one of the famous combinatorial optimization problems. It represents the problem of selecting the subsets of the n items to maximize the corresponding profit, and the total weight does not exceed the Knapsack capacity. Practical applications of KP can be found in some of our daily life, such as the everyday diet program, an optimal investment plan, cargo loading, cutting stock, budget control, and financial management [1]. Different variants of KP are found in the literature, including, multiple-choice KP (mc-KP), multi-dimensional KP (md-KP), and multiple-choices

multi-dimensional KP (mm-KP) [2]. Among them, mm-KP is the most complex belongs to the class of an NP-hard problem. It is considered as a variant of the md-KP where items are divided into groups, and precisely one item per group must be selected. The applications of mm-KP can be found in many real-life applications, including Chip Multiprocessor Runtime Resource Management [3], Global Routing of Wiring in Circuits [4], and Service Level Agreement [5].

The methods proposed in the literature to solve mm-KP can be grouped into two classes: exact and heuristic methods. Since mm-KP is an NP-hard problem, its search space exponentially grows as the problem size increases. Therefore, many researchers pay more attention to develop heuristic methods to

solve mm-KP. Although the heuristics do not guarantee the finding of an optimal solution, those have been reported useful in determining optimal/near-optimal solutions for many hard optimization problems, including mm-KP.

To our knowledge, the first heuristic algorithm to solve mm-KP was reported by Moser et al. [6]. The authors introduced a Lagrangian Relaxation algorithm that was repeatedly permuting to reduce the infeasibility of solutions. A heuristic algorithm based on aggressive resource usage was proposed by Khan et al. [7]. This heuristic algorithm performs better than Moser's Algorithm. Then, Hifi presented several approaches to solve mm-KP. First, Hifi et al. proposed a heuristic approach with a guided-local search that used the principle based on trying several diversified solutions obtained after penalizing the costs of the objective function with penalties parameters [8]. Hifi et al. also developed an algorithm based on a reactive local search to try a diversification search and to escape local optima [9]. The authors reported that their methods are able to outperform Moser's and Khan's algorithms.

Later, Cherfi and Hifi presented column generation methods hybridized with branch-and-bound [10]. They reported that the approaches could obtain better solutions than former approaches on the benchmark instances. An ant colony algorithm approach to solve mm-KP was given by Iqbal et al. [11]. A heuristic method called oscillation (OSC Algorithm) was introduced by Htiouech et al. [12]. The authors used the constraint normalization method to improve the quality of solutions. Xia et al. developed another similar approach to the OSC algorithm, called Stochastic Local Search (SLS) [13]. The algorithm adopted a simple additive weighting scheme to adjust the weight (multiplier) on dimensions.

In one latest paper, Htiouech and Alzaidi proposed a heuristic algorithm called AMMKP [14]. The authors presented the way to decompose the mm-KP into many smaller sub-problems, and each subproblem then solved by an agent. The results show that the approach is able to solve several benchmark instances in the literature effectively.

Since Holland introduced it in 1975 [15], the Genetic Algorithm (GA) has been a prevalent heuristic method. Previous studies have shown the robustness of GA for various hard optimization problems, including the logistic problem [16] [17], scheduling problem [18], vehicle routing problem [19], and so on. For some specific cases, however, it often tends to provide local optimum and takes more time to reach optimal solutions. Therefore, it is

crucial to carry out studies on designing an effective and efficient GA approach.

The most essential and influential component associated with the implementation of GA is the method used to represent the chromosome. For many optimization problems, it is difficult to express the chromosome in a way capable of fulfilling the constraint functions. This is because the generated chromosome in the population is either feasible or infeasible. Two strategies are usually adopted to overcome the infeasible situation, namely repairing and penalty [20]. Another critical issue in the applications of GA is associated with the strategies used to quit the local-optimal solution. The most common approach is to develop and hybridize GA with a local search technique [21].

This paper aims to determine the best GA strategy to solve mm-KP. To improve the quality of the solution, we developed a new simple local search and hybridized it into the GA loop. The approaches adopt both repairing and penalty strategy, namely as repairing-based (sr-GA), hybrid repairing-based GA (hr-GA), and hybrid penalty-based GA (hp-GA). Furthermore, some comparisons with other heuristic methods are also made based on the solution quality, average error, and the number of instances solved optimally.

To evaluate the approaches, we conducted some numerical experiments on set Benchmark test problems taken from OR-Library. The 13 (thirteen) widely studied instances are used to measure the performances of the algorithms. The experimental results show that hr-GA has the merit of high effectiveness and can obtain competitive results with the other heuristics.

We organize this paper into five sections. The second outlines the mathematical formulation of mm-KP. The brief designs of the proposed algorithms, including the chromosome representation, genetic operation, and local search technique, are presented in the third section. The numerical experiments and the comparison of results to other methods are described in the fourth section. Finally, conclusions are drawn in the last part.

2. Mathematical model and algorithm

Let

i	index of class
j	index of item
k	index of resource
R_k	resource constraint $R = R_1, R_2, R_3, \dots, R_m$
r_{ij}^k	the need for the k^{th} resource for the j^{th} item in the i^{th} class

mm-KP aims to fill one item from each class of Knapsack in order to satisfy the resource capacity

constraints and maximize the total profit values. Formally the mathematical formulation of mm-KP can be written as follows:

$$\max Z = \sum_{i=1}^n \cdot \sum_{j=1}^{r_i} x_{ij} v_{ij} \quad (1)$$

s.t.

$$\sum_{i=1}^n \cdot \sum_{j=1}^{r_i} r_{ij}^k x_{ij} \leq R_k, k \in \{1, \dots, m\} \quad (2)$$

$$\sum_{j=1}^{r_i} x_{ij} = 1, i \in \{1, \dots, n\} \quad (3)$$

$$x_{ij} \in \{0,1\}, i \in \{1, \dots, n\}, j \in \{1, \dots, r_i\} \quad (4)$$

Here, the value of x_{ij} is either 1 or 0, which implies that item j in the i -th class is chosen, or not chosen. The v_{ij} represents the profit value of item j in the i -th class.

3. Design of the algorithms

3.1 Chromosome representation and evaluation

When implementing GA for a specific application, the first step is to determine a way to represent a possible solution to the problems. We have to generate some feasible chromosomes, which is as much as the desired population size. For this research, we represent chromosome by using a string, that its length is equal to the number of classes. For example, the dataset IO1 comprises of five groups (i), five items (j), and five resources (k) in each class, with a resource constraint (R_k) of 25. The chromosome representation for this instance IO1 can be illustrated in Fig. 1. The data for this instance (IO1) is as follows:

In the above chromosome, the index represents the class, while the value item gene represents the item index j in each class i . From the chromosome, the selected items are 4, 5, 3, 2, and 4 in the 1st, 2nd, 3rd, 4th, and 5th class. The decoding mechanism is done by selecting one item for each category. The number of resource consumption (r_{ijk}) of each item is used to check for the resource constraint. Here, the total value of r_{ijk} cannot exceed the (R_k) amount of each class, as shown in Table 2.




Figure. 1 Chromosome representation for instance IO1

Table 1. Data for IO1 Instance

1					
7	1	3	1	1	6
17	1	4	9	9	3
25	4	3	9	8	2
35	4	5	8	0	6
36	6	8	3	0	7
2					
9	0	0	4	4	2
10	0	0	1	8	7
10	1	1	6	0	6
39	9	1	2	2	4
44	8	7	0	8	2
3					
15	2	0	5	5	5
19	2	3	2	6	2
20	3	1	6	4	7
44	6	7	5	6	9
50	9	5	9	2	2
4					
5	0	1	3	8	0
25	2	2	7	0	8
32	5	5	6	1	9
37	6	3	6	9	1
37	7	9	7	2	3
5					
24	4	0	7	0	2
30	4	8	9	0	0
32	5	2	7	2	0
43	5	5	9	5	2
44	9	2	2	2	3

Table 2. The decoding of the chromosome

	4	5	3	2	4
r_{ij1}	4	8	3	2	5
r_{ij2}	5	7	1	2	5
r_{ij3}	8	0	6	7	9
r_{ij4}	0	8	4	0	5
r_{ij5}	6	2	7	8	1
R_k	23	25	21	19	25

3.2 Crossover and mutation

When implementing GA, two genetic operations are usually used to involve the new solution space, namely as crossover and mutation. The crossover operation is used to produce new offspring by recombining gen between selected parents. When choosing the crossover method, we have to consider the chromosome representation. There are several variants of the crossover methods introduced in the literature, such as one-point crossover, two-point crossover, PMX, WMX, etc.[8]. For this research, we




Figure. 2 The illustration of two-point crossover




Figure. 3 The illustration of swap mutation operation

adopted the two-point crossover technique, as illustrated in Fig. 2 [22]. The following process explains the steps of the crossover operation.

- Step 1: Choose two parents arbitrarily for crossover.
- Step 2: Randomly determine two points
- Step 3: Exchange the substring between these two points.

3.3 Selection strategy

The last stage of the GA process is the selection strategy to determine the chromosomes for the next generation. This stage adopted the elitist selection method. The *pop_size* best chromosomes (the highest fitness value) are chosen for the next generation.

3.4 Local search

Genetic algorithms (GA) function as a global search technique; however, it may often take a relatively long computational time to converge for a global optimum [24]. To solve this, many researchers suggested hybridizing GA with the local search technique. In this research, we developed a new and simple local search technique called Switching Local Search (SLS). It is done by first selecting a gene in the chromosome and changing its value randomly. The following Algorithm 1 illustrates the overall description of the proposed algorithms.

Algorithm 1: GAs for mm-KP
 Input: data for the mm-KP test problem
 Output: the best solution

Genetic Algorithm {
 Generate Initial population P(t);
 Evaluation Initial population P(t);
 Penalty strategy;

```

While (not STOPPING CONDITION)
  Crossover;
  Mutation;
  Evaluation;
  (Penalty/Repairing strategy);
  Selection;
  Local Search Best chromosome P(t);
  P = P(t+1);
}
    
```

It is shown that two different strategies are used to handle an infeasible chromosome resulted in crossover and mutation operations. The first strategy includes a procedure to repair the infeasible chromosome. The second strategy applies the penalty value for the infeasible chromosome. As mm-KP is the maximization problem, the penalty value will decrease the objective value. Thus, it will reduce the opportunity of the chromosome to be selected for the next generation. The local search procedure was included in the GA loop and implemented to the best chromosome to improve the solution quality.

4. Experimental design and results

4.1 Experimental design

To evaluate the effectiveness of the algorithms, several experimental studies have been conducted on 13 (thirteen) different size Benchmark instances taken from OR-Library. The test problems were divided into 3 (three) groups according to the size; small size (I01-I06), medium (I07-I09), and large (I10-I13). The number of variables in these 13 test problems varies from 25 to 4000. The detail of the

Table 3. Details of the instances, where *n* denotes the number of classes, *r_i* is the number of items in each group, and *m* is the number of resources

No.	Test problem	Data				Parameter	
		<i>N</i>	<i>r_i</i>	<i>m</i>	<i>R_k</i>	<i>Pop_size</i>	<i>Max_gen</i>
1	I01	5	5	5	25	50	1000
2	I02	10	5	5	50	50	1500
3	I03	15	10	10	75	50	2000
4	I04	20	10	10	100	100	1000
5	I05	25	10	10	125	100	1500
6	I06	30	10	10	150	100	2000
7	I07	100	10	10	500	200	1000
8	I08	150	10	10	750	200	1500
9	I09	200	10	10	1000	250	2000
10	I10	250	10	10	1250	300	1000
11	I11	300	10	10	1500	300	1500
12	I12	350	10	10	1750	450	2000
13	I13	400	10	10	2000	500	2000

Table 4. Performance of the GA approaches on all instances (SD: Standard Deviation)

Dataset	Optimum	sr-GA			hp-GA			hr-GA		
		Best	Average	SD	Best	Average	SD	Best	Average	SD
I01	173	173	173	0	173	170	2.9	173	173	0
I02	364	364	351	6.7	355	346.1	5.2	364	361	0.9
I03	1602	1536	1502.5	15.9	1556	1518	14.5	1600	1552.5	28.7
I04	3597	3433	3380.8	32.5	3488	3410	39.2	3571	3541.4	22
I05	3905.7	3900.4	3800.8	103	3905.7	3892	26.9	3905.7	3902	2.6
I06	4799.3	4787.2	4698.3	72.6	4799.3	4769.9	30.5	4799.3	4796	4.2
I07	24587	23071	22997.8	39.7	23717	23627	51.1	23870	23541.1	79.2
I08	36877	35536	34819.8	345.1	35547	32933	7764	35626	34932.4	90.2
I09	49167	47309	46237.6	540.7	47415	45946	748.1	47370	47338.1	43.8
I10	61437	58876	57826	568	59226	58898	245.1	59228	59056	40.3
I11	73773	70706	70557.3	142.1	70724	66620	1724.7	71021	70782.5	99.4
I12	86071	82089	89510.1	212	82305	77908	1195.6	82627	82342.8	104.5
I13	98429	94006	93478	279.2	94116	88429	1319.2	94570	94321.2	163

sr-GA: standard repairing-based GA (without local search)

hr-GA: hybrid repairing-based GA

hp-GA: hybrid penalty-based GA

test problems used for the experiments is shown in Table 3.

4.2 Results and discussion

A total of three GA approaches were developed, namely standard repairing GA (sr-GA), hybrid penalty-based (hp-GA), and hybridized penalty-based GA (hr-GA) by using Matlab R2015b and run on PC Processor intel® Core™ i5-3470S. For the experiments, we set the values of crossover probability and mutation probability as 0.4 and 0.2, respectively. Each algorithm is run 20 (twenty) times for each test problem.

Table 4 summarizes the overall results of the experiments, where the best and the average values represent the best and the average fitness value from the 20 (twenty) running times. Standard deviation (SD) is the distribution of statistical measures of the data distribution. Optimum is the best-obtained solution in the literature. The results highlight that repairing-based GA has better performance than penalty-based GA. Due to the difficulties in generating feasible chromosomes, the penalty strategy cannot give good results for all of the test problems. In addition, many offspring, which led to GA operations is also infeasible. It can be seen from these results that combining GA with the local search will improve the solution quality immensely. The overall results show that hr-GA has better performance to solve mm-KP all of the time.

To assess the merit and limit of the proposed approach, we compare the performance of the new hr-GA to other heuristic algorithms available in the

following literature: Moser [6], Heuristic [25], Modified-Reactive-Local-Search (MRLS) [9], Khan-Li-Manning-Akbar Algorithm (KLMA) [7], Derived algorithm [8], Ant Colony Algorithm [11], OSC Algorithm [12], SLS Algorithm [13] and AMMKP algorithm [14].

Table 5 summarizes the comparison of the results obtained by the heuristic algorithms. Similarly, in this Table, we also indicate our achievements that have the values greater than or equal to the best-published results in bold. These results show that hr-GA tends to reach optimal/near-optimal solutions to the problem. It can obtain the number of solution that better than or equal to the best solution in 5 cases among 13 cases, which better or same as the results given by Moser (1 case), Heuristic (1 case), RLS (4 cases), KLMA (2 cases), Derived Algorithm (2 cases), Ant Colony algorithm (5 cases), OSC algorithm (4 cases), SLS algorithm (6 cases) and AMMKP (11 cases).

In this research, we calculate the percentage error value for each instance by using the following formula:

$$Error = \frac{best - optimum}{optimum} \times 100\% \quad (5)$$

The error comparisons of the heuristic methods for each test problem are illustrated in Figure 4. It shows that hr-GA can obtain good quality and reach optimal/optimal solution to the problem most of the time.

In this research, we also analyze the algorithm based on the average errors given by the methods for

Table 5. Results of some heuristic methods on all mm-KP instances

Dataset	Optimum	Moser	Heuristic	RLS	KLMA	Der_Algo	Ant	OSC	SLS	AMMKP	hr-GA
I01	173	151	167	173	167	173	173	173	173	173	173
I02	364	291	354	364	354	356	364	364	364	364	364
I03	1602	1464	1533	1595	1533	1553	1602	1594	1602	1594	1600
I04	3597	3375	3437	3564	3437	3502	3569	3514	3592	3592	3571
I05	3905.7	3905.7	3899.1	3905.7	3905.7	3905.2	3905.7	3905.7	3905.7	3905.7	3905.7
I06	4799.3	4115.2	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3	4799.3
I07	24857	23556	23912	24121	23912	23983	24159	24162	24311	24310	24170
I08	36877	35373	35979	36110	35979	36007	36240	36405	36463	36530	36641
I09	49167	47205	47901	48291	47901	48048	48367	48567	48580	48711	48191
I10	61437	58648	59811	60291	59811	60176	60475	60858	60661	60911	60228
I11	73773	70532	71760	72283	71760	72003	72558	73022	72778	73200	72003
I12	86071	82377	84141	84446	84141	84160	84707	85284	84889	85338	85015
I13	98429	94166	96003	96850	96003	96103	96834	97545	97082	97744	97050
#Best		1	1	4	2	2	5	4	6	11	5




Figure 4. Error comparison between heuristic approaches on all mm-KP instances

those 13 test problems. The computation indicates that hr-GA provides competitive solutions with the average error equal to 1.02%, better than those obtained by Moser (7.13%), Heuristic (2.62%), RLS (1.2%), KLMA (2.6%), and Derived algorithm (1.93%), and the ant colony algorithm (1.03%). However, in comparison to the OSC algorithm (0.91%), SLS algorithm (0.77%), and AMMKP

(0.61%), it still has a slightly larger average error. We illustrate the comparison of the average error for each method in the following Figure 5.

5. Conclusion

This paper analyzed three different GA approaches to solving mm-KP. The proposed methods adopt different strategies to handle




Figure 5. Comparison of the average errors between the heuristic methods

infeasible chromosomes, namely penalty and repairing procedure. Those are also hybridized a new simple local search technique to improve the solution quality. Several numerical experiments on a set of Benchmark instances taken from OR-Library have been conducted to evaluate the performance of the algorithms. The results show that repairing-based GA has better performance than penalty-based GA. Hybridizing GA with local search has also improved the solution quality immensely. The comparisons with other heuristic algorithms are also made based on the solution quality, the number of optimal solutions obtained, and average errors. It concludes that hr-GA is able to get competitive results with the other heuristics. These findings add to a growing body of literature on the applications of GA.

13

Conflicts of Interest

The authors declare no conflict of interest.

Author Contributions

Mitsuo Gen gives the idea for the Algorithm; Admi Syarif and Dian Anggrainii designed the experiments; Dian Anggraini performed the experiments; Admi Syarif and Kurnia Muludi supervised the study, analyzed the results, verified the findings of the study, and wrote the paper.

Acknowledgments

The authors are grateful to “Hibah Unggulan” Lampung University, Grant-in-Aid No. 1514/UN26.21/PN/2020, 2020, for assisting this research. We thank the anonymous reviewers for

their constructive comments that helped us a lot in substantially improving this paper.

References

- [1] J. Gottlieb, “Permutation-based evolutionary algorithms for multi-dimensional knapsack problems”, In: *Proc. of the 2000 ACM Symposium on Applied Computing - Volume 1 (SAC '00)*, New York, USA, Vol. 1, pp. 408–414, 2000.
- [2] Y. Chen and J. K. Hao, “A ‘reduce and solve’ approach for the multiple-choice multi-dimensional knapsack problem”, *European Journal of Operational Research*, Vol. 239, No. 2, pp. 313–322, 2014.
- [3] H. Shojaei, A. H. Ghamarian, T. Basten, M. Geilen, S. Stuijk, and R. Hoes, “A parameterized compositional multi-dimensional multiple-choice knapsack heuristic for CMP run-time management”, In: *Proc. of the 46th Annual Design Automation Conf. (DAC '09)*, New York, USA, pp. 917–922, 2009.
- [4] H. Shojaei, T. H. Wu, A. Davoodi, and T. Basten, “A Pareto-algebraic framework for signal power optimization in global routing”, In: *Proc. of the International Symposium on Low Power Electronics and Design*, New York, USA, pp. 407–412, 2010.
- [5] L. Arockiam and N. Sasikaladevi, “Simulated Annealing Versus Genetic Based Service Selection Algorithms”, *International Journal of u- and e- Service, Science and Technology*, Vol. 5, No. 1, pp. 35–50, 2012.
- [6] M. Moser, D. P. Jokanovic, and N. Shiratori, “An algorithm for the multi-dimensional multiple-choice knapsack problem”, *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, Vol. E80-A, No. 3, pp. 582–589, 1997.
- [7] S. Khan, K. F. Li, E. G. Manning, and M. M. Akbar, “Solving the Knapsack Problem for Adaptive Multimedia Systems”, *Studia Informatica Universalis*, Vol. 2, pp. 157–178, 2002.
- [8] M. Hifi, M. Michrafy, and A. Sbihi, “Heuristic algorithms for the multiple-choice multi-dimensional knapsack problem”, *Journal of the Operational Research Society*, Vol. 55, No. 12, pp. 1323–1332, 2004.
- [9] M. Hifi, M. Michrafy, and A. Sbihi, “A reactive local search-based algorithm for the multiple-choice multi-dimensional knapsack problem”, *Computational Optimization and Applications*, Vol. 33, No. 2–3, pp. 271–285, 2006.

- [10] N. Cherfi and M. Hifi, "A column generation method for the multiple-choice multi-dimensional knapsack problem", *Computational Optimization and Applications*, Vol. 46, No. 1, pp. 51–73, 2010.
- [11] S. Iqbal, M. F. Bari, and M. S. Rahman, "Solving the Multi-dimensional multi-choice knapsack problem with the help of ants", In: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Berlin, Heidelberg, Vol. 6234, pp. 312–323, 2010.
- [12] S. Htiouech, S. Bouamama, and R. Attia, "Using surrogate information to solve the multidimensional multi-choice knapsack problem", In: *Proc. of IEEE Congress on Evolutionary Computation*, Cancun, Mexico, pp. 2102–2107, 2013.
- [13] Y. Xia, C. Gao, and J. L. Li, "A Stochastic Local Search Heuristic for the Multidimensional Multiple-choice Knapsack Problem", In: *Communications in Computer and Information Science*, Berlin, Heidelberg, Vol. 562, pp. 513–522, 2015.
- [14] S. Htiouech and A. Alzaidi, "Smart Agents for the Multidimensional Multi-Choice Knapsack Problem", *International Journal of Computer Applications*, Vol. 174, No. 6, pp. 5–9, 2017.
- [15] J. H. Holland, *Adaptation in Natural and Artificial Systems: an Introductory Analysis with Applications to Biology, Control, and Artificial Intelligence*, University of Michigan Press, 1975.
- [16] A. Syarif and M. Gen, "Solving exclusionary side constrained transportation problem by using a hybrid spanning tree-based genetic algorithm", *Journal of Intelligent Manufacturing*, Vol. 14, No. 3–4, pp. 389–399, 2003.
- [17] Hiassat, A. Diabat, and I. Rahwan, "A genetic algorithm approach for location-inventory-routing problem with perishable products", *Journal of Manufacturing Systems*, Vol. 42, pp. 93–103, 2017.
- [18] M. Gen and L. Lin, "Multiobjective evolutionary algorithm for manufacturing scheduling problems: State-of-the-art survey", *Journal of Intelligent Manufacturing*, Vol. 25, No. 5, pp. 849–866, 2014.
- [19] M. A. Mohammed, M. K. Abd Ghani, R. I. Hamed, S. A. Mostafa, M. S. Ahmad, and D. A. Ibrahim, "Solving vehicle routing problem by using improved genetic algorithm for the optimal solution", *Journal of Computational Science*, Vol. 21, pp. 255–262, 2017.
- [20] A. H. C. Van Kampen, C. S. Strom, and L. M. C. Buydens, "Lethalization, penalty and repair functions for constraint handling in the genetic algorithm methodology", *Chemometrics and Intelligent Laboratory Systems*, Vol. 34, No. 1, pp. 55–68, 1996.
- [21] M. Gen and A. Syarif, "Hybrid genetic algorithm for multi-time period production/distribution planning", *Computers and Industrial Engineering*, Vol. 48, No. 4, pp. 799–809, 2005.
- [22] S. Hou, Y. Liu, H. Wen, and Y. Chen, "A self-crossover genetic algorithm for job shop scheduling problem", In: *Proc. of IEEE International Conf. on Industrial Engineering and Engineering Management*, pp. 549–554, 2011.
- [23] M. Gen and R. Cheng, *Genetic Algorithms and Engineering Optimization*, John Wiley & Sons, New York, 2000.
- [24] W. Wan and J. B. Birch, "An improved hybrid genetic algorithm with a new local search procedure", *Journal of Applied Mathematics*, Vol. 2013, 2013.
- [25] <ftp://cermse.univ-paris1.fr/pub/CERMSEM/hifi/MMKP/> (accessed Jul. 15, 2019).

IJIES_Admi Syarif - Plagialism Check

ORIGINALITY REPORT

14%

SIMILARITY INDEX

9%

INTERNET SOURCES

12%

PUBLICATIONS

1%

STUDENT PAPERS

PRIMARY SOURCES

1

www.hindawi.com

Internet Source

2%

2

link.springer.com

Internet Source

1%

3

www.isl21.org

Internet Source

1%

4

Htiouech, Skander, and Sadok Bouamama. "A Lagrangian and surrogate information enhanced tabu search for the MMKP", 2014 IEEE Congress on Evolutionary Computation (CEC), 2014.

Publication

1%

5

www.wseas.org

Internet Source

1%

6

Hifi, Mhand, and Lei Wu. "Lagrangian heuristic-based neighbourhood search for the multiple-choice multi-dimensional knapsack problem", Engineering Optimization, 2014.

Publication

1%

7	Htiouech, Skander, Sadok Bouamama, and Rabeh Attia. "Using surrogate information to solve the multidimensional multi-choice knapsack problem", 2013 IEEE Congress on Evolutionary Computation, 2013. Publication	1%
8	hal.archives-ouvertes.fr Internet Source	1%
9	www.cs.uoi.gr Internet Source	<1%
10	research.ijcaonline.org Internet Source	<1%
11	www.tandfonline.com Internet Source	<1%
12	Arin, Arif, and Ghaith Rabadi. "Local search versus Path Relinking in metaheuristics: Redesigning Meta-RaPS with application to the multidimensional knapsack problem", Applied Soft Computing, 2016. Publication	<1%
13	e-sciencecentral.org Internet Source	<1%
14	Communications in Computer and Information Science, 2015. Publication	<1%

15

www.scribd.com

Internet Source

<1%

16

Xinle Liang, A. K. Qin, Ke Tang, Kay Chen Tan. "QoS-Aware Web Service Selection with Internal Complementarity", IEEE Transactions on Services Computing, 2019

Publication

<1%

17

www.info.univ-angers.fr

Internet Source

<1%

18

M Hifi, M Michrafy, A Sbihi. "Heuristic algorithms for the multiple-choice multidimensional knapsack problem", Journal of the Operational Research Society, 2017

Publication

<1%

19

W. Wisittipanich, V. Kachitvichyanukul. "Two enhanced differential evolution algorithms for job shop scheduling problems", International Journal of Production Research, 2012

Publication

<1%

20

Igor Crévits, Saïd Hanafi, Raïd Mansi, Christophe Wilbaut. "Iterative semi-continuous relaxation heuristics for the multiple-choice multidimensional knapsack problem", Computers & Operations Research, 2012

Publication

<1%

21

archive.org

<1%

22

Altiparmak, F.. "A steady-state genetic algorithm for multi-product supply chain network design", *Computers & Industrial Engineering*, 200903

Publication

<1%

23

J. Yen, J.C. Liao, Bogju Lee, D. Randolph. "A hybrid approach to modeling metabolic systems using a genetic algorithm and simplex method", *IEEE Transactions on Systems, Man and Cybernetics, Part B (Cybernetics)*, 1998

Publication

<1%

24

Sang Hyun Kim. "Receding Horizon Scheduling of On-Demand Urban Air Mobility with Heterogeneous Fleet", *IEEE Transactions on Aerospace and Electronic Systems*, 2020

Publication

<1%

25

Md Mostofa Akbar. "Heuristic Solutions for the Multiple-Choice Multi-dimension Knapsack Problem", *Lecture Notes in Computer Science*, 2001

Publication

<1%

26

Caprara, A.. "Approximation algorithms for knapsack problems with cardinality constraints", *European Journal of Operational Research*, 20000601

Publication

<1%

27	www.scirp.org Internet Source	<1%
28	cermseminiv-paris1.fr Internet Source	<1%
29	"Web, Artificial Intelligence and Network Applications", Springer Science and Business Media LLC, 2020 Publication	<1%
30	Lecture Notes in Computer Science, 2003. Publication	<1%
31	A Irawan, Asmiati, Suharsono, K Muludi. " The Locating-Chromatic Number for Certain Operation of Generalized Petersen Graphs (4,2) ", Journal of Physics: Conference Series, 2019 Publication	<1%
32	Lecture Notes in Computer Science, 2010. Publication	<1%

Exclude quotes On

Exclude matches Off

Exclude bibliography On

IJIES_Admi Syarif - Plagialism Check

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

10

**Review kedua dari
reviewer jurnal**

Revised Manuscript "(Paper ID: ijies3205)"

5 messages

ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
To: ijies@inass.org, eguti@fit.ac.jp

Wed, Jul 15, 2020 at 10:40 AM

July 15, 2020

Dear Editor

First of all, we would like to express our great thanks for giving the opportunity to submit the revised version of our manuscript (Paper ID: Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the *International Journal of Intelligent Engineering and Systems*. We appreciate your great comments and suggestion on our manuscript.

In this revised version, we have made significant improvements to our paper, following all reviewer comments and suggestions. We highlight the changes in the document. We have carefully checked and have proof-reading by a native-speaker on the earliest version of our paper. We also have similarity (Plagiarism) of the manuscript by using Turnitin (12 percent). We found that your comments and advice have improved and enriched the quality of the paper immensely.

Thank you very much for your assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: admi.syarif@fmipa.unila.ac.id

<http://staff.unila.ac.id/admisyarif>

**Revised_ijies3205.zip**
630K

EGUCHI Kei <eguti@fit.ac.jp>
To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Wed, Jul 15, 2020 at 11:04 AM

Dear author(s),

Thank you for your interest and support to IJIES.
We received your revised version.
It has been sent for reviewing.
The notification will be feedback within two weeks.
Appreciate your patiently wait.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

From: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
Sent: Wednesday, July 15, 2020 12:41 PM
To: ijies@inass.org; 江口 啓 <eguti@fit.ac.jp>
Subject: Revised Manuscript "(Paper ID: ijies3205)"

July 15, 2020

Dear Editor

First of all, we would like to express our great thanks for giving the opportunity to submit the revised version of our manuscript (Paper ID: Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the International Journal of Intelligent Engineering and Systems. We appreciate your great comments and suggestion on our manuscript.

In this revised version, we have made significant improvements to our paper, following all reviewer comments and suggestions. We highlight the changes in the document. We have carefully checked and have proof-reading by a native-speaker on the earliest version of our paper. We also have similarity (Plagiarism) of the manuscript by using Turnitin (12 percent). We found that your comments and advice have improved and enriched the quality of the paper immensely.

Thank you very much for your assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@mailto:arif@fmipa.unila.ac.id>
<http://staff.unila.ac.id/admisyarif>

EGUCHI Kei <eguti@fit.ac.jp>
To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Mon, Jul 20, 2020 at 7:05 AM

Dear Author(s),

Paper ID: ijies3205

It is our great pleasure to inform you that the contribution referenced above, for which you are listed as the corresponding author, has been accepted for the 2nd review of the IJIES journal.
Congratulations!

*Important:

Please send your "signed" copyright and the payment proof of your publishing fee within one month. Otherwise, your paper will be withdrawn.
The payment method will be sent from paypal. (Please check your mailbox carefully.)

*Publication fee: USD250 (tentative 8 pages)

After we received these documents, the camera-ready version of your paper will be sent to you within a few weeks.

After your confirmation, the acceptance letter and receipt will be sent to you.

Best regards,
IJIES Editors.

[Quoted text hidden]

ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
To: EGUCHI Kei <eguti@fit.ac.jp>

Fri, Aug 21, 2020 at 2:49 PM

Dear Prof. Eguchi

We have received the camera-ready version of our paper (ID:#3205). We also have paid the Publication fee:

USD250 (tentative 8 pages).


We hope that there is no more problem for this publication.

Thank you very much for your assistance. I am looking forward to hearing any information from you.

Sincerely yours.

Admi Syarif
Lampung University

[Quoted text hidden]



Screenshot_2020-07-22 PayPal Perincian Transaksi.png
54K

EGUCHI Kei <eguti@fit.ac.jp>

Sat, Aug 22, 2020 at 1:35 PM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear author(s),

Thank you for your interest and support to IJIES.

We've not received your confirmation of the camera-ready version.

* Please read the following mail that we sent on July 25, 2020.

However, the due date has already been passed.

So, your paper will be published directly on August 31, 2020 (tentative).

If you request any changes, the publication data will be postponed.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

-----Original Message-----

From: 江口 啓

Sent: Saturday, July 25, 2020 9:19 PM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Subject: Re: Copyright for article #3205

Dear author(s),

Thank you for your interest and support to IJIES.

I'd like to send the camera-ready version of your final manuscript.

(Note: To prevent illegal revision, the MS-Word file of the camera-ready version is not provided.) Please check and confirm the attached file, and send the check result within ONE week.

*** Please indicate revised points clearly by coloring fonts.

Note:

The camera-ready process is only one time.

To avoid illegal revision, only small revision is permitted.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

From: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
Sent: Friday, August 21, 2020 4:49 PM
To: 江口 啓 <eguti@fit.ac.jp>
Subject: Re: Revised Manuscript "(Paper ID: ijies3205)"

Dear Prof. Eguchi

We have received the camera-ready version of our paper (ID:#3205). We also have paid the Publication fee: USD250 (tentative 8 pages).
We hope that there is no more problem for this publication.
Thank you very much for your assistance. I am looking forward to hearing any information from you.

Sincerely yours.

Admi Syarif
Lampung University

[Quoted text hidden]

From: ADMI SYARIF <<mailto:admi.syarif@fmipa.unila.ac.id>>
Sent: Wednesday, July 15, 2020 12:41 PM
To: <mailto:ijies@inass.org>; 江口 啓 <<mailto:eguti@fit.ac.jp>>
Subject: Revised Manuscript "(Paper ID: ijies3205)"

July 15, 2020

Dear Editor

First of all, we would like to express our great thanks for giving the opportunity to submit the revised version of our manuscript (Paper ID: Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the International Journal of Intelligent Engineering and Systems. We appreciate your great comments and suggestion on our manuscript.

In this revised version, we have made significant improvements to our paper, following all reviewer comments and suggestions. We highlight the changes in the document. We have carefully checked and have proof-reading by a native-speaker on the earliest version of our paper. We also have similarity (Plagiarism) of the manuscript by using Turnitin (12 percent). We found that your comments and advice have improved and enriched the quality of the paper immensely.

Thank you very much for your assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@unila.ac.id>; <mailto:arif@fmipa.unila.ac.id>
<http://staff.unila.ac.id/admisyarif>

11

**Email dari editor
terkait Acceptance
Letter Artikel**



ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

ijies3205: acceptance letter

1 message

EGUCHI Kei <eguti@fit.ac.jp>

Wed, Jul 22, 2020 at 11:53 AM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear Author(s),

Paper ID: ijies3205

It is our great pleasure to inform you that the contribution referenced above, for which you are listed as the corresponding author, has been accepted for the IJIES journal.

Congratulations!

The camera-ready version of your paper will be sent to you within a few weeks.

P.S.

Please submit your signed copyright form.

Best regards,

IJIES Editors.

-----Original Message-----

From: 江口 啓

Sent: Monday, July 20, 2020 9:05 AM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Subject: RE: Revised Manuscript "(Paper ID: ijies3205)"

Dear Author(s),

Paper ID: ijies3205

It is our great pleasure to inform you that the contribution referenced above, for which you are listed as the corresponding author, has been accepted for the 2nd review of the IJIES journal.

Congratulations!

*Important:

Please send your "signed" copyright and the payment proof of your publishing fee within one month.

Otherwise, your paper will be withdrawn.

The payment method will be sent from paypal. (Please check your mailbox carefully.)

*Publication fee: USD250 (tentative 8 pages)

After we received these documents, the camera-ready version of your paper will be sent to you within a few weeks.

After your confirmation, the acceptance letter and receipt will be sent to you.

Best regards,

IJIES Editors.

-----Original Message-----

From: 江口 啓

Sent: Wednesday, July 15, 2020 1:04 PM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
Subject: RE: Revised Manuscript "(Paper ID: ijies3205)"

Dear author(s),

Thank you for your interest and support to IJIES.
We received your revised version.
It has been sent for reviewing.
The notification will be feedback within two weeks.
Appreciate your patiently wait.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

From: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>
Sent: Wednesday, July 15, 2020 12:41 PM
To: ijies@inass.org; 江口 啓 <eguti@fit.ac.jp>
Subject: Revised Manuscript "(Paper ID: ijies3205)"

July 15, 2020

Dear Editor

First of all, we would like to express our great thanks for giving the opportunity to submit the revised version of our manuscript (Paper ID: Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the International Journal of Intelligent Engineering and Systems. We appreciate your great comments and suggestion on our manuscript.

In this revised version, we have made significant improvements to our paper, following all reviewer comments and suggestions. We highlight the changes in the document. We have carefully checked and have proof-reading by a native-speaker on the earliest version of our paper. We also have similarity (Plagiarism) of the manuscript by using Turnitin (12 percent). We found that your comments and advice have improved and enriched the quality of the paper immensely.


Thank you very much for your assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@mailto:arif@fmipa.unila.ac.id>
<http://staff.unila.ac.id/admisyarif>

2 attachments

 **(ijies3205) Acceptance Letter.pdf**
56K

 **(ijies3205) Receipt.pdf**
56K

12

**Lampiran Acceptance
Letter**



Intelligent Networks and Systems Society

Acceptance Letter

International Journal of Intelligent Engineering and Systems (IJIES)

July 22, 2020

Dear Admi Syarif,

Manuscript Title: Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)

Author(s): Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana and Mitsuo Gen

Thank you for submitting your paper to the International Journal of Intelligent Engineering and Systems (IJIES). Based on double blind review process, we are pleased to inform you that our Review Committee has accepted your paper.

The paper will be included in the IJIES, which will be published with ISSN (ISSN: 2185-3118) in online on the website (<http://www.inass.org/publications.html>). We are looking forward to your further contribution to our journal.

Kind regards

Prof. Dr. Kei EGUCHI
Editor-in-Chief, International Journal of Intelligent Engineering and Systems

Department of Information Electronics
Fukuoka Institute of Technology

Kei Eguchi

E-mail: ijies@inass.org

13

**Lampiran tagihan
pembayaran publikasi
artikel**



Intelligent Networks and Systems Society

Official Receipt

International Journal of Intelligent Engineering and Systems (IJIES)

July 22, 2020

Received from

Admi Syarif
Lampung University

Description	Unit	Amount
IJIES formatting fee	1	25,603 JPY
Total		25,603 JPY

Prof. Dr. Kei EGUCHI
President, International Journal of Intelligent Engineering and Systems

Department of Information Electronics
Fukuoka Institute of Technology

Kei Eguchi

E-mail: ijies@inass.org

14

**Copyright Statement
penulis**

Intelligent Networks and Systems Society (INASS)
COPYRIGHT TRANSFER FORM
<http://www.inass.org>

Please complete and sign this form and send it back to us with the final version of your manuscript (PDF & DOCx). It is required to obtain a written confirmation from authors in order to acquire copyrights for papers published in IJIES (International Journal of Intelligent Engineering and Systems).

Title of a corresponding author (Prof./Assoc.Prof./Assis.Prof./Dr./Mr./Ms.)	Dr. Eng.
Full Name and Surname	ADMISYARIF
Paper ID	#3205
Paper Title	Comparing Various Genetic Algorithm Approaches for Multiple-choice Multi-dimensional Knapsack Problem (mm-KP)
Authors	Admi Syarif, Dian Anggraini, Kurnia Muludi, Wamiliana and Mitsuo Gen
Organisation	Department of Computer Science, Faculty of Mathematics and Sciences, Lampung University
Address	Jl. S. Brodjonegoro No.1
Postal code	35145
City	Bandar Lampung
Country	Indonesia
Telephone	+62-811-722-666
E-mail	admi.syarif@fmipa.unila.ac.id

Copyright Transfer Statement


The copyright to this article is transferred to the Intelligent Networks and Systems Society (INASS) if and when the article is accepted for publication. The undersigned hereby transfers any and all rights in and to the paper including without limitation all copyrights to the Intelligent Networks and Systems Society (INASS). The undersigned hereby represents and warrants that the paper is original and that he/she is the author of the paper, except for material that is clearly identified as to its original source, with permission notices from the copyright owners where required. The undersigned represents that he/she has the power and authority to make and execute this assignment.

We declare that:

1. This paper has not been published in the same form elsewhere.
2. It will not be submitted anywhere else for publication prior to acceptance/rejection by this Conference/Journal.
3. A copyright permission is obtained for materials published elsewhere and which require this permission for reproduction.

The copyright transfer covers the exclusive right to reproduce and distribute the article, including reprints, translations, photographic reproductions, microform, electronic form (offline, online) or any other reproductions of similar nature. The corresponding author signs for and accepts responsibility for releasing this material on behalf of any and all co-authors. This agreement is to be signed by at least one of the authors who has obtained the assent of the co-author(s) where applicable. After submission of this agreement signed by the corresponding author, changes of authorship or in the order of the authors listed will not be accepted.

Yours Sincerely,

Corresponding Authors's Full name & Signature: **ADMI SYARIF**.....

Date:**21/07/2020**.....

** Please Compile This Form, Sign and Send By E-mail : ijies@inass.org

15

**Invoice pembayaran
publikasi artikel**



Intelligent Networks and Systems Society

- ¥27.025 JPY



Ringkasan

Aktivitas

Kirim & Minta

Wallet

Penawaran

Bantuan



LOG OUT

Paid with

Kartu Kredit VISA x-3615

Anda akan melihat "PAYPAL *INTELLIGENT" pada laporan kartu Anda.

ID Transaksi

4PL84982F0648051J

Dikirim ke

[Intelligent Networks and Systems Society](#)

<http://www.inass.org/index.html>

eguti@fit.ac.jp

Perincian

Dikirim ke Intelligent Networks and Systems Society ¥25.603 JPY

Fee ¥1.422 JPY

Total ¥27.025 JPY



[Cetak perincian](#)

16

**Email dari editor
terkait artikel yang
siap dipublikasikan**

Copyright for article #3205

3 messages

ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Thu, Jul 23, 2020 at 11:05 AM

To: eguti@fit.ac.jp, ijies@inass.org, ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear Prof. Dr. Kei EGUCHI
Editor-in-Chief, International Journal of Intelligent Engineering and Systems

First of all, we would like to express our appreciation for your great work managing this high quality Journal. It is our great pleasure to inform you that we have received the acceptance letter and receipt of our (Paper ID: Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the International Journal of Intelligent Engineering and Systems.

In this email, we send the signed copyright form for our paper. Thank you very much for your kind assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@mailto:arif@fmipa.unila.ac.id>
<http://staff.unila.ac.id/admisyarif>

 **IJIES_Copyright_Form_3205_Signed.pdf**
571K

EGUCHI Kei <eguti@fit.ac.jp>

Thu, Jul 23, 2020 at 8:22 PM

To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Dear author(s),

Thank you for your interest and support to IJIES.
We received your copyright form.

Thank you!

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

差出人: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

送信日時: 2020年7月23日 13:05

宛先: 江口 啓; ijies@inass.org; ADMI SYARIF

件名: Copyright for article #3205

Dear Prof. Dr. Kei EGUCHI
Editor-in-Chief, International Journal of Intelligent Engineering and Systems

First of all, we would like to express our appreciation for your great work managing this high quality Journal. It is our great pleasure to inform you that we have received the acceptance letter and receipt of our (Paper ID:

Ijies3205), "Comparing Various Genetic Algorithm Approaches for Multiple-choice Multidimensional Knapsack Problem (mm-KP)" for publication in the International Journal of Intelligent Engineering and Systems.

In this email, we send the signed copyright form for our paper. Thank you very much for your kind assistance, and we are looking forward to hearing any information from you.

Sincerely Yours,

Admi Syarif, Ph.D. (Associate Professor)
Department of Computer Science
University of Lampung
Jl. S. Brodjonegoro No. 1, Bandar Lampung, 35145
INDONESIA
Tel: +62-811-722-666
Email: <mailto:admi.syarif@mailto><<mailto:admi.syarif@mailto>>:arif@fmipa.unila.ac.id<<mailto:arif@fmipa.unila.ac.id>>
<http://staff.unila.ac.id/admisyarif>

EGUCHI Kei <eguti@fit.ac.jp>
To: ADMI SYARIF <admi.syarif@fmipa.unila.ac.id>

Sat, Jul 25, 2020 at 7:18 PM

Dear author(s),

Thank you for your interest and support to IJIES.

I'd like to send the camera-ready version of your final manuscript.

(Note: To prevent illegal revision, the MS-Word file of the camera-ready version is not provided.)

Please check and confirm the attached file, and send the check result within ONE week.

*** Please indicate revised points clearly by coloring fonts.

Note:


The camera-ready process is only one time.

To avoid illegal revision, only small revision is permitted.

If you have any question, please contact us with your paper ID.

Best regards,
IJIES Editors

差出人: 江口 啓 <eguti@fit.ac.jp>
送信日時: 2020年7月23日 22:22
宛先: ADMI SYARIF
件名: Re: Copyright for article #3205
[Quoted text hidden]

 **2020103140.pdf**
453K