

GLOBAL JOURNAL OF HUMAN-SOCIAL SCIENCE: C SOCIOLOGY & CULTURE

Volume 20 Issue 1 Version 1.0 Year 2020

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals

Online ISSN: 2249-460x & Print ISSN: 0975-587X

Factors Associated with Breastfeeding Practice in Indonesia

By Sindung Haryanto & Dominica Chyta Asthyka

Lampung University

Abstract- The fact is that practice of giving exlusive breastfeeding has not reached favorable numberin some developing countries because of various factors. This study aims to determine the relationship between the level of education of mothers, the occupation of mothers, and social support for mothers and breastfeeding behavior. The important hypothesis of this study, therefore, is that aspects of economy, environment, social, culture, and politics can influence mothers to breastfeed their babies. Secondary data from the Indonesian Family Life Survey (IFLS) 5 in 2014was employed. The total sample in this study was 5,108 people. STATA software version 13.0 with a probity model was used to analyze the data. Statistical test technique usingChi-square (X2) and multiple linear regressions were conducted. Results of this study indicate that there is no relationship between the level of education of mothers, and the occupation of mothers and breastfeeding behavior. However, there is a strong relationship between social support and breastfeeding behavior. Therefore, this study suggests that there is a need to develop the capacity of traditional midwives in order to increase the prevalence of women for breastfeeding.

Keywords: level of education of mothers, the occupation of mothers, social support, breastfeeding behavior, indonesia.

GJHSS-C Classification: FOR Code: 160899



Strictly as per the compliance and regulations of:



© 2020. Sindung Haryanto & Dominica Chyta Asthyka. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License http://creativecommons.org/licenses/by-nc/3.0/), permitting all non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Factors Associated with Breastfeeding Practice in Indonesia

Sindung Haryanto ^a & Dominica Chyta Asthyka ^a

Abstract The fact is that practice of giving exlusive breastfeeding has not reached favorable numberin some developing countries because of various factors. This study aims to determine the relationship between the level of education of mothers, the occupation of mothers, and social support for mothers and breastfeeding behavior. The important hypothesis of this study, therefore, is that aspects of economy, environment, social, culture, and politics can influence mothers to breastfeed their babies. Secondary data from the Indonesian Family Life Survey (IFLS) 5 in 2014was employed. The total sample in this study was 5,108 people. STATA software version 13.0 with a probity model was used to analyze the data. Statistical test technique using Chi-square (X²) and multiple linear regressions were conducted. Results of this study indicate that there is no relationship between the level of education of mothers, and the occupation of mothers and breastfeeding behavior. However, there is a strong relationship between social support and breastfeeding behavior. Therefore, this study suggests that there is a need to develop the capacity of traditional midwives in order to increase the prevalence of women for breastfeeding.

Keywords: level of education of mothers, the occupation of mothers, social support, breastfeeding behavior, indonesia.

I. Introduction

HO (World Health Organization) and the UNICEF (United **Nations** International Children's Emergency Fund)have advocated mothers to provide exclusive breastfeeding in the course ofthe first six months of their children's life as well as toprolong the breastfeeding. combined with supplementary diet, to the age of two years old or older. Empirically, giving exclusive breastfeeding to infants possessesseveral positive impacts, such strengthening the immune system of the body (Padovaniet al., 2011), decreasing diarrhea diseases (Haile and Biadgilign 2015; Puputet al., 2011), improving the health and nutrition of children (Hajeebhoy et al., 2014), developing gross motoric development of infants (Lisa, 2012), giving adequate physical growth of babies (Marques et al., 2015). Conversely, infants who do not receive exclusive breastfeeding are at a greater risk for morbidity and mortality (Tadesseet al., 2016). Exclusive breastfeeding during the first six months of the infants' combined with complementary foods

continuing the practice of breastfeeding to up-two years old can reduce at least 20% of deaths a low children under five years old (Roesli, 2008). Meanwhile, Edmond et al. (2006) predicted that 16% of neonatal deaths can be preventedif supposing the baby was breastfed from the first day of his/her life; the rate enhances to 22% given that the baby was breastfed during the first hour of birth

However. the rate of exclusive breastfeedingshown in some developing countries has not reached optimum results. A number of studies show that the practice of breastfeeding is relatively low (Chandhiok et al., 2015; Dachew and Bifftu, 2014; Dun-Dery and Laar, 2016; Haile and Biadgilign, 2015; Lakewet al., 2015; Liben et al., 2016; Mogre et al., 2016; Shifraw et al., 2015; Tiruye et al., 2018; Velusamyet al., 2017). The practice of exclusive breastfeeding is deficienteven though mothers generally perceive positive attitude and sufficient awareness towards it (Mogreet al., 2016). Low number in giving exclusive breastfeeding also occurs among professional women workers (Dun-Dery and Laar, 2016). There are a number of obstacles and problems faced by mothers in breastfeeding their babies. According to Sharma and Byrne (2016), mothers in the South Asia region encounter several resembling obstacles. obstacles include unresolved feelings of insecurity (Palmér et al., 2015), cesarean delivery and infant's hospitalization along with maternal employment (Khasawneh and Khasawneh, 2017), mothers' income, antenatal and postnatal counseling and mode of delivery (Shifrawet al., 2015), as well as cultural and social barriers accompanied by low support from medical staff (Desmond and Meaney, 2016).

Those obstacles indicate that there are various factors influencing exclusive breastfeeding practices. Based on previous researches, constrained factors in general can be categorized into three aspects: internal, cultural (social environment) and institutional. Internal factors include maternal socio-demographic status such as education, age, occupation, type of housing area (Adugna et al., 2017; Asare et al., 2018;Asemahagn 2016; Beyene et al., 2017; Dachew and Bifftu, 2014; Kasahun et al., 2017; Mogreet al., 2016; Senghore et al., 2018), previous breastfeeding experience (Oliveira and Camelo, 2017), mothers' knowledge on the importance of exclusive breastfeeding (Gao et al., 2016; Nnebe-Agumadu et al., 2016), and mothers' self-confidence in their ability to breastfeed (Babakazo et al.,

Author α : Senior Lecturer of Sociology Department, Lampung University, Indonesia. e-mail: sindungharyanto@yahoo.co.id Author σ : Alumni of Sociology Department, Lampung University, Indonesia. e-mail: chyta.astika@gmail.com

2015). Cultural or social environmental factors include the anxiousfeeling ofperforming breastfeed in public sphere (Amir 2014) and social support from husbands (Emmot and Mace, 2015), peers (Nolan et al., 2015; Thomson et al., 2015), families and neighbors (Horii et al., 2017). Meanwhile, institutional factors comprise of breastfeeding consultation (Ahmadi et al., 2016; Bililignet al., 2016), antenatal and postnatal care (Shifraw et al., 2015; Bimere at al., 2016), access to information (Senghore et al., 2018) and underutilization of maternal health services (Biks et al., 2015).

Exclusive breastfeeding for infants is one of the most effective instruments and investments in improving the quality of human capital, yet this practice is anticipated to acquire serious challenges in the future. According to Atabay et al. (2014), currently around 54 countries in the world do not have legislations that guarantee breastfeeding practices. There are at least 50 countries which do not have rules regarding maternity leave or six months breastfeeding practices. Globally, it was estimated that the practice of exclusive breastfeeding in the first six months of infant's life only increased from 38% to 41% in the period of 2000 to 2012.

Attempts to increase the rate of exclusive breastfeeding practice has been implemented in national, regional and global levels. UNICEF is a global institution taking parts in these initiatives. Based on UNICEF (2012) data, the organization emphasizes on strategies and actions that promote multi-sectorial approaches in order to improve health and nutrition as well as initiatives to support health systems for both local and national community levels such as on social change and behavior related to optimum breastfeeding practices to infants. WHO and UNICEF launched the Baby-friendly Hospital Initiative program in 2009as an effort to improve facilities and environment that support breastfeeding.

Indonesia assigned the policy of Maternity and Newborn Hospital Services to carry out Early Breastfeeding Initiation, as an attempt to promote exclusive breastfeeding. However, only about 10% of hospitals out of 1,293 hospitals in Indonesia can be categorized as such. Another policy issued by the government is Government Regulation Number 33 of 2012, concerning support for exclusive breastfeeding at the workplace. Nevertheless, according to the Ministry of Health of the Republic of Indonesia (2013), this policy is lacking support from companies/organizations either in the form of providing a reserved area or space for infant lactation or administering recess periods for women workers to breastfeed their infants at the workplace.

In addition, further problem in promoting breastfeeding for babies in Indonesia isinadequate social support, especially comingfrom husbands whose wives are in breastfeeding period. The low level of

support is partly due to men's lack of involvement in the breastfeeding campaigns. According to Destriatania et al., (2013), currently, husbands have not been fully involved in various initiatives, programs and campaigns of breastfeeding at national level, and they are not prepared to support and assist their wives in breastfeeding. With inadequate knowledge about breastfeeding, husbands tend to be ignorant on the positive impacts of breastfeeding practices, opting to feedtheir babies formula milk.

Empirically, family support for mothers to give breastfeeding has an important role to succeed (Nuraeni, 2000; Proverawati and Rahmawati, 2010; Roesli, 2005; Wahyuni, 2001). According to Friedman (2010), family support includes the informational support, reward support, instrumental support, and emotional support. Family support especially from husbands has an impact on increasing the confidence and motivation of mothers for breastfeeding their babies. However, a study conducted by Aini et al. (2014) showed that husbands' supports for post-partum mothers only focus on providing facilities such as costs for the process of delivery baby and other facilities, while emotional support such as in changing diapers, bathing and carrying babies, giving massage to wives and providing more time to wives and babies are still limited.

To increase the practice of breastfeeding in Indonesia, therefore, is an essential issue. Data from the Indonesian Demographic Health Survey in 2012 showed that the rate of exclusive breastfeeding practice in Indonesia was at 42%. The number of giving exclusive breastfeeding is still far from the WHO's target. There are many factors that cause low breastfeeding practice rate in Indonesia such as education, knowledge, attitudes and norms related to exclusive breastfeeding (Jatmikaat al., 2014; Sulistyowati and Siswantara 2014; Widiyantoat al., 2012;), support from husbands (Annisa and Swastiningsih, 2015; Destriataniaat al., 2013; Wattimena et al., 2015), the parity (Khoiriyah and Prihatini, 2011), support from mothers-in-law (Purnamasari and Rahmatika, 2016), counseling process on lactation (Vidayanti and Wahyuningsih, 2017), experience on the practice of breastfeeding (Hastutiat al., 2015) and support from medical staff (Jatmika et al., 2014).

The decision of mothers to give breast milk to their babies is determined by several aspects such as economic, environment, social, culture and politics. The government in this case has the obligation to improve facilities, policies, rules and programs to support breastfeeding practices. Studies related to this issue are still relevant, especially those that play a large sharein determining factors associated with the practice of breastfeeding. Therefore, this study aims to determine the relationship between the level of education, occupation, and social support for breastfeeding practices.

a) Indonesian Family Life Survey: Overview

The Indonesia Family Life Survey is a longitudinal health and socio-economic survey. The first survey of IFSL (IFLS1) was carried out in 1993 with a sample size of 7,224 households. The second survey of IFSL (IFLS2 +) was conducted in 1998 with the same respondents, with the additional aim to know the impact of the economic and political crisis in Indonesia. Subsequently, the third survey of IFSL (IFLS3) was conducted in 2000. Furthermore, the IFLS4 was carried out at the end of 2007 until the beginning of 2008 and the IFLS5 was conducted at the end of 2014 until the beginning of 2015. Total samples of those surveys were 16,204 households and 50,148 people were interviewed (Straussat al., 2016). Thirteenout oftwenty-seven provinces wastaken as samples, representing 83% of population. The provincial samples covered all provinces in Java (DKI Jakarta, West Java, Central Java, DI Yogyakarta, and East Java), the four largest provinces in Sumatra (North Sumatra, West Sumatra, South Sumatra, and Lampung) and four other provinces that are described as major island groups: Bali, West Nusa Tenggara, South Kalimantan, and South Sulawesi.

Material and Method II.

This research used a secondary data obtained from the Indonesian Family Life Survey in 2014 (IFLS5). The unit of analysis was household level in Indonesia. consisting mothers who have children under five years old in the year of this study of 2014. IFLS5 was collected through questionnaire. STATA software version 13.0 with probit model was employed in the process of data analysis. Variables encompass in this study are: 1) the level of education, namely, the highest level of the mothers' formal education; 2) occupation of mothers which are jobs thewivespartake in order to receive salaries/wages; 3) social support for mothers from families in several ways such as informational, empathy, instrumental, and emotional supports; and breastfeeding behavior, seen as the behavior of mothers in breastfeeding their babies. Total sample in this study was 5,108 respondents. The hypotheses tested in this study are as follows:

HO1: There is no relationship between the level of education of mothers and breastfeeding behavior.

HO₂: There is no relationship between the occupation of mothers and breastfeeding behavior.

HO₃: There is no relationship between social support and breastfeeding behavior.

Secondary data was gathered from Indonesian Family Life Survey (IFLS5) in 2014 which focused on household (HH) data. Data was selected in their relation to the research variables, then combined into a set of data, called the dataset. Dataset was analyzed using do file or worksheet in the STATA program. Results that were obtained include number of respondents at around 5,108 people out of 15,000 households in the enumerated areas of the IFLS. Number of samples chosen was based on a couple of indicators, they are mothers who had children under five years old during interviews, and had breastfed their children until the interview year of 2014.

Table 1: Dataset

Variables	Book Code	Book	Variable Code	Data	Category
Breastfeeding	CH	4	CH24a	b4_ch1	Dummy:
					1. High 2. Low
Social Support	СН	4	CH20h	b4_ch1	Dummy: 1. High
					2. Low
Education Level	DL	3A	DL04	b3a_d11	 No-Formal education
			DL06		Elementary
			DL07		Secondary
					University
Occupation	TK	3A	TK24a	B3a_tk2	1. Formal
					Informal
					Unemployment

Chi-square was used to determine the relationship between variables of educational level, and employment and social support for breastfeeding. Theoretically, chi-square was used to analyze whether there is a relationship between characteristics of respondents to breastfeeding behavior. In order to find out the relationship between all independent variables

(level of education, work and social support) with breastfeeding, this research employed multiple linear regression analysis techniques. Below is the estimation of multiple linear regressions:

 $Y = a + \beta 1X1 + \beta 2X2 + \dots \beta nXn$

Note:

Υ = regression equation = independent variable X(1,2,3..) = constanta (intercept)

 β (1,2,3...) = regression coefficient value (slope)

The use of constant values is statistically done if units of X variable (independent variable) and Y variable (dependent variable) are not the same. Whereas, if the X variable and the Y variable, both simple and multiple linear, have the same unit, the constant value is ignored assuming the change in Y variable will be proportional to the value of the change in X variable. Two regression models were used; they are probit and logit. The probit model or normal distribution is one regression model that can be used to determine the effect of independent variables on binary dependent variables (0 and 1); while the logit model or logistic distribution is a non-linear

regression model that produces an equation where the dependent variable is categorical.

III. RESULTS

The Relationship between the Level of Education of Mothers and Breastfeeding Behavior

The variable of educational level of mothers represents the highest level of education of mothers practicing breastfeed. This variable was measured using three questions: a) are you attending school (DL04), b) what is the highest level of your education or what current educational level are you attending (DL06), c) what highest educational level has you completed (DL07). The variable of breastfeeding behavior was the behavior of children formed from habits or experience. This variable was measured with one question which is whether mothers have experience in breastfeeding of their babies.

Table 2: The Relationship between Educational Level and Breastfeeding Behavior.

		Breastfee	Total			
Level of Education	No		Yes		fo	fo
	fo	fe	fo	fe	fo	fe
No - formal education	7	5	42	44	49	49
Primary School (1-6)	114	117.8	1,034	1,030.2	1,148	1,148
Secondary School (7-12)	313	323	2,836	2,826.0	3,149	3,149
University (>12)	90	78.2	672	683.8	762	762
Total	524	524	4,584	4,584	5,108	5,108
Pearson Chi=3.3403 Pr=0.342						

Table 2 shows that there is no significant relationship between the level of education of mothers and breastfeeding behavior. Thus, the hypothesis or Ho₁ is accepted.

b) The Relationship between the Occupation of Mothers and Breastfeeding Behavior

The variable of the occupation of mothers in this study was defined as jobs which mothers involve in order to receive wages at the workplace. This variable was measured using the question of, "what is your job or occupation" (TK24a). This variable is categorized into: formal job, informal job and unemployed.

Table 3: The Relationship between Occupation of Mothers and Breastfeeding Behavior

		Breastfeeding	Total			
Occupation		No	Y	es	fo	fe
·	fo	fe	fo	fe		
Formal	132	118.1	1,019	1,032.9	1,151	1,151
Informal	166	168.3	1,475	1,472.7	1,641	1,641
Unemployed	226	237.6	2,078	2,078.4	2,316	2,316
Total	524	524	4,584	4,584	5,108	5,108
Pearson Chi ² = 2.4959					Pr=0.287	

Table 3 shows that there is no significant relationship between the occupation of mothers and breastfeeding behavior. Thus, the hypothesis or Ho₂ is accepted.

c) The Relationship between Social Support and Breastfeeding Behavior

The social support variable in this study was defined as all forms of material and non-material assistance received by mothers from other people to breastfeed their babies during the first period of birth (40 days). This variable was measured using one question, "within the first days (40 days) after delivering baby, did you (mother) receive treatment from someone who helped you in the process of delivering your baby?" (CH20h). This variable was categorized into: low and high options.

Social Support		Total				
		Vo	,	Yes	fo	fe
	Fo	fe	fo	fe		
Low	456	308.6	2,552	2,699.4	3,008	3,008
High	68	215.4	2,032	1,884.6	2,100	2,100
Total	524	524	4,584	4,584	5,108	5,108
Pearson	Chi ² =190.9116				Pr=0.000	

Table 4: Relationship between Social Support and Breastfeeding Behavior.

Table 4 shows that there is a significant relationship between social support and breastfeeding behavior. Thus, the hypothesis/Ho3 is rejected. Overall, the three variables of X (Social Support, Level of Education of Mothers and the Occupation of Mothers) are related to variable Y (Breastfeeding). As explained in the following results. Prob > chi2 = 0.0000 shows that the relationship between social support, level of education of mothers, and the occupation of mothers and breastfeeding behavior is significant.

Pseudo R2 = 0.0676 means that the three independent variables used in this model explain that 6.76% of mothers decided to breastfeed and 93.24% was influenced by other factors. The results of multiple linear regression show that the intercept is at 0.9669102 and the regression weight values for each independent variable are: 0.8256466, -0.0291597 and 0.0656583.

$$Y = \alpha + \beta 1X1 + \beta 2X2 + \beta 3X3$$
$$Y = .9669102 + .8256466 X1 + -.0291597 X2 + .0656583 X3$$

IV. DISCUSSION

The results of this study indicate that there is no relationship between the level of education of mothers and breastfeeding behavior. In the group of mothers with no formal education, the percentage of mothers who have never breastfed their babies is at 14.3%. Meanwhile, the percentage of mothers who had never breastfed was at 11.8% among the group of mothers who attend university, and 9.9% in the group of mothers who finished primary and secondary schools. This result is different from previous studies where there is a significant relationship between the level of education of mothers and breastfeeding behavior (see Arora et al., 2017; Asemahagn, 2016; Jatmikaet al., 2014; Lakewet al., 2015; Liben et al., 2016; Nguyen et al., 2018; Tiruye et al., 2018; Widiyanto et al., 2012; Wilopo, 2009). On the other hand, the results of this study are in line with the results of previous studies which showed no relationship between the level of education of mothers and breastfeeding behavior (Hastutiet al., 2015; Kasahun et al., 2017). A study by Kasahun et al. (2017) found that the higher of the level of mothers' education, the lower of the practice of breastfeeding. Specifically, knowledge about the importance of breast milk does not affect breastfeeding practices (Dachew and Bifftu, 2014). Therefore, the variable of education is not correct variable of predictor for breastfeeding practices.

The professional of occupation either formal or informal of mothers who are breastfeeding their babies tend to be a barrier or obstacle in the breastfeeding practices. The problem is because the practice is not supported by the administration of any policy providing mothers with sufficient time of exemption for mothers to breastfeed their babies. In addition, there are no sufficient facilities of lactation rooms in public sphere either in government and private institutions. In this study, the higest percentage of mothers who have never breastfed is privilege to the group of mothers who work in formal sectors (11.5%), followed by mothers who work in informal sector (10%) and mothers who do not work (9.5%). Even so, this difference is not statistically significant, it can thus be said that there is no relationship between the occupation and breastfeeding behavior. Therefore, the results of this study are different from previous studies (e.g. Asemahagn, 2016; Juliastuti, 2011; Khasawneh and Khasawneh, 2017; Lakewet al., 2015), showing that there is a relationship between working mothers and breastfeeding behavior.

Social support obtained by mothers in shaping breastfeeding behavior can be received from various parties, such as a support of baby care. Social support can also come from midwives who have long been known, especially in rural areas, as traditional birth assistant who assists in the delivery process, as well as assisting mothers in raising their offsprings until the they are at the age of two years old. However, routine assistance is doneat around seven to ten days after giving birth. The study conducted by Sopiyani (2014) shows that support for breastfeeding mothers are including thesupports from their husbands (93%), supports from parents (79%), supports from parent inlaws (79%), supports from friends (72%) and supports from the community leaders such as midwives, doctors, village officials and clerics (72%).

Based on the results of the product moment analysis, the correlation coefficient value (r) is at 0.522; p = 0,000 (p <0.01), meaning that there is a very significant or positive relationship between social support motivation to provide and exclusive breastfeeding. Most social supports come from midwives and traditional birth assistants who encourage mothers for breastfeeding their babies. If mothers do not receive supports from anyone else, their breastfeeding behavior will be at low level resulting to the uncared behavior for the importance of breastfeeding, especially the practice of prolong breastfeeding pass the first six months of birth. The case is vice versa, the larger number of mothers receiving umteen social support from various parties; the larger number of mothers provide breast milk to their babies.

Number of studies show that social support from various parties has an important role for breastfeeding practices (Ayton and Hansen, 2016; Bootsri and Taneepanichskul, 2017; Coomson and Aryeetey, 2018; Ekubayet al., 2018; Emmot and Mace, 2015: Ericsonet al., 2017: Genetuet al., 2017: Horii et al., 2017; Leurer and Misskey, 2015; Liben and Yesuf, 2016; Nolan et al., 2015; Purnamasari and Rahmatika, 2016; Thomsonet al., 2015; Zheng et al., 2018). A study conducted by Wilopo (2009) found that mothers who received postnatal care by doctors or specialists had a shorter time to breastfeed their babies rather than mothers who were treated by midwives. Meanwhile, mothers who are treated by traditional midwives have a higher probability of breastfeeding. From sociological perspectives, this study argues that social distance and intensive communication have a role in shaping perceptions, attitudes, and behaviors among actors. In rural areas of Indonesia, the role of traditional midwives in helping delivery babies is still dominant. A traditional midwife usually helps mothers in the delivery process of giving birth, especially those giving birth for the first time (primipara), and continue to assist them for 40 days after deliveryor until mothers can independently take care for their babies. These facts indicate that in this study, the variable of social support is the most important variable that influences breastfeeding behaviour.

V. Conclusion

This study provides a large number of samples in order to determine the relationship among variables which are often predicted to be predictors of breastfeeding behavior. Three important predictors in this study are the level of education of mothers, the occupation of mothers and social support. Mothers' level of educationand theiroccupation possesses no relationship with breastfeeding behavior. Meanwhile, the variable of social support has a strong relationship to breastfeeding behavior. Social support in this study mainly comes from traditional birth assistants who still play an important role in helping the process of delivery babies and post-birth in rural areas. Therefore, an intensive communication between mothers and traditional birth assistants who helped delivering their babiescan increase mothers' confidence to breastfeed their children. Thus, the development of the capacity of traditional health assistants needs to be done consistently to increase the prevalence of mothers for breastfeeding.

References Références Referencias

- Adugna, Bethlihem, Henok Tadele, Fekadu Reta, and Yifru BerhanTadele.2017. "Determinants of exclusive breastfeeding in infants less than six months of age in Hawassa, an urban setting, Ethiopia." International Breastfeeding Journal 12: 45-52.
- Ahmadi, Sheler, Farideh Kazemi, Seyedeh Zahra Masoumi, Parisa Parsa, and Ghodratollah Roshanaei. 2016. "Intervention based on BASNEF model increases exclusive breastfeeding in preterm infants in Iran: a randomized controlled trial. "International Breastfeeding Journal 11:30-39.
- 3. Aini, Nur, Yusnitasari, and Armini, 2014. "Hubungan dukungan suami dengan produksi ASI pada ibu post partum diwilayah kerja Puskesmas Senor Kabupaten Tuban. Fakultas Keperawatan Universitas Airlangga, Surabaya [The relationship between husbands' supports and the production of breast milk of mothers in *post-partum* in the area of the community health services of Senor in Tuban Regency]. *Medical Faculty of Airlangga University*. Downloadedhttp://www.google.com/journal.unair.ac.id/filerPDF/pmnj2bf177dc35full.doc. 2 September 2014.
- 4. Amir, Lisa H.2014. "Breastfeeding in public: "You can do it?" *International Breastfeeding Journal*9: 187-189.
- 5. Annisa, Luluand Nurfitria Swastiningsih. 2015. "Dukungan Sosial dan Dampak yang Dirasakan oleh Ibu Menyusui dari Suami [Social support from husbands and impacts the supports for mothers who breastfeed their babies]." *Jurnal Fakultas Psikologi* 3(1):16-22.
- Arora, Amit, Narendar Manohar, Andrew Hayen, Sameer Bhole, John Eastwood, Steven Levy, and Jane Anne Scott. 2017. "Determinants of breastfeeding initiation among mothers in Sydney, Australia: findings from a birth cohort study." International Breastfeeding Journal 12:39-48. DOI: 10.1186/s13006-017-0130-0.
- Asare, Bernard Yeboah-Asiamah, Joyce Veronica Preko, Diana Baafi, and Bismark Dwumfour-Asare. 2018. "Breastfeeding practices and determinants of exclusive breastfeeding in a cross sectional study at a child welfare clinic in Tema Manhean, Ghana." International Breastfeeding Journal 13: 12-20. https://doi.org/10.1186/s13006-018-0156-y.
- 8. Asemahagn, Mulusew Andualem. 2016. "Determinants of exclusive breastfeeding practices among mothers in Azezo district, northwest Ethiopia." International Breastfeeding Journal 11: 22-28. DOI: 10.1186/s13006-016-0081-x.
- 9. Atabay, Efe, Gonzalo Moreno, Arijit Nandi, Gabriella Kranz, Ilona Vincent, Tina-Marie Assi, Elise Vaughan Winfrey, Alison Earle, Amy Raub, and Jody

- Heymann. 2014. Global findings on breastfeeding breaks at work. Los Angeles and Montreal: WORLD Policy Analysis Center and MACHEquity.
- 10. Ayton, Jennifer and Emily Hansen. 2016. "Complex young lives: a collective qualitative case study analysis of young fatherhood and breastfeeding. "International Breastfeeding Journal11:6-11. DOI: 10.1186/s13006-016-0066-9.
- 11. Babakazo, Pélagie, Philippe Donnen, Akilimali, Nathalis Mapatano Mala Ali, and Emile Okitolond. 2015. "Predictors of discontinuing exclusive breastfeeding before six months among mothers in Kinshasa: a prospective study." International Breastfeeding Journal 10: 19-27. DOI: 10.1186/s13006-015-0044-7.
- 12. Beyene, Misrak Getnet, Nigatu Regassa Geda, Tesfa Dejenie Habtewold, and Zuriash Mengistu Assen. 2017. "Early initiation of breastfeeding among mothers of children under the age of 24 Southern Ethiopia."International in Breastfeeding Journal 12:1-9. DOI: 10.1186/s13006-016-0096-3.
- 13. Biks, Gashaw Andargie, Amare Tariku, and Gizachew Assefa Tessema, 2015, "Effects of antenatal care and institutional delivery on exclusive breastfeeding practice in northwest Ethiopia: a nested case-control study." International Breastfeeding Journal 10:30-35. DOI: 10.1186/s13006-015-0055-4.
- 14. Bililign, Nigus, Henok Kumsa, Mussie Mulugeta, and Yetnayet Sisa. 2016. "Factors associated with prelacteal feeding in North Eastern Ethiopia: A community based cross-sectional study." International Breastfeeding Journal11: 13-19. DOI: 10.1186/s13006-016-0073-x.
- 15. Bimerew, Abebe, Muluken Teshome, and Getachew Mullu Kassa. 2016. "Prevalence of timely breastfeeding initiation and associated factors in Dembecha district, North West Ethiopia: a crosssectional study." International Breastfeeding Journal 11: 28-35. DOI: 10.1186/s13006-016-0087-4.
- 16. Bootsri, Wilasinee and Taneepanichskul, Surasak. 2017. "Effectiveness of experiential learning with empowerment strategies and social support from grandmothers on breastfeeding among Thai adolescent mothers." International Breastfeeding Journal 12:37-45. DOI:10.1186/s13006-017 -0128-7.
- 17. Chandhiok, Kh. Jitenkumar Nomita, Damodar Sahu, Lucky Singh, and Arvind Pandey. 2015. "Changes in exclusive breastfeeding practices and its determinants in India, 1992-2006: analysis of national survey data Changes in practices breastfeeding exclusive determinants in India, 1992-2006: analysis of national survey data." International Breastfeeding Journal 10:34-46. DOI: 10.1186/s13006-015-0059-0.

- 18. Coomson, Justine Boatemaa and Richmond Aryeetey. 2018. "Perception and practice of breastfeeding in public in an urban community in Accra, Ghana." International Breastfeeding Journal 13:18-27. https://doi.org/10.1186/s13006-018 -0161-1.
- 19. Dachew, Berihun Assefa and Berhanu Boru Bifftu. 2014. "Breastfeeding practice and associated factors among female nurses and midwives at North Gondar Zone, Northwest Ethiopia: a crosssectional institution based study." International Breastfeeding Journal 9:11-17.
- 20. Desmond, Deirdre and Sarah Meaney. 2016. "A qualitative study investigating the barriers to returning to work for breastfeeding mothers in Ireland." International Breastfeeding Journal 11:16-24. DOI: 10.1186/s13006-016-0075-8.
- 21. Dun-Dery, Elvis J.andAmos K. Laar. 2016. "Exclusive breastfeeding among city-dwelling professional workina mothers "International Breastfeeding Journal 11:23-31. DOI: 10.1186/s13006-016-0083-8.
- 22. Destriatania, Suci, Judhiastuty Februhartanty, and Fatmah. 2013. "Sikap Ayah dan Jumlah Anak serta Praktik Air Susu Ibu Eksklusif [The attitude of fathers, number of children and the practice of exclusive breastfeeding]."Kesmas, Jurnal Kesehatan Masyarakat Nasional 8(5): 229-234.
- 23. Edmond, Karen M., Charles Zandoh, Maria A. Quigley, M., Seeba Amenga-Etego, Seth Owusu-Agyei, Betty R. Kirkwood. 2006. Breastfeeding Initiation Increases Risk of Neonatal Mortalty. *Pediatrics* 117(3): 380–386.
- 24. Ekubay, Meseret, Aster Berhe, and Engida Yisma. 2018. "Initiation of breastfeeding within one hour of birth among mothers with infants younger than or equal to 6 months of age attending public health institutions in Addis Ababa, Ethiopia." International Breastfeeding Journal 13:4-10. DOI:10.1186/s 13006-018-0146-0.
- 25. Emmot, Emily H. and Ruth Mace. 2015. "Practical Support from Fathers and Grandmothers Is Associated with Lower Levels of Breastfeeding in the UK Millennium Cohort Study". Plos One. DOI:10.1371/journal.pone.0133547 July 20, 2015.
- 26. Ericson, Jenny, Renée Flacking, R., and Camilla Udo. 2017. "Mothers' experiences of a telephone based breastfeeding support intervention after discharge from neonatal intensive care units: a mixed-method study." International Breastfeeding Journal, 12:50-58. DOI:10.1186/s13006-017-0142-9.
- 27. Friedman, M. Marliyan. 2010. Buku Keperawatan Keluarga: Riset, Teori and Praktik [Teaching book on family nursing: Research, Theory and Practice]. Jakarta: EGC.
- 28. Gao, Haoyue, Qi Wang, Elizabeth Hormann, Wolfgang Stuetz, Caroline Stiller, Hans Konrad

- Biesalski. and Veronika Scherbaum. 2016. "Breastfeeding practices on postnatal wards in urban and rural areas of the Deyang Region, Province of China. "International Breastfeeding Journal 11:11-21.
- 29. Genetu, Haregeweyin, Melaku Kindie Yenit, and Amare Tariku. 2017. "Breastfeeding counseling and support are associated with continuous exclusive breastfeeding from one week to six months of age among HIV exposed infants in north Gondar zone, Ethiopia: a cross-sectional study." International Breastfeeding Journal 12:21-28.
- 30. Haile. D. and Biadailian. S. (2015). Higher breastfeeding performance index is associated with lower risk of illness in infants under six months in Ethiopia. International Breastfeeding Journal, 10, 32-38. doi: 10.1186/s13006-015-0057-2.
- 31. Hajeebhoy, Nemat, Phuong H Nguyen, Priya Mannava, Tuan T Nguyen, and Lan Tran Mai. 2014. "Suboptimal breastfeeding practices are associated with infant illness in Vietnam. "International Breastfeeding Journal 9:12-18.
- 32. Hastuti, BetaWoro, Soeroyo Machfudz, andTien Febriani. 2015. "Hubungan pengalaman Budi menyusui dan tingkat pendidikan ibu dengan pemberian ASI eksklusif di Kelurahan Barukan, Kecamatan Manisrenggo, Kabupaten Klaten[The relationship between breastfeeding experience, and the level of education of mothers and exclusive breastfeeding practices in the village of Barukan, Manisrenggo District, Klaten Regency]". JKK/6(4): 179-187.
- 33. Horii, Naoko, James Allman, Yves Martin-Prével, and Dominique Waltisperger. 2017. "Determinants of early initiation of breastfeeding in rural Niger: cross-sectional study of community based child healthcare promotion." International Breastfeeding Journal12:41-50. DOI: 10.1186/s13006-017-0134-9.
- 34. Jatmika, Septian Emma Dwi, Zahror Shaluhiyah, and Antono Suryoputro. 2014. "Dukungan Tenaga Kesehatan Untuk Meningkatkan Niat Ibu Hamil Dalam Memberikan ASI Eksklusif di Wilayah Kerja Puskesmas Gondokusuman, Kota Yogyakarta [Support from medical health for improving the motivation of pregnant women in giving exclusive breastfeeding in the area of community health center of Gondokusumo, the city of Yogyakarta]. "Jurnal Promosi Kesehatan Indonesia 9(2): 196-205.
- 35. Juliastuti, Rany. 2011. Hubungan Tingkat Pengetahuan, Status Pekerjaan lbu, dan Inisiasi Pelaksanaan Menyusui Dini dengan Pemberian ASI Eksklusif [The relationship between knowledge, the type of occupation of mothers, and the practice of exclusive breastfeeding initiative. (Thesis). Surakarta: Universitas Sebelas Maret.
- 36. Kasahun, Abebaw Wasie, Wako Golicha Wako, Meron Worku Gebere, Gebremariam Hailemichae

- Neima. 2017. "Predictors of exclusive breastfeeding duration among 6-12 month aged children in Gurage Zone, South Ethiopia: а survival analysis." International Breastfeeding Journal 12: 20-28.
- 37. Khasawneh, Wasimand Ayat Abdelrahman Khasawneh. 2017. "Predictors and barriers to breastfeeding in north of Jordan: could we do better?" International Breastfeeding Journal 12:49-55. DOI: 10.1186/s13006-017-0140-y.
- 38. Khoiriyah, Ansik and Ravita Prihartini. 2011. "Hubungan antara paritas dengan keterampilan menyusui yang benar pada ibu nifas [The relationship between parity and the skills of the right breastfeeding of mothers after giving birth]". Jurnal Midpro 2: 1-5.
- 39. Lakew, Yihunie, Lianna Tabar, and Demewoz Haile. "Socio-medical determinants of timely 2015. breastfeeding initiation in Ethiopia: Evidence from the 2011 nation wide Demographic and Health Survey". International Breastfeeding Journal 10:24-29. DOI: 10.1186/s13006-015-0050-9.
- 40. Leurer, Marie Dietrich and Eunice Misskey. 2015. "Be positive as well as realistic": a qualitative description analysis of information experienced by breastfeeding mothers." International Breastfeeding Journal 10:10-20. DOI:10.1186/s 13006-015-0036-7.
- 41. Liben, Misgan Legesse and Ebrahim Mohammed Yesuf, 2016, "Determinants of early initiation of breastfeeding in Amibara District, Northeastern Ethiopia: a community based cross-sectional study. "International Breastfeeding Journal 11: 7-13. DOI: 10.1186/s13006-016-0067-8.
- 42. Liben. Misaan Leaesse. Yohannes Bacha Gemechu, Mulugeta Adugnew, Adugna Asrade, Ehitemelak Gebremedin, and Yibel Melak. 2016. "Factors associated with exclusive breastfeeding practices among mothers in Dubti Town, Afar Regional State, Northeast Ethiopia: a community crosssectional studv. "International Breastfeeding Journal11:4-9. DOI: 10.1186/s13006-016-0064-v.
- 43. Lisa, Ulfa Farrah. 2012. "Hubungan Pemberian ASI Eksklusif dengan Perkembangan Motorik Kasar Balita di Kelurahan Brontokusuman, Kecamatan Mergangsan Yogyakarta [The relationship between giving exclusive breastfeeding and infants' hard motoric in Brontokusuman village, Mergangsan Yogyakarta]". Jurnal Ilmiah STIKES U'Budiyah 1(2): 34-37.
- 44. Marques, Rosa de Fátima da Silva Vieira, José Augusto de Aguiar Carrazedo Taddei, Tulio Konstantyner, Fábio Ancona Lopez, Affonso Celso Vieira Marques, Consuelo Silva de Olivera, and Josefina Aparecida Pellegrini Braga. 2015. "Anthropometric indices and exclusive

- breastfeeding in the first six months of life: a comparison with reference standards NCHS, 1977 and WHO, 2006." *International Breastfeeding Journal* 10:20-26. DOI: 10.1186/s13006-015-0045-6.
- 45. Mogre, Victor, Michael Dery, and Patience K Gaa. 2016. "Knowledge, attitudes and determinants of exclusive breastfeeding practice among Ghanaian rural lactating mothers." *International Breastfeeding Journal* 11:12-19. DOI: 10.1186/s13006-016-0071-z.
- 46. Nguyen, Phuong Thi Kim, Ben J. Marais, Hoang Thi Tran, Thuy Thi Thanh Thai, Kirsty Foster, and Christine L. Roberts. 2018. "Factors associated with breastfeeding intent among mothers of newborn babies in Da Nang, Viet Nam." *International Breastfeeding Journal* 13:2-8.
- 47. Nnebe-Agumadu, Uche H., Elizabeth F. Racine, Sarah B. Laditka, and Maren J. Coffman. 2016. "Associations between perceived value of exclusive breastfeeding among pregnant women in the United States and exclusive breastfeeding to three and six months postpartum: a prospective study. "International Breastfeeding Journal 11:8-17. DOI: 10.1186/s13006-016-0065-x.
- 48. Nolan, Angela, Sylvia Kennedy, Anne O'Malley, Marie Kirwan, Ann Hughes, Anita Barry, Vivienne Goodwin, Anne Marie Cunningham, Helen Coyne, Linda Nugent. 2015. "Mothers' voices: results of a survey of public health nurse-led breastfeeding support groups." *Primary Health Care* 25(7): 26-33.
- 49. Oliveira, Mariana Moraes and José Simon Camelo Jr. 2017. "Gestational, perinatal, and postnatal factors that interfere with practice of exclusive breastfeeding by six months after birth". *International Breastfeeding Journal* 12:42-50. DOI: 10.1186/s13006-017-0132-y.
- Padovani, Flávia Helena Pereira, Geraldo Duarte, Eulógio Martinez, and Maria Beatriz Martins Linhares. 2011. "Perceptions of breastfeeding in mothers of babies born preterm in comparison to mothers of full-term babies." The Spainish Journal of Psychology 14(2): 884–898.
- 51. Palmér, Lina, Gunilla Carlsson, David Brunt, and Maria Nyström, M. 2015. "Existential security is a necessary condition for continued breastfeeding despite severe initial difficulties: a life world hermeneutical study." International Breastfeeding Journal 10:17-27. DOI: 10.1186/s13006-015-0042-9.
- 52. Proverawati, Atikah. and Eni Rahmawati. 2010. Kapita selekta ASI and Menyusui [Selecta capita of exclusive breast milk and breastfeeding]. Yogyakarta: Nuha Medika.
- 53. Puput, Stefanny, Fitri Suli Victoria, and Yoyok Febrijanto. 2011. "Perilaku Pemberian ASI terhadap Frekuensi Diare pada Anak Usia 6-24 Bulan di Ruang Anak Rumah Sakit Baptis Kediri [The behavior of exclusive breastfeeding to the

- frequency of diarrhea of children at the age of 6 24 months in the Children room at the Baptis Hospital, Kediri Regency]." *Jurnal STIKES RS. Baptis Kediri* 4(2): 89-93.
- 54. Purnamasari, Ayu Rahmi Prisand Rina Rahmatika. 2016. "Perbedaan dukungan sosial dari ibu mertua pada ibu menyusui yang bekerja aan tidak bekerja[The difference of social support from mother in law to breastfeeding mothers who work and does not work]." Jurnal Psikologi UNDIP, 15(1), 21-35.
- 55. Roesli. 2005. *Mengenal ASI Eksklusif [Understanding exclusive breast milk]*. Jakarta: Trubus Agriwidya.
- 56. Roesli. 2008. *Manajemen Laktasi [Management on lactation]*. Jakarta: Ikatan Dokter Indonesia.
- 57. Senghore, Thomas, Tobiloba Alex Omotosho, Omar Ceesay, andDaisy Clara H. Williams, D.C.H. 2018. "Predictors of exclusive breastfeeding knowledge and intention to or practice of exclusive breastfeeding among antenatal and postnatal women receiving routine care: a cross-sectional study. "International Breastfeeding Journal 13: 9-16. https://doi.org/10.1186/s13006-018-0154-0.
- 58. Sharma, Indu K. and Abbey Byrne. 2016. "Early initiation of breastfeeding: a systematic literature review of factors and barriers in South Asia. "International Breastfeeding Journal 11:17-28. DOI 10.1186/s13006-016-0076-7.
- 59. Shifraw, Tigest, Amare Worku, and Yemane Berhane. 2015. "Factors associated exclusive breastfeeding practices of urban women in Addis Ababa public health centers, Ethiopia: a cross sectional study." International Breastfeeding Journal 10:22-27. DOI: 10.1186/s13006-015-0047-4.
- 60. Sopiyani, Lia. 2014. "Hubungan antara dukungan sosial (suami) dengan motivasi memberikan ASI eksklusif pada ibu-ibu di Kabupaten Klaten [The relationship between the support from husbands and motivation of wives to breastfeed their babies in Klaten Regency]."Surakarta: Fakultas Psikologi. Universitas Muhammadiyah.
- 61. Strauss, John, Firman Witoelar, and Bondan Sikoki. (2016). *The Fifth Wave of the Indonesia Family Life Survey (IFLS5): Overview and Field Report.* California: RAND Corporation.
- 62. Sulistyowati, Tutukand Pulung Siswantara. 2014. "Perilaku Ibu Bekerja dalam Memberikan ASI Eksklusif di Kelurahan Japanan, Wilayah Kerja Puskesmas Kemlagi, Mojokerto. [The behavior of working mothers in giving exclusive breast milk in Japanan village, in the area of community health service of Kemlagi, Mojokerto Regency]". Jurnal Promkes 2(1): 89-100.
- 63. Tadesse, Tegegn, Firehiwot Mesfin, and Tefera Chane. 2016. "Prevalence and associated factors of nonexclusive breastfeeding of infants during the first six months in rural area of Sorro District, Southern

- Ethiopia: a cross-sectional study." International Breastfeeding Journal 11:25-32. DOI: 10.1186/s 13006-016-0085-6.
- 64. Thomson, Gill, Marie-Clare Balaam, and Kirsty Hymers. 2015. "Building social capital through breastfeeding peer support: insights from an evaluation of a voluntary breastfeeding peer support service North-West England."International in Breastfeeding Journal 10:15-28.
- 65. Tiruye, Getahun, Firehiwot Mesfin, Biftu Geda, and Kasiye Shiferaw. 2018. "Breastfeeding technique and associated factors among breastfeeding mothers in Harar city, Eastern Ethiopia." International Breastfeeding Journal 13:5-13. DOI 10.1186/s13006-018-0147-z.
- 66. UNICEF (United Nations Children Fund). Infant and young child feeding- UNICEF response. http://www.unicef.org/nutrition/index Retrived 24819.html).
- 67. Vidavanti, Venny, and Melania Wahvuningsih, 2017. "The effectiveness of counselling of lactation toward self-awareness and skills for breastfeeding of women after caesar surgery." Jurnal Keperawatan Respati 4(2): 154-162.
- 68. Velusamy, Vasanthakumar, Prasanna Premkumar. and Gagandeep Kana. 2017. "Exclusive breastfeeding practices among mothers in urban slum settlements: pooled analysis from three prospective birth cohort studies in South India." International Breastfeeding Journal 12:35-41. DOI: 10.1186/s13006-017-0127-8.
- 69. Wattimena, Yesiana, Minarti, Nainggolan, and Somarwain. 2015. "Dukungan Suami dengan Keberhasilan Isteri untuk Menyusui. [Support from husbands in the succeed of wives breastfeeding]." Jurnal Ners LENTERA 3(1):10-20.
- 70. Widiyanto, Subur, Dian Aviyanti, and Merry Tyas A. 2012. "Hubungan Pendidikan dan Pengetahuan Ibu tentang ASI Eksklusif dengan Sikap terhadap Pemberian ASI Eksklusif [The relationship between education and knowledge of mothers on exclusive breast milk and exclusive breastfeeding]." Jurnal Kedokteran Muhammadiyah 1(1): 25-29.
- 71. Wilopo, Siswanto Agus. 2009. "Pola, tren, dan perbedaan praktik menyusui di Indonesia: analisis deskriptif peran modernisasi dan budaya tradisional dari data Survai Demografi Kesehatan Indonesia [Pattern, trend and difference practices for breastfeeding in Indonesia: descriptive analysis of the role of modernization and traditional culture from demographic survey of health in Indonesia]." Jurnal Gizi Klinik Indonesia 6(1): 42-51.
- 72. Zheng, Xujuan, Jane Morell, and Kim Watts. 2018. "Changes in maternal self-efficacy, postnatal depression symptoms and social support among Chinese primiparous women during the initial

postpartum period: A longitudinal study." Midwifery 62:151-160.