

Proceedings of the Europe/Africa Conference Dresden 2017 – Polymer Processing Society PPS



Dresden, Germany

27-29 June 2017

Editors

Udo Wagenknecht, Petra Pötschke, Sven Wiessner and Michael Gehde







Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name

Home

Journal Rankings

Country Rankings

Viz Tools


Help


About Us

AIP Conference Proceedings









V Vikas 3 days ago currently, the journal is not assigned quartile (Q indexing). When we can expect the assignment. reply

Source details

Scopus Preview

AIP Conference Proceedings

Scopus coverage years: from 1973 to 1978, from 1983 to 1984, 1993, from 2000 to 2001, from 2003 to

Present

ISSN: 0094-243X E-ISSN: 1551-7616

Subject area: (Physics and Astronomy: General Physics and Astronomy)

SJR 2019 **0.190**

CiteScore 2019

0.6

(i)

(i)

View all documents >

Set document alert

Save to source list

SNIP 2019 **0.373**

(i)

×

CiteScore CiteScore rank & trend Scopus content coverage

Improved CiteScore methodology

CiteScore 2019 counts the citations received in 2016-2019 to articles, reviews, conference papers, book chapters and data papers published in 2016-2019, and divides this by the number of publications published in 2016-2019. Learn more >

CiteScore 2019

 $0.6 = \frac{28,211 \text{ Citations } 2016 - 2019}{45,795 \text{ Documents } 2016 - 2019}$

Calculated on 06 May, 2020

CiteScoreTracker 2020 ①

 $0.7 = \frac{32,923 \text{ Citations to date}}{46,749 \text{ Documents to date}}$

Last updated on 02 March, 2021 • Updated monthly

CiteScore rank 2019 ①

Category	Rank Percentile		
Physics and Astronomy General Physics and Astronomy	#190/224	15th	

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API

Language

日本語に切り替える 切換到简体中文 切換到繁體中文 Русский язык **Customer Service**

Help Contact us

ELSEVIER

Privacy matters

Terms and conditions π Privacy policy π

PREFACE: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

This proceedings volume contains the written versions of most of the contributions presented during the 3rd International Symposium on Applied Chemistry (ISAC) 2017, which was organized in Balai Kartini Exhibition and Convention Center, Jakarta, Indonesia on October, 23-24, 2017.

ISAC 2017, as the part of Indonesian Sciences Expo 2017, carried a theme "Advances in Sustainable Energy and Chemical Feedstocks". This event was the 3rd international scientific conference organized annually by Research Center for Chemistry, Indonesian Institute of Sciences (LIPI) and Himpunan Kimia Indonesia (HKI, Indonesian Chemical Association).

The symposium was focused on bringing together the scientists and researchers working in the area of applied chemistry to present their work and to discuss the latest trends in technology developments. There were 7 keynote speakers, 48 oral presentations, and 43 poster presentations. Various aspects of chemical related topics were discussed and the presentations were divided into following topics:

- Advanced Materials and Catalysts
- Sustainable Energy
- Food, Natural Products and Pharmaceutical Chemistry
- Environmental Chemistry

We would like to thank all keynote speakers and participants for their contributions to the symposium program and for their contribution for this proceedings volume. We also deeply appreciate all the reviewers who helped to maintain the high publication quality of this volume. We also would like to thank all technical committee for their help and contributions in preparing this proceedings volume.

We are looking forward to the 4th International Symposium on Applied Chemistry that will be held next year. We hope that the symposium will be an excellent platform for all participants and committee to exchange new ideas and application experiences and to find global partners for future collaboration.

Editors

Q



НОМЕ	BROWSE	MORE ▼			
Home > AIP Conference Proceedings > Volume 1904, Issue 1 > 10.1063/1.5011857					
< PREV		NEXT >			
No Access					

Committee: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

AIP Conference Proceedings 1904, 010002 (2017); https://doi.org/10.1063/1.5011857



Scientific Committee:

- Prof. Arief Budiman (Gadjah Mada University, Indonesia)
- Prof. David Lennon (University of Glasgow, United Kingdom)
- Prof. Khalid M. Khan (University of Karachi, Pakistan)
- Prof. Muhammad Hanafi (Indonesian Institute of Sciences, Indonesia)
- Prof. Nico Voelcker (University of South Australia, Australia)
- Prof. Reinout Heijungs (Leiden University, Netherland)
- Prof. Subyakto (Indonesian Institute of Sciences, Indonesia)
- Prof. Volkan Degirmenci (University of Warwick, United Kingdom)



- Dr. Akhmad Darmawan (Indonesian Institute of Sciences, Indonesia)
- Dr. Anny Sulaswatty (Indonesian Institute of Sciences, Indonesia)
- Dr. Athanasia Amanda Septevani (Indonesian Institute of Sciences, Indonesia)
- Dr. Dieni Mansur (Research Center for Chemistry, LIPI, Indonesia)
- Dr. Edi Iswanto Wiloso (Indonesian Institute of Sciences, Indonesia)
- Dr. Fransiska H. Krismastuti (Indonesian Institute of Sciences, Indonesia)
- Dr. Galuh Widiyarti (Indonesian Institute of Sciences, Indonesia)
- Dr. Haznan Abimanyu (Indonesian Institute of Sciences, Indonesia)
- Dr. Indri Badria Adilina (Indonesian Institute of Sciences, Indonesia)
- Dr. Linar Zalinar Udin (Indonesian Institute of Sciences, Indonesia)
- Dr. Nina Artanti (Indonesian Institute of Sciences, Indonesia)
- Dr. Nino Rinaldi (Indonesian Institute of Sciences, Indonesia)
- Dr. Oaki Yuya (Keio University, Japan)
- Dr. Rizna Triana Dewi (Indonesian Institute of Sciences, Indonesia)
- Dr. Siti Nurul Aisyiyah Jenie (Indonesian Institute of Sciences, Indonesia)
- Dr. Sofa Fajriah (Indonesian Institute of Sciences, Indonesia)
- Dr. Wahyu Dwianto (Indonesian Institute of Sciences, Indonesia)

Proceedings of the 3rd International Symposium on Applied Chemistry 2017
AIP Conf. Proc. 1904, 010002-1–010002-1; https://doi.org/10.1063/1.5011857
Published by AIP Publishing. 978-0-7354-1594-2/\$30.00

010002-1



Q





HOME BROWSE MORE ▼

. Table of Contents

PROCEEDINGS OF THE 3RD INTERNATIONAL SYMPOSIUM ON **APPLIED CHEMISTRY 2017**





Conference date: 23-24 October 2017

Location: Jakarta. Indonesia ISBN: 978-0-7354-1594-2

Editors: Silvester Tursiloadi and Nino Rinaldi

Volume number: 1904 Published: Nov 27, 2017

> DISPLAY: 20 50 100

PRELIMINARY



No Access . November 2017

Preface: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

AIP Conference Proceedings 1904, 010001 (2017); https://doi.org/10.1063/1.5011856





No Access . November 2017

Committee: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

AIP Conference Proceedings 1904, 010002 (2017); https://doi.org/10.1063/1.5011857

:

ARTICLES



No Access . November 2017

Isolation and characterization of α -cellulose from blank bunches of palm oil and dry jackfruit leaves with alkaline process NaOH continued with bleaching process H₂O₂

Dewi Tristantini, Dian Purwitasari Dewanti and Cindy Sandra

AIP Conference Proceedings 1904, 020001 (2017); https://doi.org/10.1063/1.5011858

SHOW ABSTRACT



No Access . November 2017


Anti-Fungal activity of essential oil from Baeckea frutescens L against Pleuratus ostreatus


Renhart Jemi, Ade Irma Barus, Nuwa, Sarinah and Gimson Luhan

AIP Conference Proceedings 1904, 020002 (2017); https://doi.org/10.1063/1.5011859

SHOW ABSTRACT

No Access . November 2017 Drainage design on post land and its utilization for fish culture	
Drainage design on peat land and its utilization for fish culture	•
R. Ismu Tribowo and Fithria Novianti	
AIP Conference Proceedings 1904, 020003 (2017); https://doi.org/10.1063/1.5011860	
SHOW ABSTRACT	:






Atmospheric hydrogenolysis of methyl formate to biomethanol using Cu/MgO catalyst

Hendriyana, Herri Susanto and Subagjo

AIP Conference Proceedings 1904, 020005 (2017); https://doi.org/10.1063/1.5011862

SHOW ABSTRACT



Application of Taguchi optimization on the cassava starch wastewater electrocoagulation using batch recycle method

AIP Conference Proceedings 1904, 020006 (2017); https://doi.org/10.1063/1.5011863 **SHOW ABSTRACT**



No Access . November 2017

Development of antioxidative effect in ice cream with Kalakai (Stenochlaena palustris) water extract

Kristania Hadhiwaluyo, Della Rahmawati and Maria D. P. T. Gunawan Puteri

AIP Conference Proceedings 1904, 020007 (2017); https://doi.org/10.1063/1.5011864

SHOW ABSTRACT



No Access . November 2017

Performance test of nutrient control equipment for hydroponic plants

Nurhaidar Rahman, S. I. Kuala, R. I. Tribowo, C. E. W. Anggara and N. D. Susanti

AIP Conference Proceedings 1904, 020008 (2017); https://doi.org/10.1063/1.5011865

SHOW ABSTRACT



No Access . November 2017

The antioxidant activity test by using DPPH method from the white tea using different solvents

Doddy A. Darmajana, Firman Hadiansyah and Dewi Desnilasari

AIP Conference Proceedings 1904, 020009 (2017); https://doi.org/10.1063/1.5011866



No Access . November 2017

Bentonite modification with pillarization method using metal stannum

Robert R. Widjaya, Ariadne L. Juwono and Nino Rinaldi

AIP Conference Proceedings 1904, 020010 (2017); https://doi.org/10.1063/1.5011867

SHOW ABSTRACT



No Access . November 2017

Extraction of glutathione from EFB fermentation waste using methanol with sonication process

Muryanto Muryanto, Alvin, Muhammad Nurdin, Ummu Hanifah and Yanni Sudiyani

AIP Conference Proceedings 1904, 020011 (2017); https://doi.org/10.1063/1.5011868

SHOW ABSTRACT



No Access . November 2017

Acetalization of 2-Hydroxybenzaldehyde mechanism using halogen acid catalysts based on ab initio methods

Muhammad Yusuf, Destria Roza and Ahmad Kamil Nasution

AIP Conference Proceedings 1904, 020012 (2017); https://doi.org/10.1063/1.5011869

SHOW ABSTRACT

No Access . November 2017
Synthesis of new chalcone derivatives and their antimicrobial
studies
Syed Shah Najib Noorulhaq and Mohammad Abdul Baseer
AIP Conference Proceedings 1904 , 020013 (2017); https://doi.org/10.1063/1.5011870
SHOW ABSTRACT





Low-cost mercury (II) ion sensor by biosynthesized gold nanoparticles (AuNPs)

Jet G. Guerrero, Gabrielle Jackie Candano, Aileen Nicole Mendoza, Marciella Paderanga, Krenz John Cardino, Alessandro Locsin and Cherilou Bibon

AIP Conference Proceedings 1904, 020015 (2017); https://doi.org/10.1063/1.5011872

SHOW ABSTRACT



No Access . November 2017

The effect of two-stage pretreatment on the physical and chemical characteristic of oil palm empty fruit bunch for bioethanol production

Dian Burhani, Ary Mauliva Hada Putri, Joko Waluyo, Yulia Nofiana and Yanni Sudiyani AIP Conference Proceedings 1904, 020016 (2017); https://doi.org/10.1063/1.5011873

: **SHOW ABSTRACT**



No Access . November 2017

Supercritical fluid extraction of ginger (Zingiber Officinale Var. Amarum): Global yield and composition study

Muhammad Arifuddin Fitriady, Anny Sulaswatty, Egi Agustian, Salahuddin and Deska Prayoga Fauzi Aditama

AIP Conference Proceedings 1904, 020017 (2017); https://doi.org/10.1063/1.5011874

SHOW ABSTRACT



No Access . November 2017

Preparation of nanobiochar as magnetic solid acid catalyst by pyrolysis-carbonization from oil palm empty fruit bunches

S. N. Aisyiyah Jenie, Anis Kristiani, Kustomo, Sabar Simanungkalit and Dieni Mansur

AIP Conference Proceedings 1904, 020018 (2017); https://doi.org/10.1063/1.5011875

SHOW ABSTRACT




No Access . November 2017

Combination of ozonation and photocatalysis for pharmaceutical wastewater treatment

Ratnawati, Enjarlis and Slamet

AIP Conference Proceedings **1904**, 020019 (2017); https://doi.org/10.1063/1.5011876

SHOW ABSTRACT



Antioxidant activity, phenolic and flavonoids total of ethanolic extract of Ipomoea batata L. leaves (white, yellow, orange, and purple)

Indah Dwiatmi Dewijanti, Sofna D. Banjarnahor, Triyuliani, Faiza Maryani and Lia Meilawati

AIP Conference Proceedings 1904, 020020 (2017); https://doi.org/10.1063/1.5011877

SHOW ABSTRACT

SHOW ABSTRACT

No Access . November 2017

Enzymatic hydrolysis of lignocellulosic biomass by Kitasatospora sp. to produce xylo-oligosaccharides (XOS)

Nanik Rahmani, Alifah Mafatikhul Jannah, Puspita Lisdiyanti, Bambang Prasetya and Yopi

AIP Conference Proceedings **1904**, 020021 (2017); https://doi.org/10.1063/1.5011878

SHOW ABSTRACT



Production of mannanase from Bacillus Subtilis LBF-005 and

Yopi, Nanik Rahmani, Alifah Mafatikhul Jannah, Irfan Pebi Nugraha and Roni Masri Ramadana AIP Conference Proceedings 1904, 020022 (2017); https://doi.org/10.1063/1.5011879 **SHOW ABSTRACT**



No Access . November 2017

Characterization of biomasses, concentrates, and permeates of dried powder of Kombucha fermentation of spinach (Amaranthus sp.) and broccoli (Brassica oleracea) with membrane microfiltration and freeze drying techniques for natural sources of folic acid

Tutun Nugraha, Agustine Susilowati, Aspiyanto, Puspa Dewi Lotulung and Yati Maryati AIP Conference Proceedings 1904, 020023 (2017); https://doi.org/10.1063/1.5011880

SHOW ABSTRACT



No Access . November 2017

Synthesis of Ni(II) and Cu(II) complexes with N-(benzylcarbamothioyl) benzamide as corrosion inhibitors for mild steel in 1M HCl

Karimah Kassim, Nurul Atikah Nordin, Norsakina Zurina Zulkifli and Nor Zakiah Nor Hashim

AIP Conference Proceedings 1904, 020024 (2017); https://doi.org/10.1063/1.5011881

SHOW ABSTRACT

Drying process of fermented inulin fiber concentrate by Bifidobacterium bifidum as a dietary fiber source for cholesterol binder

Agustine Susilowati, Aspiyanto and Muhammad Ghozali

AIP Conference Proceedings 1904, 020025 (2017); https://doi.org/10.1063/1.5011882

: **SHOW ABSTRACT**



No Access . November 2017

Simultaneous or separated; comparison approach for saccharification and fermentation process in producing bioethanol from EFB

Teuku Beuna Bardant, Deliana Dahnum and Nur Amaliyah

AIP Conference Proceedings 1904, 020026 (2017); https://doi.org/10.1063/1.5011883

SHOW ABSTRACT



No Access . November 2017

Antioxidant and α -glucosidase activities of benzoic acid derivate from the bark of Myristica fatua Houtt

Megawati, Akhmad Darmawan, Sofa Fajriah, Gian Primahana, Rizna Triana Dewi, Minarti and Lia Meiliawati

AIP Conference Proceedings 1904, 020027 (2017); https://doi.org/10.1063/1.5011884

SHOW ABSTRACT

Degradation of textile dyes Remazol Brilliant Blue using plasma electrolysis method with the addition of microbubble and Fe²⁺ ion

Zainah and Nelson Saksono

AIP Conference Proceedings 1904, 020028 (2017); https://doi.org/10.1063/1.5011885

: **SHOW ABSTRACT**

No Access . November 2017

Physicochemical properties of flakes made from three varieties of banana

Lia Ratnawati and Nok Afifah

AIP Conference Proceedings 1904, 020029 (2017); https://doi.org/10.1063/1.5011886

SHOW ABSTRACT

No Access . November 2017

Characterization and antioxidant activity of gallic acid derivative

Krissan Malinda, Hery Sutanto and Akhmad Darmawan

AIP Conference Proceedings 1904, 020030 (2017); https://doi.org/10.1063/1.5011887

SHOW ABSTRACT

No Access . November 2017

Adsorption of water from methanol solution using various

Hendriyana, Bambang Hari Prabowo, Lulu Nurdini and Gatot Trilaksono AIP Conference Proceedings 1904, 020031 (2017); https://doi.org/10.1063/1.5011888 **SHOW ABSTRACT**



No Access . November 2017

Geochemistry characterization, biomarker and determination of correlation, maturity of petroleum from Bangko-Rohil and **Duri Bengkalis, Riau**

Emrizal Mahidin Tamboesai

AIP Conference Proceedings 1904, 020032 (2017); https://doi.org/10.1063/1.5011889

: **SHOW ABSTRACT**



No Access . November 2017

Sensitivity analysis and nonlinearity assessment of steam cracking furnace process

M. N. Rosli, Sudibyo and N. Aziz

AIP Conference Proceedings 1904, 020033 (2017); https://doi.org/10.1063/1.5011890

SHOW ABSTRACT



No Access . November 2017

Optimizing the antioxidant activity of Kelakai (Stenochlaena palustris) through multiplestage extraction process

Elza Wijaya, Diah Indriani Widiputri and Della Rahmawati

SHOW ABSTRACT



No Access . November 2017

Effect of hydrolysis enzymatic process of corn using protease crude (Rhizopus oligosporus-C1) to produce corn hydrolisate rich folic acid

Yati Maryati, Agustine Susilowati, Hakiki Melanie and Puspa D. Lotulung

AIP Conference Proceedings 1904, 020035 (2017); https://doi.org/10.1063/1.5011892

SHOW ABSTRACT



No Access . November 2017

Recovering folic acid and its identification on mixed pastes of tempeh and fermented vegetable as natural source of folic acid

Agustine Susilowati, Aspiyanto, Yati Maryati, Hakiki Melanie and Puspa D. Lotulung

AIP Conference Proceedings 1904, 020036 (2017); https://doi.org/10.1063/1.5011893

SHOW ABSTRACT



No Access . November 2017

Dispersion polymerization of L-lactide utilizing ionic liquids as reaction medium

Sri Fahmiati, Hideto Minami, Agus Haryono and Indri B. Adilina

AIP Conference Proceedings 1904, 020037 (2017); https://doi.org/10.1063/1.5011894

SHOW ABSTRACT



No Access . November 2017

Plasticization of poly(lactic acid) using different molecular weight of Poly(ethylene glycol)

Athanasia Amanda Septevani and Samsul Bhakri

AIP Conference Proceedings 1904, 020038 (2017); https://doi.org/10.1063/1.5011895

SHOW ABSTRACT



No Access . November 2017

The evaluation of temperature in synthesizing process of natural iron sand based Fe₃O₄ nanoparticles for Ni ion adsorption

Eko Arief Setiadi, Feni Amriani and Perdamean Sebayang

AIP Conference Proceedings 1904, 020039 (2017); https://doi.org/10.1063/1.5011896

SHOW ABSTRACT




No Access . November 2017

The influenced of reaction time on the degradation of palm oil empty fruit bunch (EFB) in hydrothermal carbonization

Rakhman Sarwono and Hendris Hendarsyah Kurniawan

AIP Conference Proceedings 1904, 020040 (2017); https://doi.org/10.1063/1.5011897

SHOW ABSTRACT :




Application of plasma electrolysis method for simultaneous phenol and Cr(VI) wastewater degradation using Na₂SO₄ electrolyte

Aulia Rahmi Harianti and Nelson Saksono

AIP Conference Proceedings 1904, 020041 (2017); https://doi.org/10.1063/1.5011898

SHOW ABSTRACT



No Access . November 2017

The effect of cellulose nanocrystal (CNC) from rattan biomass as filler and citric acid as co-plasticizer on tensile properties of sago starch biocomposite

Halimatuddahliana Nasution, Hamidah Harahap, Yayang Afandy and M. Thoriq Al Fath AIP Conference Proceedings **1904**, 020043 (2017); https://doi.org/10.1063/1.5011900

SHOW ABSTRACT

Hydrogenation of citral into its derivatives using heterogeneous catalyst

Sudiyarmanto, Luthfiana Nurul Hidayati, Anis Kristiani and Fauzan Aulia

AIP Conference Proceedings 1904, 020044 (2017); https://doi.org/10.1063/1.5011901

SHOW ABSTRACT



No Access . November 2017

Straightforward fabrication of black nano silica dusting powder for latent fingerprint imaging

Isna Komalasari, Fransiska Sri Herwahyu Krismastuti, Christine Elishian, Eka Mardika Handayani, Willy Cahya Nugraha and Rosi Ketrin

AIP Conference Proceedings 1904, 020045 (2017); https://doi.org/10.1063/1.5011902

SHOW ABSTRACT



No Access . November 2017

Effect of reaction time and polyethylene glycol monooleateisocyanate composition on the properties of polyurethanepolysiloxane modified epoxy

Evi Triwulandari, Mohammad Kemilau Ramadhan and Muhammad Ghozali

AIP Conference Proceedings 1904, 020046 (2017); https://doi.org/10.1063/1.5011903

SHOW ABSTRACT

No Access . November 2017

Effect temperature of supercritical CO₂ fluid extraction on phytochemical analysis and antioxidant activity of Zingiber officinale Roscoe

Dewi Sondari, Tun Tedja Irawadi, Dwi Setyaningsih and Silvester Tursiloadi

AIP Conference Proceedings 1904, 020047 (2017); https://doi.org/10.1063/1.5011904

: **SHOW ABSTRACT**



No Access . November 2017

Concentrating biomass of fermented broccoli (Brassica oleracea) and spinach (Amaranthus sp.) by ultrafiltration for source of organic acids and natural antioxidant

Aspiyanto, Agustine Susilowati, Puspa D. Lotulung and Yati Maryati

AIP Conference Proceedings 1904, 020048 (2017); https://doi.org/10.1063/1.5011905

SHOW ABSTRACT

1 2 >

Resources

AUTHOR

LIBRARIAN

ADVERTISER

Application of Taguchi optimisation of electro metal – electro winning (EMEW) for nickel metal from laterite

Sudibyo, L. Hermida, A. Junaedi, and F. A. Putra

Citation: AIP Conference Proceedings 1904, 020004 (2017);

View online: https://doi.org/10.1063/1.5011861

View Table of Contents: http://aip.scitation.org/toc/apc/1904/1

Published by the American Institute of Physics

Articles you may be interested in

Application of Taguchi optimization on the cassava starch wastewater electrocoagulation using batch recycle method

AIP Conference Proceedings 1904, 020006 (2017); 10.1063/1.5011863

Sensitivity analysis and nonlinearity assessment of steam cracking furnace process

AIP Conference Proceedings 1904, 020033 (2017); 10.1063/1.5011890

Atmospheric hydrogenolysis of methyl formate to bio-methanol using Cu/MgO catalyst

AIP Conference Proceedings 1904, 020005 (2017); 10.1063/1.5011862

Performance test of nutrient control equipment for hydroponic plants

AIP Conference Proceedings 1904, 020008 (2017); 10.1063/1.5011865

Production of mannanase from Bacillus Subtilis LBF-005 and its potential for manno-oligosaccharides production AIP Conference Proceedings **1904**, 020022 (2017); 10.1063/1.5011879

Bentonite modification with pillarization method using metal stannum

AIP Conference Proceedings 1904, 020010 (2017); 10.1063/1.5011867

Application of Taguchi Optimisation of electro metal – electro winning (EMEW) for Nickel Metal from Laterite

Sudibyo^{1a}, L. Hermida^{2b}, A.Junaedi^{1c} and F. A. Putra^{2d}

¹Research Unit for Mineral Technology, Indonesian Institute of Sciences, Lampung, Indonesia ²Department of Chemical Engineering, Lampung University, Lampung, Indonesia

a)Corresponding Author: sudibyo@lipi.go.id
b)lilis.hermida@eng.unila.ac.id
c)agus.junaedi@lipi.go.id
d)fahmi.alzie@gmail.com

Abstract.Nickel and cobalt metal able to process from low grade laterite using solvent extraction and electrowinning. One of electrowinning methods which has good performance to produce pure metal is electrometal-electrowinninge(EMEW). In this work, solventextraction was used to separate nickel and cobalt which useCyanex-Versatic Acid in toluene as an organic phase. An aqueous phase of extraction was processed using EMEW in order to deposit the nickel metal in Cathode electrode. The parameters which used in this work were batch temperature, operation time, voltage, and boric acid concentration. Those parameters were studied and optimized using the design of experiment of Taguchi. The Taguchi analysis result shows that the optimum result of EMEW was at 60°C of batch temperature, 2 Voltage, 6 hours operation and 0.5 M of boric acid.

INTRODUCTION

Low nickel laterite is difficult to process using pyrometallurgy, however it able to process using hydrometallurgy method. One of a major problem in nickel laterite processing is many impurities hence very difficult to get pure Nickel. Liquid-liquid extraction followed electrowinning was able to produce nickel metal from laterite. Liquid extraction was used to separate nickel and cobalt from leaching solution. Meanwhile, electrowining was used to produce nickel metal from nickel solution.

Electro Metal Electro Winning (EMEW) is one of electrowinning method which has good performance to produce high purity metal. EMEW process has many advantages such as :low operational cost, friendly for the environment, easy to install, design is compatible, it can be operate in large scale process, acid electrolyte can be recycle, it can produce high purity of metal and it can be operate in low concentration of metal solution [1,2,3].

In this work, low-grade nickel laterite was from Sulawesi Island which contains Fe, Ni and Co are 43.769%, 0.488 % and 0.120, respectively. Prior to process in EMEW, the laterite was processed in leaching and solvent extraction processes. In this work, Citric acid was used to leach laterite since is more friendly for the environtment than sulphuric acid. Nickel and cobalt in leaching product were separated using liquid extraction. Vericatic acid and Cyanex in Toluene were used as an organic phase in solvent extraction process. This chemical successfully applied to separate of cobalt from nickel ore in sulfate solution [4, 5].

In this research, Taguchi optimization method was used to optimize the parameters in EMEW process. The parameters were boric acid concentration, voltage, temperature and operation time. In this work, boric acid was used as an additive to reduce the effect of hydrogen evolution reaction in an electrochemical process.

EXPERIMENTS

In this work, laterite form south east Sulawesi were grinded and sieved to get a size of 150 mesh. The composition of laterite was tabulated in Table 1. The laterite was leach in 200 ml of 2 M citrate acid for 24 hours in magnetic stirrer. For liquid phase extraction a process, an organic solution of the Cyanex 272 and versatic acid in technical toluene were used. The solvent extraction was carried out in glass separating funnels with capacity 100 ml. The solvent extraction process contains the aqueous and organic phase. The aqueous phase contains an amount of nickel was a process in EMEW. In EMEW process, a cathode is aluminum, meanwhile, anode is graphite as shown in Fig. 1. DC power supply which connected with voltmeter and ampere meter hence able to adjust the voltage. The heater was used to adjust the temperature. The design of experiments of Taguchi was used in this work as listed in Table 2. These experiments have three parameters namely temperature, operation time, voltage and boric acid concentration. The mass of nickel electrodeposits were analyzed using XRF (Delta Premium XRF – Olympus).

IAKLE	Laterite	composition	iising XRF
	 Luttille	composition	using zaiti

THE ELECTION OF THE CONTRACT O				
El	wt (%)	El	wt (%)	
LE	79.2882	MnO	0.216	
Fe	10.998	Co	0.046	
Si	3.88	S	0.046	
K	2.079	Sb	0.02	
Al	0.701	Cd	0.013	
Ni	0.488	Sn	0.014	
Ca	0.65	Ti	0.022	
Cl	1.253	Zn	0.0076	
Cr	0.284			




FIGURE 1. Experimental set up of electrometal-electrowinning (EMEW)

TABLE 2. Design of experiment Taguchi and Experiment Results

		Design of Experiment				
Run	Temp. (°C)	Time (hour)	Voltage (v)	Boric acid concentration (M)	Nickel electrodeposits (mg)	
1	50	2	2	0.0	0.56680	
2	50	4	4	0.5	0.0868	
3	50	6	6	1.0	0.0663	
4	60	2	4	1.0	0.1296	
5	60	4	6	0.0	0.5038	
6	60	6	2	0.5	0.5798	
7	70	2	6	0.5	0.1065	
8	70	4	2	1.0	0.1512	
9	70	6	4	0.0	0.1800	

RESULT AND DISCUSSION

The results of this work were analyzed using a signal to noise (SN) ratio of larger the better of Taguchi were listed in Table 3. From the table shows that highest value of delta is the parameter of boric acid concentration, hence this parameter is the first rank of the parameter which affects the amount of nickel electrodeposits. The second and third rank is the voltage and temperature, respectively.

TABLE 3. Response Table for Signal to Noise Ratios Larger is better

Level	Temp. (°C)	Time (hour)	Voltage (v)	Boric acid concentration (M)	
1	76.37	73.84	68.49	68.39	
2	69.48	74.53	77.96	75.14	
3	76.92	74.40	76.33	79.24	
Delta	7.44	0.69	9.47	10.85	
Rank	3	4	2	1	

The Effect Boric Acid Concentration towards the Mass of Nickel Electrodeposits

In this research, the boric acid concentration was varied from 0 to 1 M. Fig. 2 shows the effect of boric acid concentration towards the amount of nickel in the cathode. The results show that the increase of boric acid concentration will decrease the amount of nickel electrodeposits in the cathode. The increase of boric acid will increase the viscosity of electrolyte hence will decrease the mass transport in an electrode. However, boric acid is useful to decrease the disturbance of hydrogen generation in the cathode [6].




FIGURE 2. Mean effect plot for boric acid concentration towards a mass of nickel electrodeposits

The Effectof Voltage towards the Massof Nickel Electrodeposits

In this research, the voltages were varied from 2 to 6 volt. The effect of voltage towards nickel deposit in electrode was shown in Fig. 3. The result shows that the increase of voltage will increase the amount of nickel electrodeposits in the cathode. The increase of voltage will increase the mass transport in an electrochemical cell. However, at the certain voltage, the hydrogen evolution effect is increasing hence disturb the nickel deposited at the cathode as shown in the result of 4 volts.




FIGURE 3. Mean effect plot for voltage towards a mass of nickel electrodeposits

The Effect of Voltage towards the Massof Nickel Electrodeposits

Temperature was varied from 50 to 70 °C in this research. The effect of temperature towards means of nickel electrodeposits was shown in Fig. 4. The figure shows that the optimum temperature was at 60°C. The increment of temperature will increase the rate of corrosion of anode electrode [7]. This phenomenon indicates that temperature process will enhance the rate of electrowinning process [8]. The increasing of temperature also enhances the electrolyte conductivity and mass transfer [9]. However, the increment of temperature in the acidic electrolyte will enhance the hydrogen evolution which decreases the current efficiency. The increasing temperature also decreases the hydrogen overpotential, hence hydrogen evolution problem can be solved by increasing hydrogen over potential [10]. Hence, the optimum temperature is important to solve the hydrogen evolution problem.

At the temperature of 70°C the mass of nickel electrodeposits decrease as shown in Fig. 3. The increasing temperature will increase the hydrogen evolution effect. Moreover, the increment of temperature will increase the overall mass transfer include the impurities mass transfer [8]. Hence it caused the decreasing of the mass of nickel electrodeposits.




FIGURE 4. Mean effect plot for temperature towards nickel electrodeposits

The Effect of Operation Time towards the Mass of Nickel Electrodeposits

In this work, operation times were varied from 2 until 6 hours. The effect of operation time towards the mass of nickel electrodeposits were shown in fig. 5. The figure shows that the optimum operation time is at 6 hours operation.

The enhancing of operation time increase the mass of nickel electrodeposits, since more nickel were deposited at the cathode. At the beginning of electrowinning, the mass of nickel electrodeposits were fluctuated since many impurities in electrolyte disturb the electrowinning process. There are colloid particles which have negative charge in electrolytes which were coagulated through the electrocoagulation process in EMEW reactor. These phenomena produce coagulation sludge in the EMEW reactor.




FIGURE 5.Mean effect plot for operation time towards nickel electrodeposits

CONCLUSIONS

Electro metal electrowinning (EMEW) process from nickel laterite was conducted in laboratory scale. All parameters studied have a significant influence towards the mass of nickel electrodeposits. The optimum conditions for the EMEW process were determined using Taguchi analysis. The optimum operation conditions are at without boric acid additions, a voltage of 6 V, temperature of 60°C and operation time of 6 hours.

ACKNOWLEDGMENTS

This work was supported by Ministry of Research, Technology and Higher Education -The Republic of Indonesia through INSINAS research grant no. RT-2016-0227 is greatly acknowledged.

REFERENCES

- M. B. Mooiman, I.Ewart and J. Robinson, Electrowinning Precious Metals from Cyanide Solution Using EMEW Technology,
- 2. P.A.Treasure (2005). EMEW electrowinning: Treatment of copper sulphate pickling and etchant solutions. (Electrometals Technologies Ltd, 2005)
- 3. E. Roux, J. Gnoinski, I. Ewart and D. Dreisinger . Cu-Removal From The Skorpion Circuit Using EMEW Technology. The Fourth Southern African conference on Base Metals(2010) Pp. 27-44.
- A. S.Guimarães, P. S. da Silva 1, M.B. Mansur, Purification of nickel from multicomponent aqueous sulfuric solutions by synergistic solvent extraction using Cyanex 272 and Versatic 10. Hydrometallurgy 150(2014) pp. 173–177
- 5. G. H. Nikamand B. S.Mohite, Liquid-Liquid Extraction and Separation of Cobalt(II) from Sodium Acetate media using Cyanex 272 [Research Journal of Chemical Sciences . Res. J. Chem. Sci., Vol. 2(1)(2012) pp. 75-82.
- 6. J. Lu, Effects of additives on nickel electrowinning from sulfate system. School of Chemical Engineering, Sichuan University, Chengdu China, 2009.
- 7. Z. Wei, The performance of lead anodes Used for zinc electrowinning and their effects on energy consumption and cathode impurities. Faculte des Sciences et de Genie. Universite Laval. Quebec (2010)
- 8. E.Arman, Influence of polyoxometalates as the additive on electro-winning of copper. Mining and Mineral Processing Eng. Dept., Adana Science and Technology Univ., Adana, Turkey (2016)
- 9. R.Xiulian, Study of the electrodeposition conditions of metallic manganese in an electrolytic membrane reactor. School of the Marin, Harbin Institute of Technology at Weihai, Wenhua West Road 2, Weihai, Shandong, China (2010)
- 10. B. Muhamed, An investigation of the failure mechanisms of aluminum cathodes in zinc electrowinning cells. Department of Metals and Materials Engineering. The University of British Columbia. Vancouver (1999)