


# MODIFIKASI **Siliika** SEBAGAI Penyerap Logam Berat



Prof. Dr. Buhani, S.Pd., M.Si.  
Prof. Suharso, Ph.D.

**MODIFIKASI  
Silika  
SEBAGAI  
Penyerap Logam Berat**

**Prof. Dr. Buhani, S.Pd., M.Si.  
Prof. Suharso, Ph.D.**

 **Innosain**

**Modifikasi Silika sebagai Penyerap Logam Berat**

oleh Prof. Dr. Buhani, S.Pd., M.Si.; Prof. Suharso, Ph.D.

Hak Cipta © 2016 pada penulis

 **Innosain**

Ruko Jambusari 7A Yogyakarta 55283

Telp: 0274-889398; 882262 Fax: 0274-889057; E-mail: info@innosain.com

Hak Cipta dilindungi undang-undang. Dilarang memperbanyak atau memindahkan sebagian atau seluruh isi buku ini dalam bentuk apa pun, secara elektronis maupun mekanis, termasuk memfotokopi, merekam, atau dengan teknik perekaman lainnya, tanpa izin tertulis dari penerbit.

Tajuk Entri Utama: Buhani

Modifikasi Silika sebagai Penyerap Logam Berat/Buhani; Suharso

- Edisi Pertama. Cet. Ke-1. - Yogyakarta: Innosain, 2016
- xvi + 188 hlm.; 26 cm

Bibliografi.: 167 - 180

ISBN : 978-602-6542-06-9

E-ISBN : 978-602-6542-07-6

1. Kimia Anorganik

I. Suharso

II. Judul

546

Semua informasi tentang buku ini, silahkan scan QR Code di cover belakang buku ini

# DAFTAR ISI

<b>KATA PENGANTAR</b>	v
<b>DAFTAR ISI</b>	vii
<b>DAFTAR GAMBAR</b>	ix
<b>DAFTAR TABEL</b>	xv
<b>BAB 1 SILIKA DAN PEMANFAATANNYA</b>	1
1.1 Pendahuluan	1
1.2 Sifat Permukaan Silika	2
1.3 Sifat Adsorpsi Silika	5
1.4 Pembuatan Silika Gel	6
1.5 Aplikasi Silika Gel	22
<b>BAB 2 HIBRIDA ORGANO-SILIKA</b>	23
2.1 Pendahuluan	23
2.2 Modifikasi Secara Kimia	24
2.3 Proses Sol-Gel dalam Sintesis Hibrida Organo-Silika	37
<b>BAB 3 HIBRIDA ORGANO-SILIKA TERCETAK ION</b>	45
3.1 Pendahuluan	45
3.2 Teknik Pencetakan Ion	46
3.3 Hibrida Organo-Silika Tercetak Ion	51
3.4 Sintesis Hibrida Amino-Silika Tercetak Ion	54
3.5 Hibrida Merkапto-Silika Tercetak Ion	61
3.6 Interaksi Ion Logam pada Sintesis Material Tercetak Ion	65
3.7 Rongga Cetakan Ion Hibrida Organo-silika	72

<b>BAB 4</b>	<b>KARAKTERISASI MATERIAL HIBRIDA ORGANO-SILIKA</b>	<b>79</b>
4.1	Pendahuluan	79
4.2	Spektrofotometer Inframerah	80
4.3	Karakterisasi Luas Permukaan Hibrida	87
4.4	Karakterisasi Menggunakan SEM-EDX	96
4.5	Metode Analisis Difraksi Sinar-X (XRD)	101
<b>BAB 5</b>	<b>ADSORPSI ION LOGAM PADA HIBRIDA ORGANO-SILIKA</b>	<b>107</b>
5.1	Pendahuluan	107
5.2	Adsorpsi Kimia dan Fisika	108
5.3	Faktor-faktor yang Memengaruhi Interaksi Ion Logam- Adsorben	115
5.4	Parameter Adsorpsi	119
5.5	Karakteristik Adsorpsi Ion Logam pada Hibrida Organo-Silika	123
5.6	Mekanisme Adsorpsi	134
<b>BAB 6</b>	<b>HIBRIDA ORGANO-SILIKA SEBAGAI MATERIAL EKSTRAKSI FASA PADAT</b>	<b>141</b>
6.1	Pendahuluan	141
6.2	Selektivitas Adsorpsi	143
6.3	Penggunaan Ulang	150
6.4	Adsorpsi Multilogam dan Prekonsentrasi	153
6.5	Stabilitas Kimia	159
<b>DAFTAR PUSTAKA</b>		<b>167</b>
<b>GLOSARIUM</b>		<b>181</b>
<b>INDEKS</b>		<b>189</b>

## DAFTAR PUSTAKA

- Adamson, A.W., 1990, *Physical Chemistry of Surface*, 5<sup>th</sup> ed., John Wiley and Sons, New York.
- Aklil A., Mouflih M., and Sebti S., 2004, Removal of heavy metal ions from water by using calcined phosphate as new adsorbent, *J. Hazard. Mater.*, A112: 183-190.
- Alberty, R.A., and Daniel, F., 1987, *Physical Chemistry*, 5<sup>th</sup> ed., John Wiley and Sons, Inc., New York.
- Alcantara, E.F.C, Faria, E.A., Rodrigues, D.V., Evangelista, S.M., De Oliveira, E., Zara, L.F., Rabelo, D., and Prado, A.G.S, 2007, Modification of silica gel by attachment of 2-mercaptobenzimidazole for use in removing Hg(II) from aqueous media: A thermodynamic approach, *J. Colloid and Interface Sci.*, 311:1-7.
- Alex, 2005, *kinetika adsorpsi logam Zn(II) dan Cd(II) pada bahan hibrida merkapto-silika dari abu sekam padi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Anonim, 2014, (<https://www.google.com/search=sol-gel+process> ).
- Anonim, 2012a, (<https://www.culture.yuntech.edu.tw/lian/data/.../chapt11>, diaksespukul 8.20, 3 Januari 2012).

- Anonim, 2012b [http://www.chem-is-try.org/materi\\_kimia](http://www.chem-is-try.org/materi_kimia), diakses pada pukul : 8.09 WIB tanggal 3 Januari 2012).
- Antochshuk, V., Jaroniec, M., 2002, 1-allyl-3-proythiourea modified mesoporous silica for mercury removal, *Chem. Commun.*, 258-259.
- Arakaki, L.N.H. and Airoldi, C., 2000, Ethylenimine in the synthetic routes of a new silylating agent: chelating ability of nitrogen and sulfur donor atoms after anchoring onto the surface of silica gel, *Polyhedron*, 19: 367-373.
- Atkins, P. W., 1999, *Kimia Fisika*, (diterjemahkan oleh : Kartahadiprojo Irma I), edisi ke-2, Erlangga, Jakarta.
- Azmiyawati, C., 2004, *Adsorpsi ion logam Mg(II), Cd(II), dan Ni(II) pada garam mononatrium asam 4-amino-5-hidroksi-2,7-naftalenadisulfonat yang diimmobilisasikan pada silika gel G tipe 60*, Tesis, Universitas Gadjah Mada, Yogyakarta.
- Bachrie, S. dan Jamarun, N., 2000, Pengaruh asam organik terhadap pembentukan gel silika melalui proses sol-gel, *J. Kimia Andalas*, 6(1): 35-38).
- Bhatia and Rimple B., 1998, Direct immobilization of horseradish peroxidase (HRP) in the phenyl-modified hybrid mesoporous sol-gel materials, *J. Mater. Chem.*, 11: 29-35.
- Birlik, E., Ersoz, A., Denizili, A., and Say, R., 2006, Preconcentration of copper using double-imprinted polymer via solid phase extraction, *Anal. Chim. Acta*, 565 : 145-151.
- Brinker, C.J., dan Scherer, W.J., 1990, *Sol-gel Science: The physics and chemistry of sol-gel processing*, Academic Press, New York.
- Budd, P.M., Ghanem, B.S., Makhseed, S., McKeown, N.B., Msayib, K.J., Tattershall, C.E., 2004, Polymer of intrinsic microporosity (PIMs): robust, solution-processable, organic nannoporous materials, *Chem. Commun.*, 230- 231.

- Buhani, Narsito, Nuryono dan Kunarti, E.S , Suharso, 2015, Adsorption competition of Cu(II) ion in ionic pair and multi-metal solution by ionic imprinted amino-silica hybrid adsorbent, *Desalination and Water Treatment*, Vol. 55 (5) :1240-1252.
- Buhani, Suharso, Fitriyani, A.Y., 2013, Comparative study of adsorption ability of Ni(II) and Zn(II) ionic imprinted amino-silica hybrid toward target metal in solution, *Asian Journal of Chemistry*, Vol. 25. No.5: 2875-2880.
- Buhani, Suharso and Sumadi, 2012, Production of ionic imprinted polymer from *Nannochloropsis* sp biomass and its adsorption characteristics toward Cu(II) ion in solutions. *Asian J. Chem.*, : 24(01) : 133-140.
- Buhani, Narsito, Nuryono, dan Kunarti, E.S, 2012, Chemical Stability of Cd(II) and Cu(II) Ionic Imprinted Amino-Silica Hybrid Material in Solution Media, *Jurnal Eksakta*, Vol.13 (01).
- Buhani, Narsito, Nuryono dan Kunarti, E.S., 2011. Proses sol-gel dalam pembuatan hibrida merapto-silika untuk adsorpsi ion Cu(II) dalam larutan, *Jurnal Manusia dan Lingkungan*, 19(3): 264-272.
- Buhani, Narsito, Nuryono dan Kunarti, E.S., 2011, Karakterisasi pengikatan ion Cd(II) dan Cu(II) dalam pembuatan hibrida amino-silika imprinted ionik, *Jurnal Sains dan Terapan Kimia*, 5(2): 22-130.
- Buhani, 2011, Adsorption Competition between H<sup>+</sup> and Cd2<sup>+</sup> Ions Toward Active Sites on Ionic Imprinted Mercapto-Silica Hybrid *Jurnal Eksakta*, Vol.12 (01): 32-37.
- Buhani, Narsito, Nuryono dan Kunarti, E.S., 2010, Production of metal ion imprinted polymer from mercapto-silica through sol-gel process as selective adsorbent of cadmium, *Desalination*, 25: 83-89.
- Buhani, 2010, *Simultaneous sol gel and ionic imprinting process in the synthesis of organo-silica hybrid for selective adsorbent of transition metals*, Disertasi, Universitas Gadjah Mada, Yogyakarta.

- Buhani, Narsito, Nuryono and Kunarti, E.S., 2009, Amino and mercapto-silica hybrid for Cd(II) adsorption in aqueous solution, *Indo . J. Chem.*, 9 (2): 170-176.
- Buhani, 2010, *Proses Simultan Sol-Gel dan Imprinting Ionik dalam Pembuatan Hibrida Organo-Silika untuk Adsorpsi Selektif Logam Transisi*, Disertasi, Universitas Gadjah Mada, Yogyakarta.
- Buhani, 2003, Adsorpsi ion logam Cu(II), Cd(II) dan Pb(II) pada biomassa yang diimobilisasi silika gel, *Jurnal Sains dan Teknologi*, Vol.9, No.2: 31-38.
- Bulgariu, D., and Bulgariu, L., 2012, Equilibrium and kinetics studies of heavy metal ions biosorption on green algae waste biomass, *Biores. Tehnol.*,103 :489-493.
- Camel, V., 2003, Solid phase extraction of trace elements, *Spectrochim. Acta Part B*, 58: 1177-1233.
- Candan, N., Tuzmen, N., Andac M., Andac, C.E., Say, R. and Denizili, A., 2009, Cadmium removal out of human plasma using ion-imprinted beads in a magnetic colum, *Materials Sci. and Eng. C*, 29: 144-152.
- Chang, X., Wang, X., Jiang, Na., He, Q., Zhai, Y., Zhu, X., and Hu, Z., 2008, Silica gel surface-imprinted solid-phase extraction of Zr(IV) from aqueous solution, *Microchim. Acta*, 162: 113-119.
- Chang, X., Jiang, N., Zheng, H., He, Q., Hu, Z., Zhai, Y., and Cui, Y., 2007, Solid-phase extraction of iron(iii) with an ion-imprinted functionalized silica gel sorbent prepared by a surface imprinting technique, *Talanta*, 71 : 38-43.
- Chen, X., Feng, X., Liu, J., Fryxell, G.E., Gong, M., 1999, Mercury separation and immobilization using self-assembled monolayer on mesporous support (SAMMS), *Sep. Sci. Tecnol.*, 34(6&7) :1121-1132.
- Chiron, N., Guilet, R., and Deydier, E., 2003, Adsorption of Cu(II) and Pb(II) onto grafted silica: isotherms and kinetic models, *Water Res.*, 37: 3079-3086.

- Coates, J. 2000, *Interpretation of infrared spectra, A practical approach in encyclopedia of analytical chemistry*, John Wiley & Sons Ltd, Chichester p: 10815 -10837.
- Coradin, T., and Lopez, P.J., 2003, Biogenic silica patterning simple chemistry or subtle biology, *Chem.Bio.Chem*, 72: 80-84.
- Cui, Y., Chang, X., Zhu, X., Luo, H., Hu, Z., Zou, X., He, Q., 2007, Chemically modified silica gel with p-dimethylaminobenzaldehyde for selective solid-phase extraction and preconcentration of Cr(III), Cu(II), Ni(II), Pb(II) and Zn(II) by ICP-OES, *Microchem. J.*, 8: 20-26.
- Cullity, B.D., 1967, *Element of X-ray diffraction*, Addison-Wisley Publishing Company Inc, New York.
- Dakova, I., Karadjova, I., Ivanov, I., Georgieva, V., Evtimova, B., and Georgiev, G., 2007, Solid phase selective separation and preconcentration of Cu(II) by Cu(II)-imprinted polymethacrylic microbeads. *Anal. Chim. Acta*, 584: 196-203.
- Douglas, B., McDaniel, D., and Alexander, J., 1994, *Concepts and models of inorganic chemistry*, John Wiley & Sons, Inc., New York.
- Elliott, H.A., Liberati, M.R. and Huang, C.P., 1986, Competitive adsorption of heavy metals by soils, *J. Environ. Qual.*, 15 (3): 214-219.
- Enymia, Suhanda, dan Sulistarihani, N., 1998, Pembuatan silika gel kering dari sekam padi untuk pengisi karet ban, *Jurnal Keramik dan Gelas Indonesia*, 7(1&2).
- ErsÖz, A., Say, R., and Denizli, A., 2004, Ni(II) ion-imprinted solid-phase extraction and preconcentration in aqueous solutions by packed-bed columns. *Anal. Chim. Acta*, 502: 91-97.
- Etienne, M., and Walcarius, A., 2003, Analytical Investigation of Chemical Reactivity and Stability of Aminopropyl Grafted Silica in Aqueous Medium, *Talanta*, 59: 1173-1188.
- Evangelista, S.M., Deoliveira, E., Castro, G.R., Zara, L.F., and Prado, A.G.S., 2007, Hexagonal mesoporous silica modified with 2-

- mercaptopthiazoline for removing mercury from water solution, *Surf. Sci.*, 601: 2194-2202.
- Fahmiati, 2004, *Adsorpsi ion logam Cd(II), Ni(II), dan Mg(II) pada 3-merkaptotriazol yang diimmobilisasikan pada silika gel*, Tesis, Universitas Gadjah Mada, Yogyakarta.
- Feng, X., Fryxell, G.E., Wang, L.Q., Kim, A.Y., Liu, J., Kemner, K.M., 1997, Functionalized monolayer on ordered mesoporous support, *Science*, 276: 923-926.
- Fetriawan S, Meluruskan paradigma pertambangan, 02 Januari 2014, 04 Januari 2016 <<http://www.kompasiana.com/sfetriawan/>>
- Filho, N.L.D., do Carmo, D.R., and Rosa A.H., 2006, An electroanalytical application of 2-aminothiazole-modified silica gel after adsorption and separation of Hg(II) from heavy metals in aqueous solution, *Electrochim. Acta*, 52: 965-972.
- Filha, V.L.S.A, Wanderley, A.F., de Sousa, K.S., Espinola, J.G.P., da Fonseca, M.G., Arakaki, T., and Arakaki, L.N.H., 2006, Thermodynamic properties of divalent cations complexed by ethylenesulfide immobilized on silica gel, *Colloids and Surface A: Physicochem. Eng. Aspects*, 279: 64-68.
- Filho, N.L.D., Gushikem, Y., and Polito, W.L., 1995, 2-Mercaptobenzothiazole clays as matrix for sorption and preconcentration of some heavy metals from aqueous solution, *Anal. Chem. Acta*, 306: 167-172.
- Gao, B., An, F., and Zhu, Y., 2007, Novel surface ionic imprinting materials prepared via couple grafting of polymer and ionic imprinting on surface of silica gel particle, 2007, *Polymer*, 48: 2288-2297.
- Gawin, M., Konefal, J., Trzewik, B. Walas, S., Tobiasz A., 2010, Preparation of a new Cd(II)-imprinted polymer and its application to determination of cadmium(II) via flow-injection-flame atomic absorption spectrometry, *Talanta*, 80:1305-1310.

- Ghoul, M., Bacquet, M., and Morcellet, M., 2003, Uptake of heavy metals from synthetic aqueous solution using modified pei-silica gels, *Water Research*, 37: 729-734.
- Gonzales, O.Q., Burell, J.C.L., Martinez, E., Barrera, C., Acosta, R.M, and Ruiz, N., 2004, Obtaining, characterization and thermal decomposition of barium nitrate, *Revista Cubana Quimica*, 16(1): 44-52.
- Gupta, R. and Kumar, 2008, Molecular imprinting in sol-gel matrix, *Biotech. Advances*, 26: 533 - 547.
- Gupta, V.K., and Rastogi, A., (2008), Biosorption of lead from aqueous solution by green algae *Spirogyra* species : Kinetics and equilibrium studies, *J. Hazard. Mater.*, 152 : 407-414.
- Harsono, H., 2002, Pembuatan silika amorf dari limbah sekam padi, *Jurnal Ilmu Dasar*, 3(2):98-103.
- He, Q., Chang, X., Zheng, H., Jiang, N., Wang, X., 2008, Determination of chromium(III) and total chromium in natural waters using a surface ion-imprinted silica gel as selective adsorbent, *Intern. J. Environ. Anal. Chem.*, (88) 6: 373-384.
- Hernandez, G., and Rodriquez, R., 1999, Adsorption properties of silicas sol modified with thiol groups, *J. Non-Crystalline Solids*, 246: 209- 215.
- Ho, Y.S., and McKay, G., 2000, The kinetic of sorption of divalent metal ions onto Sphagnum moss peat, *Water. Res.* 34(3):735-742.
- Hoai, N. T., Yoo, D.K., and Kim, D., 2010, Batch and column separation characteristic of copper-imprinted porous polymer micro-beads synthesized by a direct imprinting method, *J. Hazard. Mater.* 173: 462-467.
- Huheey, J.E., Keiter, E.A., and Keitler, R.L., 1993, *Inorganic chemistry: Principles of structure as and reactivity*, 4<sup>th</sup> Edition, Harper, Collins Collage Publisher, New York.
- HyvÖnen, H., 2008, *Studies on metal complex formation of environmentally friendly aminopolycarboxylate chelating agents*, Dissertation, Faculty of Science Universitas of Helsinki, Finland.

- Imelik, B., dan Vedrine, J.C., 1994, *Catalyst charactherization : Physical technique for solid materials*, Plenum Press, New York.
- Ishizaki, K., Komarneni, S., Nanko, M., 1998, *Porous materials process technology and applications*, Kluwer Academic Publisher, Dordrecht.
- Jal, P.K., Patel, S., and Mishra, B.K., 2004, Chemical modification of silica surface by immobilization of functional groups for extractive concentration of metal ions, *Talanta*, 62: 1005-1028.
- Jansen, K., 1992, *Zeolite crystal growth and the structure on an atomic scale*, Desertasi, Deen Haag.
- Jenkins R. and Snyder R.I., 1996, *Inroduction to X-ray Powder Diffractometry*, John Wiley and Sons Inc, New York.
- Jiang, N., Chang, X., Zheng, H., He, Q., and Hu, Z., 2006, Selective solid-phase extraction of nickel(II) using a surface-imprinted silica gel sorbent, *Anal. Chim. Acta*, 577: 225-231.
- Kaim, W., and Schwederski, B., 1994, *Bioinorganic chemistry; Inorganic elements in the chemistry of life an introduction and guide*, John Wiley & Sons, Inc., Chichester.
- Kalaphaty, U., Proctor, A., and Shultz, J., 2002, An improved method for production of silica from rice hull ash, *Bioresource*, 85 : 285-289.
- Kent, D.B., Tripathi,V.S., Ball, N.B., Leckie, J.O., Siegel, M.D., 1988, Surface-complexation modeling of radionuclide adsorption in surface environments, *Final report*, NUREG/CR-4807, U.S. Nuclear Regulatory Commission, Washington DC.
- Kim, Y., Lee, B., Yi, J., 2004, Effect of framework and textural porosities of functionalized mesoporous silica on metal ion adsorption capacities, *Sep. Sci. Technol.*, 39(6):1427-1442.
- Kloprogge, J.T, Wharton, D, Hickey, L, and Frost, R.L., 2002, Infrared and raman study of interlayer anion  $\text{CO}_3^{2-}$ ,  $\text{NO}_3^-$  and  $\text{ClO}_4^-$  in Mg/Al-hydrotalcite, *American Mineralogist*, 87(5-6): 623-629.

- Krishnani , K.K., Meng, X., Christodoulatos, C., and Boddu, V. M , 2008, Biosorption mechanism of nine different heavy metals onto biomatrix from rice husk, *J. Hazard. Mater.*, 153:1222-1234.
- Kumar A., Gaurav, Malik, A.K., Tewary, D.K, and Singh, B., 2008, A Review on development of solid phase micro extraction fibers by sol-gel methods and their application, *Anal. Chim. Acta*, 610: 1-14.
- Kurniawan M, Silika gel putih dan biru , 04 Januari 2016 <<http://silicagel.blogspot.co.id>>
- Lenza, R.F.S., and Vasconcelos, W.L., 2001, Preparation of silica by sol-gel method using formamide, *Mater. Res.*, 4(3): 189-194.
- Lessi, P. Filho, N.L.D., Moreira, J.C., and Campos, J.T.S., 1996, Sorption and preconcentration of metal ions on silica gel modified with 2,5-dimercapto-1,3,4-thiadiazole, *Anal. Chim. Acta*, 327: 183-190.
- Li, F., Jiang, H., and Zhang, S., 2007, An ion-imprinted silica-supported organic-inorganic hybrid sorbent prepared by a surface imprinting technique combined with a polysaccharide incorporated sol-gel process for selective separation of cadmium(II) from aqueous solution, *Talanta*, 71: 1487-1493.
- Liu, A.M., Hidajat, K., Kaki, S., Zhao, D.Y., 2000, A new class of hybrid mesoporous material with functionalized organic monolayers for selective adsorption of heavy metal ions, *Chem. Commun.*, 1145-1146.
- Machado, R.S.A., da Fonseca, M.G., Arakaki, L.N.H., Espinola, J.G.P., and Oliveira, S.F., 2004, Silica gel containing sulfur, nitrogen and oxygen as adsorbent centers on surface for removing copper aqueous/ethanolic solution, *Talanta*, 63: 317-322.
- Madrakian, T., Afkhami, A., Zolfigol, M.A., and Solgi, M., 2006, Separation, preconcentration and determination of silver ion from water samples using silica gel modified with 2,4,6-trimorpholino-1,3,5-triazin, *J. Hazard. Mater.*, B128: 67-72.
- Mahan, C.A., Majidi, V., and Helcombe, J.A., 1989, Evaluation of the metal up take of several algae strains in a multicomponent matrix utilizing

- inductively couples plasma emission spectrometry, *Anal Chem.*, 6: 624-627.
- Martell A.E., and Hancock, R.D., 1996, *Metal complexes in aqueous solution*, Plenum Press, New York.
- Maruszewski K., *Sol-gel technologies*, Institute of Materials Science and Applied Mechanics Wroclaw University of Technology Mariana Smoluchowskiego 25, 50-370 Wroclaw, Poland. 03 Maret 2005. 04 Januari, 2016.<[http://www.immt.pwr.wroc.pl/~maruszewski/index\\_en.php?sub=activity](http://www.immt.pwr.wroc.pl/~maruszewski/index_en.php?sub=activity)>
- Matijevic, Egon, 1986, Monodisperpersed colloids: art and sience, *Langmuir*, 2: 12.
- Mc.Murry, J., 1988, *Organic chemistry*, 2<sup>th</sup> edition, Brooks/Cole Publishing Company, Pacific Grove, California.
- Mercier, L., Pinnavaia, T.J., 1997, Acces in mesoporous materials: advatages of a uniform pore structure in the design of a heavy metal ion adsorbent for enviromental remediation, *Adv. Mater*, 9:500-503.
- Mercier, L., Pinnavaia, T.J., 1998, Heavy metal ion adsorbents formed by the grafting of a thiol functionality to mesoporous silica molecular sieves: Factor Affecting Hg(II) Uptake, *Environ. Sci. Tecnol.*, 32(2749-2754).
- Miessler, G.L and Tarr, D.A., 1991, *Inorganic chemistry*, Prentice Hall, New Jersey.
- Minear, R.A., and Keith, L.H., 1982., *Water analysis*, volume 1, Inorganic species part 1, Academic Press, Inc. New York.
- Montazer-Rahmati, M.M., Rabbani, P., Abdolali, A., and Keshtkar, A.R., 2011, Kinetics and equilibrium studies on biosorption of cadmium, lead, and nickel ions from aqueous solution by intact and chemically modified brown algae, *J. Hazard. Mater*, 185: 401-407.
- Nuryono, 2006, Adsorption thermodynamic of Cd(II), Ni(II) and Mg(II) on 3-mercaptop-1,2,4-triazole immobilized silica gel, *Indo. J. Chem.*, 6(1): 52-55.

- Oscik, J., 1982, *Adsorption*, John Wiley & Sons, New York.
- Papirer, E., 2000, *Adsorption on silica surface*, Marcel Dekker, New York.
- Patel, R. and Suresh, S., 2008, Kinetic and equilibrium studies on the biosorption of reactive black 5 dye by *Aspergillus foetidus*. *Biores. Technol.*, vol. 99 (1): 51-58
- Perić J., Trgo M., Vukojević Medvidović N., 2004, Removal of zinc, copper and lead by natural zeolite—a comparison of adsorption isotherms, *Water Res.*, 38:1893-1899.
- Prado, A.G.S., Sales, J.A.A., Carvalho, R.M., Rubin, J.C., and Airolidi, C., 2004, Immobilization of 5-amino-1,3,4-tiodiazol-tiol onto silica gel surface by heterogeneous and homogeneous routes, *J. Non-Crystal. Solids*, 333: 61-67.
- Price, P.M., Clark, J.H., and Macquarrie, D.J., 2000, Modified silica's for clean technology, *J. Chem. Soc., Dalton Trans.*: 101-110.
- Qu, R., Niu, Y., Sun, C., Ji, C., Wang, C., and Cheng, G., 2006, Syntheses, characterization, and adsorption properties for metal ions of silica-gel functionalized by ester and amino-terminated dendrimer-like polyamidoamine polymer, *Microporous and Mesoporous Mater.*, 97:58-65.
- Quintanilla, D.P., del Hierro, I., Fajardo, M., and Sierra I., 2006, 2-Mercaptothiazoline modified mesoporous silica for mercury removal from aqueous media, 2006, *J. Hazard. Mater.*, B134: 245-256.
- Quintanilla, D.P., Sanchez, A., del Hierro, I., Fajardo, M., and Sierra I., 2007, Preparation, characterization, and  $Zn^{2+}$  adsorption behavior of chemically modified MCM-41 with 5-mercaptop-1-methyltetrazole, *J. Colloid and Interface Sci.*, 313: 551-562.
- Rao, P.T., Daniel, S., Gladis, J.M., 2004, Tailored materials for preconcentration or separation of metals by ion-imprinted polymers for solid-phase extraction (IIP-SPE), *Trends in Anal. Chem.*, 23 (1): 29-35.

- Rao, P.T., Kala, R., and Daniel, S., 2006, Metal ion-imprinted polymers-novel materials for selective recognition of inorganic, *Anal. Chim. Acta*, 578: 105-116.
- Ren Y., Xizhu, X., Zhang, M., 2008, Adsorption character for removal Cu(II) by magnetic Cu(II) ion imprinted composite adsorbent, *J. Hazard. Mater.* 158:14-22.
- Romera, E., González, F., Ballester, A., Blázquez, M. L., and Muñoz, J. A., 2007, Comparative study of biosorption of heavy metals using different types of algae,"*Biores. Technol.*, 98, 3344-3353.
- Rouquerol, J., Avnir, D., Fairbridge, C.W., Everett, D.H., Haynes, J.H., Pernicone, N., Ramsay, J.D.F., Sing, K.S.W. , Unger , K.K., 1994, Recommendations for the characterization of porous solids, *Pure & Applied Chemistry*, , Vol. 66, No. 8:1739-1758.
- Santos, E.A. Pagano, R.L., Simoni, J.A., Airoldi, C., Cestari, A.R., and Viera, E.F.S., 2001, The influence of the counter ion competition and nature of solvent on the adsorption of mercury halides on sh-modified silica gel, *Colloid and Surface*, 201: 25-282.
- Sastrohamidjojo, H., 1990, *Spektroskopi inframerah*, Liberty, Yogyakarta.
- Say, R., Birlik E., Ersoz, A., Yilmaz, F., and Gedikbey, T., 2003, Preconcentration of copper on ion-selective imprinted polymer microbeads, *Anal. Chim. Acta*, 480: 251-258.
- Schubert, U., and Husing, N., 2000, *Synthesis of inorganic materials*, Wiley-Vch Verlag GmbH, Weinheim.
- Schwetzer, J., 2008, <http://www.purdue.edu/REM/rs/sem.htm>. diakses pada tanggal 13 Mei 2008 pukul 16.00 WIB.
- Scott, R.P.W., 1993, *Silica gel and bonded phases: Their production, properties and use in LC*, John Wiley & Sons, Ltd., Chinchester.
- Seneviratne, J., and Cox, J.A., 2000, Sol-gel materials for the solid phase extraction of metals from aqueous solution, *Talanta*, 52: 801-806

- Shamsipur, M., Fasihi, J., Khanchi, A., Hassani, R., Alizadeh, K., and Shamsipur H., 2007, A stoichiometric imprinted chelating resin for selective recognition of copper(II) ions in aqueous media, *Anal. Chim. Acta*, 599 : 294-301.
- Singh, D.K., and Mishra, S., 2009, Synthesis, Characterization and removal of Cd(II) using Cd(II)-ion imprinted polymer, *J. Hazard. Mater.*, 164: 1547-1551.
- Somorjai, G.A., 1972, *Principle of surface chemistry*, Prentice-Hall, New Jersey.
- Stumm, W., and Morgan, J.J., 1981., *Aquatic chemistry*, John Wiley and Sons, New York.
- Su, H., Chen, S., and Tan, T., 2007, Surface active site model for Ni<sup>2+</sup> adsorption of the surface imprinted adsorbent, *Process Biochem.*, 42: 612-619.
- Sürdem, S., 2004, *On line preconcentration, speciation and determination of chromium by flame atomic absorption spectrometry (FAAS) and cheluminescence (CL)*, Thesis, Departement Chemistry, The Middle East Technical University, [http://etd.lib.metu.edu.tr/upload/12546\\_2932.pdf](http://etd.lib.metu.edu.tr/upload/12546_2932.pdf)
- Terrada K., Matsumoto, K., and Kimura H., 1983, Sorption copper(II) by some complexing agents loaded on various support, *Anal. Chim. Acta*, 153: 237-247.
- Tokman, N., Akman, S., dan Ozcan, M., 2003, Solid phase extraction of bismuth, lead, and nickel from seawater using silica gel modified with 3-aminopropyltriethoxysilane filled in a syringe prior to their determination by graphite furnace atomic absorption spectrometry, *Talanta*, 59:201-205.
- Walas, S., Tobiasz, A., Gawin, M., Trzewik, B., Strojny, M., and Mrowiec, H., 2008, application of metal ion-imprinted polymer based on salen-cu complex to flow injection preconcentration and FAAS determination of copper, *Talanta*, 76: 96-101.

- William, D.H., dan Fleming, I., 1980, *Spectroscopic method in organic chemistry*, Third Edition, Mc Graw-Hill Book Company (UK) Limited, London
- Wilson, K., Lee, A.F., Macquarrie, D.J., and Clark, J.H., 2002, Structure and reactivity of sol-gel sulphonic acid silicas, *Appl. Catal. A : General*, 228: 127-133.
- Yang, H., Xu, R., Xue, X., Li, F., and Li, G., 2008, Hybrid surfactant templated mesoporous silica formed in ethanol and its application for heavy metal removal, *J. Hazard. Mater.*, 152: 690-698.
- Zareba-Grodz, I., Mista, W., Strek, W., Bukowska, Hermanowicz K., and Maruszewski K., 2004, Synthesis and properties of an inorganic-organic hybrid prepared by sol-gel method, *Optical Mater.*, 26 : 207-211.
- Zhai, Y., Liu, Y., Chang, X., Ruan, X., and Liu, J., 2008, Metal ion-small molecule complex imprinted polymer membranes: preparation and separation characteristics, *React. & Funct. Polymers*, 68: 284-291.
- Zhao, J., Han, B., Zhang, Y., and Wang, D., 2007, Synthesis of Zn(II) ion-imprinted solid-phase extraction materials and its analytical application, *Anal. Chim. Acta*, 603: 87-92.

-oo0oo-