PAPER NAME AUTHOR

Nuryaman_2019_J._Phys.__Conf._Ser._F Aang Nuryaman orecasting.pdf

WORD COUNT CHARACTER COUNT

2236 Words 11323 Characters

PAGE COUNT FILE SIZE

6 Pages 672.3KB

SUBMISSION DATE REPORT DATE

Oct 20, 2022 9:04 AM GMT+7 Oct 20, 2022 9:04 AM GMT+7

15% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 12% Internet database
- Crossref database
- 5% Submitted Works database

- 5% Publications database
- Crossref Posted Content database

Excluded from Similarity Report

- · Bibliographic material
- Cited material
- · Manually excluded sources


- Ouoted material
- Small Matches (Less then 10 words)
- · Manually excluded text blocks



Forecasting of Bandar Lampung's Population Using Growth Mathematical Models

4 cite this article: A Nuryaman et al 2019 J. Phys.: Conf. Ser. 1338 012037

View the article online for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research

Start exploring the collection - download the first chapter of every title for free.

IOP Conf. Series: Journal of Physics: Conf. Series 1338 (2019) 012037 doi:10.1088/1742-6596/1338/1/012037

Forecasting of Bandar Lampung's Population Using Growth Mathematical Models

A Nuryaman^{1,*}, M A A F Pamungkas¹ and S Saidi¹

¹Department of Mathematics, Faculty of Mathematics and Natural Science, Lampung University. Jl. Prof. Soemantri Brojonegoro No. 1 Gedong Meneng Bandarlampung, Indonesia

E-mail: aang.nuryaman@fmipa.unila.ac.id

Abstract. This paper investigates the projection on the population of Bandar Lampung City in 2017 - 2030 through a mathematical modeling approach. Here, we use four growth mathematical models particularly simple linear regression model, exponential model, logistic model and demographic transition model. The best approximation is chosen based on the smallest Mean Absolute Percentage Error (MAPE) value of the four models compared to the actual data. By using population data from 1995 - 2011, the results show that the model which gives the smallest MAPE is exponential model and the largest MAPE is demographic transition model.

1. Introduction

The number of population in a city, province or country is one of factors that are the center of attention of government. Bandar lampung is the capital of Lampung province with an area of $\pm 169.21 \ km^2$. The population density of Bandar lampung in 2016 is 5896 people per km^2 .

Based on data from Central Bureau of Statistics (Badan Pusat Statistik/BPS) of Bandar lampung, the population density of Bandar lampung in each year shows an increasing trend. The increasing trend of population density leads to social issues such as the availability of jobs, poverty and others. These problems must be the concern of the Bandar Lampung government. Therefore, to anticipate those problems, the government have to project the future population number as reference in determining of development policies. Mathematical modeling can be used as a tool to forecast the number of population in the future.

Earlier studies [1-4] have studied and used mathematical modeling to predict the population number in the future. Junior [1] used exponential (Malthusian) model to study the population growth of Sergipe. He determined the rate of population growth r with the following formula:

$$r = \left(\frac{\delta_t}{\delta_0}\right)^{1/t} - 1\tag{1}$$

Where δ_t denote population number at time t. In [2-4], in addition to the exponential model, the authors also used logistic model to predict the population number.

In this paper, we will discuss the population number forcasting for Bandar Lampung city using four models namely simple linear regression model, exponential model, logistic model and demographic

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

IOP Conf. Series: Journal of Physics: Conf. Series 1338 (2019) 012037 doi:10.1088/1742-6596/1338/1/012037

transition model. The accuracy of each model is evaluated by the mean absolute percentage errors (MAPE) with the criteria as specified in [5].

This paper is organized as follow. In Section 2, secondary data, methods and mathematical model reviewes are described. In Section 3, the prediction of population for each model is presented. The conclusions are written in the last section.

2. Materials and Methods

The secondary data that we used in this paper are obtained from Central Bureau on Statistics (Badan Pusat Statistik/BPS) of Indonesia for the period 1995 to 2016. The data are divided into two parts, 80% of data used to determine the parameter values in the related mathematical model and the rest to validate the mathematical model that was formed. Based on the available data, let t = 0,1,2,...,16 correspond to the year 1995,1996,1997,...,2011 and P(t) denotes population number at time t.

Here, estimation of population in the future year will be investigated using four mathematical models those are simple linear regression model, exponential model, logistic model and demographic transition model. The prediction accuracy of each mathematical model is determined by considering the MAPE value which is defined by the formula [5]:

$$MAPE = (100\%/n) \sum_{i=0}^{n} |(A_i - F_i)/A_i|$$
 (2)

where A_i is the actual value and F_i is the forecast value.

The model that will be used to forecast population number is the model which gives the smallest MAPE's value.

2.1 Simple linear regression model

Let we have data in the ordered pairs (t_0, P_0) , (t_1, P_1) , (t_2, P_2) , \cdots , (t_i, P_i) , \cdots , (t_n, P_n) . Assume that relationship between time (t) and population number P(t) is linear that is can be written as follow

$$P = a + bt + \varepsilon. (3)$$

where P = P(t). Least square method [6] gives

$$a = (\sum_{i=1}^{n} P_i \sum_{i=1}^{n} t_i^2 - \sum_{i=1}^{n} t_i \sum_{i=1}^{n} t_i P_i) / (n \sum_{i=1}^{n} t_i^2 - (\sum_{i=1}^{n} t_i)^2) \text{ and } b = (n \sum_{i=1}^{n} t_i P_i - \sum_{i=1}^{n} t_i \sum_{i=1}^{n} P_i) / (n \sum_{i=1}^{n} t_i^2 - (\sum_{i=1}^{n} t_i)^2).$$
 with $P_i = P(t_i)$.

2.2 Exponential model

The exponential model was proposed by Malthus [7] based on the assumption that the population grows at a rate proportional to the population size. This model can be written as an initial value problem

$$\frac{dP}{dt} = rP, \ 0 \le t; \ P(0) = P_0$$
 (4)

where the solution is

$$P(t) = P_0 e^{rt} (5)$$

In our research, grow rate r determined by choosing two data P_0 and $P(t_k)$ with

$$r = \frac{\ln\left(\frac{P(t_k)}{P_0}\right)}{t_k} \tag{6}$$

such that MAPE value of the forecast data using equation (5) is minimum.

2.3 Logistic model

The logistic growth model is a modification of the exponential model which proposed by Verhulst [8]. This model assumes that the population growth not only depends on the population size but also on how far this size is from its upper limit i.e. its carrying capacity (maximum supportable population). The governing equation of the logistic model is

$$\frac{dP}{dt} = r\left(1 - \frac{P}{K}\right)P, \ 0 \le t; \ P(0) = P_0 \tag{7}$$

IOP Conf. Series: Journal of Physics: Conf. Series 1338 (2019) 012037 doi:10.1088/1742-6596/1338/1/012037

where K is called carrying capacity. The solution of the initial value problem (7) is given by

$$P(t) = \frac{P_0 K}{P_0 + (K - P_0)e^{-rt}}$$
 (8)

In [4], carrying capasity is determined using formula

$$K = \frac{P(t_1)(P(t_0)P(t_1) - 2P(t_0)P(t_2) + P(t_1)P(t_2))}{P^2(t_1) - P(t_0)P(t_2)}$$

In this paper, the K and r parameters are determined by selecting three data $P(t_k)$, $P(t_{k+\tau})$ and $P(t_{k+2\tau})$ with

$$K = \frac{P(t_{k+\tau}) \left(2 P(t_k) P(t_{k+2\tau}) - P(t_{k+\tau}) P(t_{k+2\tau}) - P(t_k) P(t_{k+\tau}) \right)}{P(t_k) P(t_{k+2\tau}) - P^2(t_{k+\tau})}$$

and

$$r = -\frac{1}{\tau} \ln \frac{P(t_k) (P(t_{k+\tau}) - P(t_{k+2\tau}))}{P(t_{k+2\tau}) (P(t_k) - P(t_{k+\tau}))}$$

such that MAPE's value of the forecast data using equation (8) is minimum. Here τ denotes time period with $\tau = 1,2,...,8$ and k = 0,1,2,...,16.

2.4 Demographic transition model

Here, we adopt the model which was proposed by Adeng and Marroquin in [9], and described as follow

$$\frac{dP}{dt} = (r - fW)P\left(1 - \frac{P}{aN}\right)$$
$$\frac{dN}{dt} = N_0 - \delta P$$
$$\frac{dW}{dt} = \lambda P - \gamma \rho W P$$

The variables P, N and W denote population, natural resources and pollution, respectively. Initial values of each dependent variable are $P(0) = P_0$, $N(0) = N_0$ and $W(0) = W_0$. Based on available data, in this article, natural resources refer to total area of agricultural land, while pollution coresponds to landfill. The value of landfill rate use year 2000's version of SNI 19-3983-1995 data where Bandar Lampung was included as medium city.

3. Results and discussion

Based on available data, we get mathematical model of Bandar Lampung's population growth using simple linear regression is P(t) = 684440,14 + 12199,15t with correlation coefficient $\rho = 0.98$ and coefficient of determination $R^2 = 96,19\%$. Furthermore, for the exponential model, we get a growth rate is r = 1,64% based on 1995 and 2011 data. While the logistic model gives a growth rate about r = 1,6% based on data in 1995, 1997 and 1999. The comparison between actual and estimation data of Bandar lampung population for each model is presented in table 1 below.

Table 1. Comparison actual data and estimation data for each model

	Population actual data	Population estimation data of each model			
Year		Linear Regression	Exponential	Logistic	Demographic transition
1995	685862	684440	685862	685862	685862
1996	696949	696639	697189	696949	695988
1997	708212	708838	708704	708212	706540
1998	719659	721038	720408	719654	717435
1999	731290	733237	732306	731277	728419

ICASMI 2018 IOP Publishing

IOP Conf. Series: Journal of Physics: Conf. Series 1338 (2019) 012037 doi:10.1088/1742-6596/1338/1/012037

	Damulation	Population estimation data of each model			
Year	Population actual data	Linear Regression	Exponential	Logistic	Demographic transition
2000	743109	745436	744400	743084	739595
2001	754892	757635	756694	755078	750959
2002	767036	769834	769191	767262	762510
2003	790895	782033	781895	779639	774249
2004	800490	794233	794808	792212	786305
2005	809860	806432	807935	804983	798425
2006	844608	818631	821278	817955	810737
2007	812133	830830	834842	831133	823243
2008	822880	843029	848629	844518	835946
2009	833517	855228	862645	858113	848849
2010	881801	867427	876892	871923	862095
2011	891374	879627	891374	885950	875407
MAPE		1,032%	0,933%	0,936%	1,222%

The other side, table 2 illustrates the validation step for each model. From table 1 and table 2, modelling step and validation give an information that the exponential model is the best model to forecast Bandar lampung population number. Table 3 presents the projection of Bandar lampung population number from 2017 until 2030.

Table 2. Model validation

	Population actual data	Population estimation data of each model			
Year		Linear	Exponential	Logistic	Demographic
		Regression			transition
2012	902885	891826	906095	900198	892268
2013	942039	904025	921060	914669	906199
2014	960695	916224	936272	929367	920499
2015	979287	928423	951734	944296	934875
2016	997728	940622	967453	959459	949632
M	MAPE		2,194%	2,697%	3,704%

 Table 3: Projection of population

Year	Projection of population number
2017	983430
2018	999672
2019	1016182
2020	1032965
2021	1050025
2022	1067366
2023	1084994
2024	1102913

IOP Conf. Series: Journal of Physics: Conf. Series 1338 (2019) 012037 doi:10.1088/1742-6596/1338/1/012037

2025	1121128
Year	Projection of population number
2026	1139644
2027	1158466
2028	1177598
2029	1197047
2030	1216816

The demographic transition model provides the biggest MAPE's value posible due to the application of limited assumptions on natural resources and pollution where we assume only the total of agricultural land and volume of landfill. In addition, limited information on some parameter values also affect the estimation accuracy based on this model.

In the other side, based on table 1. Table 2 and table 3, every year the Bandar Lampung population grows up with growth rate around 1.6%. In addition to natural birth and death factors, the existence of three state higher education institutions, job opportunities and more complete facilities become the factor of increasing trend of Bandar Lampung's population. In addition to being economically beneficial, the population migration to Bandar Lampung can also create new problems such as social problems, availability of jobs, housing problems, health problems and so on. The government must be pay attention to these problems when making public policies.

Conclusions

We have presented some mathematical models to forecast the population of Bandar lampung from 2017 until 2030. Based on available data, we conclude that the exponential model is the best model to estimate population number of Bandar lampung city with MAPE's value is 0,933%. By using the exponential model, the population projection in 2030 is 1216816 people.

Acknowledgment

The authors would like to thanks BPS's leader and Dinas Pertanian's leader of Bandar Lampung city for their valuable helping to acces data that we need.

References

- Junior R S S 2014 Application of maathematical modeling to study the population growth of [1] Sergipe International Journal of Educational Studies 1 3 pp 119-123
- Venkatesha V, Eunice G B S and Akashaya B 2017 Mathematical modelling of population [2] growth International Journal of Science, Engineering and Management 2 11 pp 117-121
- Ofori T, Ephraim L and Nyarko F 2013 Mathematical model of Ghana's population growth [3] International Journal of Management Sciences 2 2 pp 57-66
- Wali A, Ntubabare D and Mboniragira V 2011 Mathematical modeling of Rwanda's population [4] growth *Applied Mathematical Sciences* **5** 53 pp 2617-28
- Lewis C D 1982 International and business forecasting method; A practical guide to [5] exponential smoothing and curve fitting (London: Butterworth Scientific)
- Yan X and Su X G 2009 Linear Regreesion Analysis: Theory and Computing (Singapore: [6] World Scientific Publishing Co. Pte.Ltd)
- Malthus T R 1798 An Essay on the principle of population (1st edition, plus excerpts 1803 2nd [7] edition), Introduction by Philip Appleman, and assorted commentary on Malthus edited by Appleman Norton Critical Editions (ISBN 0-393-09202-X)
- Verhulst P F 1838 Noticesur la loique la population poursuitdans son Accroissement [8] Correspondance mathematique et physique 10
- [9] Adeng J M and Marroquin F A 2008 The Population Growth Model

15% Overall Similarity


Top sources found in the following databases:

- 12% Internet database
- Crossref database
- 5% Submitted Works database

- 5% Publications database
- Crossref Posted Content database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.



9	ejournal.uksw.edu Internet	<1%
10	m.scirp.org	<1%

Excluded from Similarity Report

- Bibliographic material
- · Cited material
- · Manually excluded sources

- Quoted material
- Small Matches (Less then 10 words)
- Manually excluded text blocks

EXCLUDED SOURCES

A Nuryaman, M A A F Pamungkas, S Saidi. "Forecasting of Crossref	f Bandar Lampung's 60%
repository.lppm.unila.ac.id Internet	4%
researchgate.net Internet	2%
Sriwijaya University on 2019-10-26 Submitted works	2%

EXCLUDED TEXT BLOCKS

ICASMI 2018IOP

www.coursehero.com

Content from this work may be used under the terms of the Creative Commons Att...

eprints.umpo.ac.id

ICASMI 2018IOP

www.coursehero.com

ICASMI 2018IOP

www.coursehero.com

ICASMI 2018IOP

www.coursehero.com

ICASMI 2018IOP

www.coursehero.com