

Bukti Email Korespondensi

Judul Naskah Jurnal: *In Vitro* Study: Induced Resistance Of Cassava (*Manihot esculenta* Crantz.) Plantlet Against *Fusarium oxysporum* Based On Analysis Of Phenol Content

Nama Jurnal : World Journal of Pharmaceutical and Life Sciences WJPLS. 2019. Vol. 5(2):195-198.

Link Jurnal : https://www.wjpls.org/home/article_abstract/1273



New Manuscript Submission

From: Endang Nurcahyani (endang_nurcahyani@yahoo.com)

To: editor.wjplsjournal@gmail.com

Date: Wednesday, January 23, 2019 at 11:07 AM GMT+7

Dear Editor

WJPLS

I herewith attaching an article titled:

“In Vitro Study: Induced Resistance of Cassava (*Manihot esculenta* Crantz.) Planlet Against *Fusarium oxysporum* Based on Analysis of Phenol Content” submitted to *WJPLS* journal to be considered for publication.

Thank you.

Sincerely,

Dr. Endang Nurcahyani

Dept. of Applied Biology,

Faculty of Mathematics and Natural Sciences,

University of Lampung,

Bandar Lampung,

Indonesia 35145



ENDANG_NURCAHYANI_CASSAVA_WJPLS_JANUARY.2019.docx
32.5kB

Re: New Manuscript Submission

From: WJPLS JOURNAL Office (editor.wjplsjournal@gmail.com)

To: endang_nurcahyani@yahoo.com

Date: Wednesday, January 23, 2019 at 01:07 PM GMT+7

Dear Dr. Endang Nurcahyani,

We have received your Article for publication in WJPLS Coming Issue,

Your Manuscript No. is WJPLS/1963/5/2019,

Use this reference no. for further communication,

Also you can check your article status on,

http://www.wjpls.org/home/track_articles,

Soon we will inform you status on your article.

On Wed, Jan 23, 2019 at 9:37 AM Endang Nurcahyani <endang_nurcahyani@yahoo.com> wrote:

Dear Editor

WJPLS

I herewith attaching an article titled:

“In Vitro Study: Induced Resistance of Cassava (*Manihot esculenta* Crantz.) Planlet Against *Fusarium oxysporum* Based on Analysis of Phenol Content” submitted to WJPLS journal to be considered for publication.

Thank you.

Sincerely,

Dr. Endang Nurcahyani

Dept. of Applied Biology,

Faculty of Mathematics and Natural Sciences,

University of Lampung,

Bandar Lampung,

Indonesia 35145

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org

WJPLS Manuscript ID No. WJPLS/ 1963/5/2019

From: WJPLS JOURNAL Office (editor.wjplsjournal@gmail.com)

To: endang_nurcahyani@yahoo.com

Date: Wednesday, January 23, 2019 at 01:50 PM GMT+7

WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES ISSN 2454-2229

Impact Factor 5.088 & ICV 76.2

Dear Dr. Endang Nurcahyani

WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES has received your manuscript entitled '**In Vitro Study: Induced Resistance of Cassava (*Manihot esculenta* Crantz.) Plantlet Against *Fusarium oxysporum* Based on Analysis of Phenol Content**' for publication in WJPLS.

The reference number for this manuscript is **WJPLS/1963/5/2019**

Kindly quote this in correspondence related to your manuscript. The Editors will send to review the submitted manuscript initially. If found suitable, Editor will send the Acceptance Letter for the article. During this process you are free to check the progress of the manuscript through various phases from our online manuscript processing site on (Track your article)

http://wjpls.org/home/track_articles

We thank you for submitting your valuable research work to the WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES .

You are requested to convey/circulate/forward the information about World Journal of Pharmaceutical and Life Sciences to all of your friends/ teacher/ colleagues and students. For further details please visit us at: www.wjpls.org

Yours sincerely

The Editorial Team

Re: WJPLS Manuscript ID No. WJPLS/ 1963/5/2019

From: Endang Nurcahyani (endang_nurcahyani@yahoo.com)

To: editor.wjplsjournal@gmail.com

Date: Thursday, January 24, 2019 at 10:36 AM GMT+7

Dear Editorial WPJLS,

Thank you ... I will wait for further information

Sincerely,

Dr. Endang Nurcahyani

*Dept. of Applied Biology, Faculty of Math and Natural of Sciences
University of Lampung
Bandar Lampung
Indonesia*

On Wednesday, January 23, 2019, 1:50:44 PM GMT+7, WJPLS JOURNAL Office
<editor.wjplsjournal@gmail.com> wrote:

WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES ISSN 2454-2229

Impact Factor 5.088 & ICV 76.2

Dear Dr. Endang Nurcahyani

WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES has received your manuscript entitled '**In Vitro Study: Induced Resistance of Cassava (*Manihot esculenta* Crantz.) Plantlet Against *Fusarium oxysporum* Based on Analysis of Phenol Content**' for publication in WJPLS.

The reference number for this manuscript is **WJPLS/1963/5/2019**

Kindly quote this in correspondence related to your manuscript. The Editors will send to review the submitted manuscript initially. If found suitable, Editor will send the Acceptance Letter for the article. During this process you are free to check the progress of the manuscript through various phases from our online manuscript processing site on (Track your article)

http://wjpls.org/home/track_articles

We thank you for submitting your valuable research work to the WORLD JOURNAL OF PHARMACEUTICAL AND LIFE SCIENCES .

You are requested to convey/circulate/forward the information about World Journal of Pharmaceutical and Life Sciences to all of your friends/ teacher/ colleagues and students. For further details please visit us at: www.wjpls.org

Yours sincerely

The Editorial Team

|

Acceptance Letter of Manuscript WJPLS/1963/5/2019

From: WJPLS JOURNAL Office (editor.wjplsjournal@gmail.com)

To: endang_nurcahyani@yahoo.com

Cc: editor@wjpls.org

Date: Sunday, January 27, 2019 at 08:51 AM GMT+7

World Journal of Pharmaceutical and Life Sciences ISSN 2454-2229 WJPLS
[\[www.wjpls.org\]](http://www.wjpls.org)

Impact Factor 5.088 & ICV 76.2

Dear Dr. Endang Nurcahyani,

Its Our Pleasure to Inform you that World Journal of Pharmaceutical and Life Sciences,

Impact Factor has been increased from **4.223 to 5.088** and Index Copernicus Value **(ICV) 76.2**,

Due to High Quality Publication at International Level, Also your manuscript WJPLS/1963/5/2019

has been approved by the Reviewer for publication in Current (January) Issue of WJPLS.

Herewith sending you Acceptance and Processing fees Letter for your Manuscript,

You can Download Copy right form, from the link www.wjpls.org and send us,

Also submit processing fees as soon as possible, all details given in the attachment.

Copy proof for your Article will send you after receiving of processing fees.

Reviewer Comments

- 1) Article is suitable for Publication in WJPLS: Accepted
- 2) Manuscript Score: 89/100.

Note: Submit Passport size photo to publish along with your article.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org



Acceptance letter 1963.pdf
208.3kB



B. Processing Fees 1963.pdf
165.2kB



Copy_Right_Form.pdf
51.6kB

Re: Acceptance Letter of Manuscript WJPLS/1963/5/2019

From: Endang Nurcahyani (endang_nurcahyani@yahoo.com)

To: editor.wjplsjournal@gmail.com

Date: Wednesday, January 30, 2019 at 01:47 PM GMT+7

Dear Editorial Office

World Journal of Pharmaceutical and Life Sciences

WJPLS

Today, January 30, 2018, I have just made payment of APC Manuscript No. WJPLS/1963/5/2019, and Manuscript Title: **In Vitro Study: Induced Resistance of Cassava (*Manihot esculenta* Crantz.) Plantlet Against *Fusarium oxysporum* Based on Analysis of Phenol Content**. Proof of transfer process and CTA attached.

Thank you for your cooperation.

Regards,

Dr. Endang Nurcahyani

Dept. of Applied Biology

Faculty of Mathematics and Natural of Science

University of Lampung

Bandar Lampung

Indonesia 35145

On Sunday, January 27, 2019, 8:51:27 AM GMT+7, WJPLS JOURNAL Office
<editor.wjplsjournal@gmail.com> wrote:

World Journal of Pharmaceutical and Life Sciences ISSN 2454-2229 WJPLS
[\[www.wjpls.org\]](http://www.wjpls.org)

Impact Factor 5.088 & ICV 76.2

Dear Dr. Endang Nurcahyani,

Its Our Pleasure to Inform you that World Journal of Pharmaceutical and Life Sciences,
Impact Factor has been increased from **4.223 to 5.088** and Index Copernicus Value (ICV) **76.2**,
Due to High Quality Publication at International Level, Also your manuscript WJPLS/1963/5/2019
has been approved by the Reviewer for publication in Current (January) Issue of WJPLS.
Herewith sending you Acceptance and Processing fees Letter for your Manuscript,
You can Download Copy right form, from the link www.wjpls.org and send us,
Also submit processing fees as soon as possible, all details given in the attachment.
Copy proof for your Article will send you after receiving of processing fees.

Reviewer Comments

- 1) Article is suitable for Publication in WJPLS: Accepted
- 2) Manuscript Score: 89/100.

Note: Submit Passport size photo to publish along with your article.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org



PROOF TRANSFER-1 WJPLS.1963.5.2019.jpg
2.9MB



PROOF.TRANSFER.2.WJPLS.1963.5.2019.jpg
21.5MB

Copy Proof of WJPLS/1963/5/2019

From: WJPLS JOURNAL Office (editor.wjplsjournal@gmail.com)

To: endang_nurcahyani@yahoo.com

Date: Saturday, February 2, 2019 at 05:49 PM GMT+7

Dear Dr. Endang Nurcahyani,

Submit Passport size photo for publication with your article.

Please find the attachment of Copy Proof for your Article.

Please read these proofs carefully and if found any correction return via email to editor.wjplsjournal@gmail.com or editor@wjpls.org

Please do not make changes that involve only matters of style. We have generally introduced revisions that follow the journal's style. Please return the list of corrections in the following format (doc. file) in a separate word file to as early as possible of receipt of this email so that publication may proceed on schedule.

Page No	Paragraph No.	Line No.	Mistake in the Gallery Proof	Corrections to be carried out

Note: Please carefully check your article and send reply to WJPLS.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org



WJPLS 1963.pdf
526.6kB

Re: Copy Proof of WJPLS/1963/5/2019

From: Endang Nurcahyani (endang_nurcahyani@yahoo.com)

To: editor.wjplsjournal@gmail.com

Date: Monday, February 4, 2019 at 04:51 AM GMT+7

Dear

Editorial Office WJPLS

Herewith I send the list of corrections from Copy Proof of our article (Manuscript No: **WJPLS/1963/5/2019**) and **Main Author's Passport size photo (Dr. Endang Nurcahyani)** [in attachment].

Thank you for your cooperation and I look forward to hearing more information from you.

Sincerely,

Dr. Endang Nurcahyani

Dept. of Applied Biology, Faculty of Math and Natural of Sciences

University of Lampung

Bandar Lampung

Indonesia 35145

On Saturday, February 2, 2019, 5:49:23 PM GMT+7, WJPLS JOURNAL Office
<editor.wjplsjournal@gmail.com> wrote:

Dear Dr. Endang Nurcahyani,

Submit Passport size photo for publication with your article.

Please find the attachment of Copy Proof for your Article.

Please read these proofs carefully and if found any correction return via
email to editor.wjplsjournal@gmail.com or editor@wjpls.org

Please do not make changes that involve only matters of style. We have generally introduced revisions that follow the journal's style. Please return the list of corrections in the following format (doc. file) in a separate word file to as early as possible of receipt of this email so that publication may proceed on schedule.

Page No	Paragraph No.	Line No.	Mistake in the Gallery Proof	Corrections to be carried out

Note: Please carefully check your article and send reply to WJPLS.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org



The List of Corrections of Copy Proof of WJPLS.1963.5.2019.docx
12.5kB



Copy Proof of WJPLS.1963.5.2019-Dr.EndangNurcahyani - sent.pdf
525.1kB



Dr. Endang Nurcahyani.jpg
128.4kB

Correction in Copy Proof

From: WJPLS JOURNAL Office (editor.wjplsjournal@gmail.com)

To: endang_nurcahyani@yahoo.com

Date: Monday, February 4, 2019 at 02:20 PM GMT+7

Dear Dr. Endang Nurcahyani,

We have received your Photo,

Correction has been done as per your suggestion,

Kindly check it.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org



WJPLS 1963.pdf
526kB

WJPLS: 1 February 2019 Issue Published [Visit to Find Your Article]

From: WJPLS Journal (editor@wjpls.org)

To: drwasimraja84@gmail.com; rashisinha7777@gmail.com; endang_nurcahyani@yahoo.com;
kanisena1996@gmail.com; anushaks2005@gmail.com

Date: Monday, February 4, 2019 at 06:17 PM GMT+7

[World Journal of Pharmaceutical and Life Sciences \[WJPLS\] ISSN 2454-2229](#)

www.wjpls.org

Impact Factor: 5.088 & ICV 76.2

Dear Author,

Its our pleasure to inform you that WJPLS Impact Factor has been increased from 4.223 to 5.088,

Also WJPLS 1 February 2019 Issue has been Published with great success,

You can find your Article in Current Issue from Journal Website <http://wjpls.org/home>

or through direct link http://wjpls.org/home/current_issues

We are thankful to all Authors, Reviewer and Editorial Board Member of WJPLS to make it successful.

Manuscript for the Next Coming Issue also Invited for from you.

--

Editorial Office
World Journal of Pharmaceutical and Life Sciences
WJPLS
www.wjpls.org

Acceptance Letter

Manuscript No: WJPLS/1963/5/2019

Date: 27/01/2019

TITLE: IN VITRO STUDY: INDUCED RESISTANCE OF CASSAVA
(*MANIHOT ESCULENTA CRANTZ.*) PLANTLET AGAINST
FUSARIUM OXYSPORUM BASED ON ANALYSIS OF PHENOL
CONTENT

**Dear Endang Nurcahyani, Sumardi, Bambang Irawan, Evi Yunita Sari,
Tika Lidia Sari**

We are pleased to inform you that out of various research articles submitted, Experts/ Referees Panel of WJPLS has recommended your manuscript for publication, so **World Journal of Pharmaceutical and Life Sciences** has been accepted your manuscript for publication in Current (January) Issue of **WJPLS**.

World Journal of Pharmaceutical and Life Sciences publishes all its article in full open access format which are easily accessible for scientific community.

Kindly send the scanned copy of CTA form (Copyright Transfer Agreement). As early as possible. CTA form available at


www.wjpls.org

Thanking You

Editor in chief

Prof. Dr. Valentina Petkova

WJPLS



IN VITRO STUDY: INDUCED RESISTANCE OF CASSAVA (*MANIHOT ESCULENTA* CRANTZ.) PLANTLET AGAINST *FUSARIUM OXYSPORUM* BASED ON ANALYSIS OF PHENOL CONTENT

Dr. Endang Nurcahyani*, Dr. Sumardi, Dr. Bambang Irawan, Evi Yunita Sari and Tika Lidia Sari

Dept. of Applied Biology, Faculty of Mathematics and Natural of Science, University of Lampung, Bandar Lampung, Indonesia.

*Corresponding Author: Dr. Endang Nurcahyani

Dept. of Applied Biology, Faculty of Mathematics and Natural of Science, University of Lampung, Bandar Lampung, Indonesia.

Email ID: endang_nurcahyani@yahoo.com.

Article Received on 20/12/2018

Article Revised on 11/01/2019

Article Accepted on 01/02/2019

ABSTRACT

Cassava (*Manihot esculenta* Crantz.) is a tropical and subtropical annual shrub from the Euphorbiaceae tribe. Tuber is widely known as a staple food-producing carbohydrates and leaves as a vegetable. Indonesia is the second largest country producing Cassava after Nigeria with an average of five years' total supply of 9.67 million tons or 10.61% of the total supply of world cassava. Central Cassava land in Indonesia is controlled by Lampung Province with cassava production in Lampung Province reaching 8.33 million tons in 2013. This situation makes Lampung a supplier of one-third of the national Cassava production from national production of 23.92 million tons. However, there are still many production constraints in Cassava cultivation, including Fusarium wilt. This disease is caused by the *Fusarium oxysporum* fungus, which until now still cannot be treated effectively. The use of Cassava cultivars that are resistant to fusarium wilt with high yields is expected to be an important disease control alternative. This study aims to determine and determine the specific expression character of Fo-resistant Cassava plantlets, which are phenol content. The Cassava Plantlet has been initiated and selected in vitro in the Murashige and Skoog (MS) medium with the addition of fusaric acid (FA) at a concentration of 0 ppm (control), 20 ppm, 40 ppm, 60 ppm and 80 ppm. The purpose of this study was to determine the phenol content after being induced by fusaric acid and inoculated by *Fusarium oxysporum*. The results showed that in vitro, the concentration range of fusaric acid tolerant for selection of Cassava plantlets with optimum growth was between 20 ppm - 80 ppm; the higher the concentration of FA, the higher the phenol content of the Cassava plantlets.

KEYWORDS: Cassava plantlet; *Fusarium oxysporum*; Induced Resistance; in vitro; the phenol content.

I. INTRODUCTION

Indonesia is the second largest country producing Cassava after Nigeria with an average of five years' total supply of 9.67 million tons or 10.61% of the total supply of world cassava, followed by Brazil, India and United Republic of Tanzania respectively ranged from 8.67 - 4.96 million tons or 9.52% - 5.44%, the rest contributed under 5.30%.^[1]

One of the problems encountered in cultivating Cassava is Fusarium wilt caused by the fungus *F.oxysporum* (*Fo*) and is medium-transmitted.^[2,3] reported that 50% of Cassava tubers produced and harvested in Nigeria were lost due to disease. The main causes of decay of Cassava include: *Aspergillus flavus*, *Aspergillus niger*, *Botryodiplodia theobromae*, *Collectotrichum spp*, *Geotrichum candidum*, *Penicillium chrysogenum*, *Pennicillium digatum*, *Fusarium oxysporum*.^[4,5,6] This organism reduces the quantity and quality of the plant tubers.^[7]

Disease control on Cassava has been carried out using pesticides which often cause pollution to the environment. Chemicals have been shown to help control Cassava disease, especially when the tuber has been attacked by pathogens.^[8] The main problem with chemicals is that it is a big challenge for ecosystems and also the use of chemicals that often predispose them to resistance. One way to control diseases that are safe for the environment is to use varieties that are resistant to induced resistance.^[9] The use of superior varieties that are resistant to *Fo* with high yield power is one of the important disease control alternatives and does not cause negative impacts such as the use of pesticides. The development of the *Fo*-resistant Cassava cultivar can be carried out, among others, by the in vitro selection method that is culturing explants in the form of tissue or organs in a medium containing selective concentration fusaric acid.^[10]

Fusaric acid (FA) is a metabolite produced by several fungal species from the genus *Fusarium*. Chemically FA is called 5-n-butylpicolinic acid. This acid can be toxic so that it inhibits growth and culture regeneration,^[11,10] but at non-toxic concentrations it helps to induce the synthesis of phytoalexin, a form of plant response to inhibit pathogenic activity.^[10] Some parameters can illustrate the occurrence of plant resistance mechanisms against pathogenic infections such as an increase in phenol compounds, an increase in peroxidase enzymes (including PR-protein groups), and the presence of lignification.^[12,13,14] Identification of insensitive mutants or variants of FA with in vitro selection was carried out on tomato plants,^[15] bananas,^[16,17] gladiolus,^[18] pineapple,^[19] *Sphatoglottis plicata*^[20,21] as well as vanilla.^[22,23,24,25] The results of the researchers' research showed that somaclonal regeneration of cell mass that is resistant to the toxin was also resistant to pathogens, and this trait was passed on to the next generation. The use of FA in a tolerant concentration so far has never been reported with certainty and precisely in the Induced Resistance Cassava plantlets against *Fo*. Therefore, research on the role of FA as an in vitro inducing resistance is interesting to do.

II. MATERIAL AND METHODS

Materials research in the form of *Cassava* obtained from previous research. For resistance analysis and phenol content used 70% alcohol, Potato Dextrose Agar (PDA), gallic acid, Folin-Ciocalteu reagent, Na₂CO₃, sodium carbonate, 80% ethanol.

Analysis of total phenol compounds using the Singleton & Rossi method.^[26] Preparation of standard calibration curve for gallic acid phenol is used as a standard solution. Preparation of sample plantlets prepared according to the method of.^[27] Measurement of total phenol was carried out by taking a supernatant of 0.5 mL into a 100 mL volumetric flask, plus 250 μ L of Folin-Ciocalteu reagent, after leaving it for 5 minutes then 1 mL Na₂CO₃ was added. After mixing evenly, it was put into cuvettes with a volume of 5 mL and observed absorption values at a wavelength of 765 nm using a spectrophotometer (*Beckman DU-65*), distilled water was used as a control. Based on the absorption value then determined the content of phenol compounds based on the gallic acid regression equation, namely the relationship between the absorption value of plantlet extract and the series of gallic acid concentrations.

Qualitative information as the result on this research was consisted as narratives descriptive and supported by photographs. After that, data's were statistically analyzed by Completely Randomized Design. As quantitatively data's from each parameter measured, were compiled and statistically analyzed by analysis of variance (ANOVAs). If the result showed a significantly different, then was continued analyzed by using Duncan Multiple Range Test (DMRT) analysis with accuracy 95%.^[28]

III. RESULTS AND DISCUSSION

Phenol compounds are the result of plant metabolism that is formed with one of the functions as a system of chemical resistance of plants that can prevent the growth and development of pathogens.^[12] Before observing the analysis of total phenol compounds in Cassava plantlets for each treatment, a standard curve measurement was performed using gallic acid first. The measurement of this curve is done to estimate the quantity of total phenol with linear regression.^[26] From the measurement of this standard curve produced a linear regression line equation ($y = 0.002x - 0.005$) and has a high positive correlation value ($R_2 = 0.996$). This shows that the diversity is homogeneous between the concentration of gallic acid and absorbance. Based on the standard gallic acid curve, the total phenol content of each treatment can be searched based on the regression line equation (Table 1).

Table 1: Total phenol content (%) of control and fusaric acid (0, 20, 40, 60, and 80 ppm).

Treatment (ppm)	Average total phenol content (%)
0 ppm	5,41 \pm 0,03 ^a
20 ppm	6,35 \pm 0,02 ^b
40 ppm	6,54 \pm 0,03 ^b
60 ppm	6,88 \pm 0,03 ^c
80 ppm	6,92 \pm 0,02 ^c

Description: The numbers followed by unequal letters on one column are significantly different based on the Duncan test at 95% confidence degree, after being transformed to \sqrt{x} + Based on Table 1, it is clear that the increase in total phenol levels from about 5.41% in controls, increased to 6.35% at FA stress 20 ppm, followed by 6.54% at 40 ppm, 6.88 ppm at 60 ppm and 6, 92% at 80 ppm. This proves that due to the higher concentration of FA stress, the total phenol content produced will also increase. The increase in the total phenol compound in the Cassava plantlets induced by FA, is another proof of the increase in plant resistance in resisting the rate of *Fo* infection. This is in accordance with the opinion of,^[12] which states that one of the parameters for increasing plant resistance to pathogens is the increase in phenol compounds. According to,^[10] FA on non-toxic concentrations (10⁻⁷) stimulates the formation of H₂O₂ which is strongly associated with the peroxidase enzyme. Furthermore, this enzyme will oxidize phenol compounds.

The results of this study are similar to the results of a study conducted by,^[29] patchouli plants infected by endophytic bacteria and nematodes showed that there was an indication of an increase in phenolic content by *Achromobacter xylooxidans*. Total phenol levels were also reported by^[30] on Chickpea plants infected with *Fusarium oxysporum* f.sp. *ciceris*. From the study it was found that there was an increase in total phenol of around 16-17%.

IV. CONCLUSION

Based on the results and discussions that have been described in advance can be concluded as follows. The concentration range of fusaric acid tolerant for selection of cassava plantlets with optimum growth is between 20 ppm - 80 ppm. The higher the concentration of fusaric acid, the higher the total phenol level, the Cassava plantlet with *Fusarium oxysporum*.

ACKNOWLEDGEMENT

Thanks the authors to the Institute for Research and Community Service through the BLU fund of University of Lampung, based on the Letter of Assignment of "Penelitian PASCASARJANA" 2018 Number of Contract: 1344/UN26.21/PN/2018/25 June 2018.

REFERENCES

1. Anonymous. *Statistik Harga Komoditas Pertanian Tahun 2013*. Pusat Data dan Sistem Informasi Pertanian (Pusdatin). Jakarta, 2013.
2. Arinze, AE, Plant Pathology and Post-harvest Food Loss. *An Inaugural Lecture Series*, 2005; 43: 29-72.
3. Okigbo RN, Putheti R, Achusi CT, Post-harvest deterioration of cassava and its control using extracts of *Azadirachta indica* and *Afromonium meleguata*. *E-J Chem*, 2009; 6(4): 1274-1280.
4. Ogunleye AO, Ayansola OT. Studies of Some Isolated Rot-Causing Mycoflora of Yams (*Dioscorea Spp.*). *American Journal of Microbiology and Biotechnology*, 2014; 1(1): 9-20.
5. Okigbo NR, Enweremadu CE, Agu CK, Ironodi RC, Okeke BC. Control of White Yam (*Dioscorea rotundata*) Rot Pathogen using Peel Extract of Water Yam (*Dioscorea alata*). *Advances in Applied Science Research*, 2015; 6(10): 7-13.
6. Gwa IV, Bem AA, Okoro JK. Yams (*Dioscorea rotundata* Poir and *D. Alata* Lam.) Fungi Etiology in Katsina-Ala Local Government Area of Benue State, Nigeria. *Journal of Phytopathology and Plant Health*, 2015; 3: 38-43.
7. Amusa NA, Adegbite AA, Muhammed S, Baiyewu RA. Yam diseases and its management in Nigeria. *African Journal of Biotechnology*, 2003; 2(12): 497-502.
8. Markson, A. A., Amadioha, A. C., Omosun, G., Madunagu, B. E., Udo, S. E., Umana, E. J. Control of *Botryodiplodia theobromae* causing Tissue Rot of White Yam (*Dioscorea rotundata* Poir). *Scholarly Journal of Agricultural Science*, 2012; 2(1): 1-7.
9. Agrios GN. *Plant Pathology*. Fifth Edition. Academic Press. New York, 2005; 922.
10. Bouizgarne, B, Bouteau HEM, Frankart C, Rebutier D, Masiona K, Pennarun AM, Monestiez M, Trouverie J, Amiar Z, Briand J, Brault M, Rona JP, Ouhdouch Y, & Hadrami EI., Early Physiological Responses of *Arabidopsis thaliana* Cells to Fusaric Acid : Toxic and Signalling Effects. *New Phytologist*, 2006; 169: 209 – 218.
11. Landa BB, Cachinero-Diaz JM, Lemanceu P, Jimenez-Diaz RM, & Alabouvette C, Effect of Fusaric Acid and Phytoanticipins on Growth of Rhizobacteria and *Fusarium oxysporum*. *Canadian Journal of Microbiology*, 2002; 48: 971-985.
12. Vidhyasekaran P. *Fungal Pathogenesis in Plants and Crops, Molecular Biology and Host Defense Mechanism*. Marcel Dekker. New York, 1997; 553.
13. Agrawal AA, Tuzun S, & Bent E. *Induced Plant Defenses Against Pathogens and Herbivores, Biochemistry, Ecology, and Agriculture*. APS Press, St. Paul, Minnesota, 1999; 390.
14. Lea P. & Leegood RC, *Plant Biochemistry and Molecular Biology*. 2nd ed. John Wiley & Sons Ltd. Chichester, 1999; 364.
15. Toyoda H, Hayashi H, & Yamamoto K. Selection of Resistance Tomato Calli to Fusaric Acid. *Ann. Phytopathol. Soc. Japan*, 1984; 50: 538-540.
16. Morpurgo R, Lopato SV, Afza R, & Novak FJ. Selection parameters for Resistance to *Fusarium oxysporum* f.sp. *cubense* race 1 and 4 on Diploid Banana (*Musa acuminata* Colla). *Euphytica*, 1994; 75: 121-129.
17. Matsumoto K, Barbosa ML, Souza LAC, & Teixeira JB. Race 1 Fusarium Wilt tolerance on banana plants selected by Fusaric Acid. *Euphytica*, 1995; 84: 67-71.
18. Remotti PC, Löfler HJM & Loten-Doting LV. Selection of Cell Lines and Regeneration of Plants Resistance to Fusaric Acid from Gladiolus x grandiflorus cv. 'Peter Pear'. *Euphytica*, 1997; 96: 237-245.
19. Boras O, Santos R, Matos A, Cabral P, & Arzola RS., A First Attempt to Use A Fusarium subglutinans Culture Filtrate For The Selection of Pineapple Cultivar to Fusariose Disease. *Plant Breeding*, 2001; 120(5): 345-438.
20. Nurcahyani E, R. Agustrina, T. T. Handayani. The protein Profile of the Plantlets of *Spathoglottis plicata* Bl. Induced Resistance to *Fusarium oxysporum*. *Journal of Plant Sciences*, 2016a; 4(5): 102-105.
21. Nurcahyani E, Rochmah Agustrina, Erdi Suroso, Gardis Andari. Analysis of Peroxidase Activity and Total Phenol from *Spathoglottis plicata* Bl Plantlet Toward to *Fusarium oxysporum*. *International Journal of Applied Agricultural Sciences*, 2016b; 2(6): 79-82.
22. Nurcahyani E, Sumardi I, Hadisutrisno B, & Suharyanto E. Suppression of Development of Vanilla Foot Rot Disease (*Fusarium oxysporum* f. sp. *vanillae*) Through In Vitro Fusaric Acid Selection. *Journal of Tropical Plant Pests and Diseases*. Accreditation of DIKTI No.110/DIKTI/Kep/2009. ISSN: 1411-7525, 2012; 12(1): 12-22.
23. Nurcahyani, E., Hadisutrisno, B., Sumardi, I., & Suharyanto, E., Identifikasi galur planlet vanili (*Vanilla planifolia* Andrews) Resisten terhadap infeksi *Fusarium oxysporum* f. sp. *vanillae* hasil

- seleksi *in vitro* dengan asam fusarat. *Prosiding Seminar Nasional: "Pengendalian Penyakit Pada Tanaman Pertanian Ramah Lingkungan"*. Perhimpunan Fitopatologi Indonesia Komda Joglosemar-Fakultas Pertanian UGM. ISBN 978-602-71784-0-3./2014 Hal, 2014; 272-279.
24. Nurcahyani E, Sumardi I, Hadisutrisno B and Suharyanto E. DNA Pattern Analysis of *Vanilla planifolia* Andrews Plantlet Which Resistant To *Fusarium oxysporum* f. sp. *vanillae*. *WJPLS*, 2017; (3)4: 27-34.
 25. Nurcahyani E, Yulianty, and Suharyanto E, In Vivo Study: Characterization of Mutants *Vanilla planifolia* Andrews Resistant To *Fusarium* Wilt Disease Based On Analysis of the Lignin and the Phenol Content. *IOSR Journal of Agriculture and Veterinary Science (IOSR-JAVS)*, 2018; 11(3): 15-18. ISSN 2319-2380.
 26. Aberouman AA & Deokule SS. Comparison of Phenolic Compounds of Some Edible Plants of Iran and India. *Pakistan Journal of Nutrition*, 2008; 7: 582-585.
 27. Ozygi II, Kahraman MV & Ercan O. Relation Between Explant Age, Total Phenol and Regeneration Response in Tissue Cultured Cotton (*Gossypium hirsutum* L.). *African Journal of Biotechnology*, 2007; 6: 3-8.
 28. Gomez KA, Gomez AA, Statistical Procedures for Agricultural Research (2nd edn). John Wiley and sons, USA, 1984; 680.
 29. Harni R, Supramana, Sinaga MS, Giyanto, & Supriadi. Mekanisme Bakteri Endofit mengendalikan nematoda *Pratylenchus brachyurus* Pada Tanaman Nilam. *Bul. Littro*, 2012; 23(1): 102-114.
 30. Khan IA, Alam SS, Haq A, & Jabbar A. Biochemistry of Resistance in *Chicpea* Against Wilt Disease Caused by *Fusarium oxysporum* f. sp. *ciceris*. *Pak. J. Bot.*, 2005; 37: 97-104.