

PAPER • OPEN ACCESS

Preface

To cite this article: 2021 *J. Phys.: Conf. Ser.* **1751** 011001

View the [article online](#) for updates and enhancements.

You may also like

- [The 3rd International conference on Statistics, Mathematics, Teaching, and Research 2019 \(The 3rd ICSMTR 2019\)](#)
- [The 6th International Conference on Mathematics and Natural Sciences](#)
- [The Preface of the Second Ahmad Dahlan International Conference on Mathematics and Mathematics Education \(ADINTERCOMME\) 2019](#)
P W Prasetyo, J Purwadi, U Khasanah et al.

A promotional banner for 'Free the Science Week 2023' with a dark blue background and a futuristic circular interface. A hand is shown interacting with the interface, which features a padlock icon. The text 'Free the Science Week 2023' is in large white letters, followed by 'April 2-9'. Below this, it says 'Accelerating discovery through open access!' with 'open access!' in blue. At the bottom left is the ECS logo and the website 'www.ecsdl.org'. At the bottom right is a blue button that says 'Discover more!'.

Free the Science Week 2023 April 2-9

Accelerating discovery through
open access!

 www.ecsdl.org [Discover more!](#)

PREFACE

The International Conference on Applied Sciences Mathematics and Informatics (ICASMI) is a biennial event hosted by University of Lampung that brings together academics, scholars and researchers from around the world to meet and exchange the latest ideas, networking, opening collaboration research and discuss issues concerning all fields of sciences, mathematics, informatics and their application. It also allows representatives of industry, government employers and postgraduate students to have an opportunity to discuss with experts on some issues they concern. Due to the COVID-19 pandemic, this time the conference was held virtually.

This conference was held from 3rd to 4th of September 2020, in the Faculty of Mathematics and Natural Sciences, Universitas Lampung, Bandar Lampung, Indonesia. Zoom Meeting was utilized as a means of the conference. Each keynote speaker was given 30-minutes for his/her presentation with 15 minutes discussion, while for the oral presentation was held in a parallel session of three or four speakers where each participant was given 10 minutes for presentation and 15 minutes for panel discussion. The participants came from across several institutions and universities from 4 countries. Our initial target participants were 150, fortunately, on the closing date of registration, there were 178 participants who registered from 5 main fields of natural sciences. The main drawback of such virtual conference was the internet connection. A few numbers of speakers had this problem, so they were unable to give their best presentation, however, this drawback did not affect much the quality of this conference.

The theme of this year's conference is "Natural Sciences, Mathematics and Informatics in the Industrial Revolution (IR) 4.0 toward the Sustainable Development Goals (SDGs)." The conference will provide researchers and scientists from mathematics and computer science, researchers from various application areas such as physics, chemistry, life sciences, and engineering, as well as in education and social fields, to discuss problems and solutions in the area, to identify new issues, and to shape future directions for research.

We would like to acknowledge all of those who have supported the 3rd ICASMI. Each individual and institutional help were very important for the success of this conference. We would like to thank the keynote speakers who are competent in their field of study and come from different countries, such as, Japan, Malaysia, Turkey and Indonesia, and the organizing committee for their valuable advice in the organization and helpful peer review of the papers.

We hope that this conference would be a forum for excellent discussions that put forward new ideas and promote collaborative research. We are sure that the IOP proceedings publication will serve as an important research source of references and the knowledge, which will lead to not only scientific and engineering progress but also other new products and processes.

Chair,

Prof. Dr. Rudy Situmeang



Peer review declaration

All papers published in this volume of **Journal of Physics: Conference Series** have been peer reviewed through processes administered by the Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

- **Type of peer review: Double-blind**

Conference submission management system: The submission process used was Google form

Number of submissions received: We received 171 papers submitted plus 7 keynote presentation but the keynote speakers were not ready on the due date to submit their full paper, so their papers were not reviewed

- **Number of submissions sent for review: 152**

- **Number of submissions accepted: 112**

Acceptance Rate (Number of Submissions Accepted / Number of Submissions Received X 100): The acceptance rate was: $(112/152) \times 100\% = 73.68\%$

- **Average number of reviews per paper: 3.38**
- **Total number of reviewers involved: 45**

Any additional info on review process: The review process was carried using single-blind review process was to minimize the expenses we had to spent as the ICASMI committee, although not much, gave certain amount of payment for per article reviewed by reviewers, thus if we used double-blind review, it will cost double.

Contact person for queries: Prof. Dr. Sutopo Hadi, M.Sc.

Department of Chemistry

Faculty of Mathematics and Natural Sciences

Universitas Lampung

Jl. S. Brojonegoro No. 1 Bandar Lampung 35145 Indonesia

E-mail: sutopo.hadi@fmipa.unila.ac.id

- **Phone: +62 813 69059733**





**COMMITTEE OF THE
3rd INTERNATIONAL CONFERENCE ON APPLIED SCIENCES MATHEMATICS
AND INFORMATICS (3rd ICASMI) 2020**

Garantor	: Prof. Dr. Karomani, M.Si. Prof. Dr. Heryandi, S.H., M.S. Dr. dr. Asep Sukohar, M.Kes. Prof. Dr. Yulianto, M.Si. Prof. Suharso, Ph.D.
Director	: Dr. Eng. Suropto Dwi Yuwono, S.Si., M.T. Dr. Eng. Heri Satria, S.Si., M.Si. Dr. Muslim Ansori, S.Si., M.Si. Dr. rer. nat. Roniyus Marjunus, S.Si., M.Si. Dr. Lusmeilia Afriani, D.E.A. Mulyono, Ph.D. Drs. M. Kanedi, M.Si. Prof. Dra. Wamiliana, M.A., Ph.D. Arif Surtoto, S.Si., M.Si., M.Eng. Didik Kurniawan, S.Si., M.T. Rudy, S.H., L.L.M., L.L.D.
Chief Committee	: Prof. Dr. Rudy Situmeang, M.Sc.
1 st Secretary	: Favorisen R. Lumbanraja, S.Kom., M.Si., Ph.D.
2 nd Secretary	: Dewi Asiah Shofiana, M.Kom.
1 st Treasurer	: Dr. Mita Rilyanti, M.Si.
2 nd Treasurer	: Gina Dania Pratami, S.Si., M.Si.
3 rd Treasurer	: Eka Waryanto
Division of Secretarial	
Coordinator	: Agus Riyanto, S.Si., M.Sc.
Members	: Dr. Fitriani, S.Si., M.Sc. Yunda Heningtyas, S.Kom., M.Kom. Hapin Afriyani, M.Si. Lili Chrisnawati, S.Pd. M.Si.
Division of Papers and Review	
Coordinator	: Prof. Wasinton Simanjuntak, M.Sc., Ph.D.
Members	: Dr. Junaidi, S.Si., M.Sc. Dr. Asmiati, M.Si. Dr. Bambang Irawan, M.Sc. Dr. rer. nat. Akmal Junaidi, M.Sc.
Division of Program	
Coordinator	: Dr. Nurhasanah, M.Si.
Members	: Humairoh Ratu Ayu, S.Pd., M.Si. Anie Rose Irawati, S.T., M.Cs. Dr. Endang Nurcahyani, M.Si. Dr. Khoirin Nisa, S.Si., M.Si. Fauziah Afra Firdaus, A.Md.



Division of Information System and Publicity

Coordinator : Ardiansyah, M.Kom.
 Member : Rizky Prabowo, S.Kom., M.Kom.
 Iqbal Firdaus, S.Si., M.Si.
 Priyambodo, S.Pd., M.Sc.
 Yohana Tri Utami, S.Kom., M.Kom.

Division of Paper Publication

Coordinator : Prof. Dr. Sutopo Hadi, M.Sc.
 Member : Dr. Aang Nuryaman, S.Si., M.Si.
 Pandri Ferdias, S.Si., M.Sc.

Division of Equipment

Coordinator : Tristiyanto, S.Kom., M.I.S., Ph.D.
 Member : Syaiful Bahri, S.Si., M.Si.
 Donni Kis Apriyanto, S.Si., M.Sc.
 Andry Maryanto
 Mustofa Siddiq

Division of Accommodation

Coordinator : Dr. Yuli Ambarwati, S.Si., M.Si.
 Member : Lusi Aprilia, A.Md.
 Umiyati

Division of Documentation

Coordinator : Ali Suhendra, S.Si.
 Member : Viendira Try Eriza, S.Si.

Table of contents

Volume 1751

2021

◀ Previous issue Next issue ▶

**The 3rd International Conference on Applied Sciences Mathematics and Informatics (ICASMI)
2020 September 3-4, 2020, Bandar Lampung, Indonesia**

Accepted papers received: 21 December 2020

Published online: 27 January 2021

Open all abstracts

Preface

OPEN ACCESS

011001

Preface

+ Open abstract  View article  PDF

OPEN ACCESS

011002

Committee of the 3rd International Conference on Applied Sciences Mathematics and Informatics (3rd ICASMI) 2020

+ Open abstract  View article  PDF

OPEN ACCESS

011003

Photos

+ Open abstract  View article  PDF

OPEN ACCESS

011004

Peer review declaration

+ Open abstract  View article  PDF

Mathematics

OPEN ACCESS

012001

The Sufficient Conditions of The C^* -Module C^*_m to become a C -Subcomodule

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS

012089

Synthesis of zeolite-Y from rice husk silica and food grade aluminum foil using modified hydrothermal method

G G Pangesti, K D Pandiangan, W Simanjuntak, S Sascori and M Rilyanti

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012090

Structure Elucidation of Betulinic Acid from *Sesbania grandiflora* Root

Noviany and H Osman

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012091

Transesterification of coconut oil (*Cocos nucifera* L.) into biodiesel using zeolite-A catalyst based on rice husk silica and aluminum foil

Herliana, Ilim, W Simanjuntak and K D Pandiangan

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012092

Pyrolytic conversion of palm oil into liquid fuel using protonated zeolite-X prepared from rice husk silica and aluminum foil as catalyst

T D Febriyanti, W Simanjuntak and K D Pandiangan

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012093

Isolation and Identification of Endophytic Fungi Associated with Indonesian *Sesbania grandiflora* Plant

A Nurhidayat, N Noviany and A Setiawan

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012094

The effect of initiator concentrations on corrosion inhibition activity of polymeric derivatives of 2-vinylpyridin

I Ilim, S Bahri, R Marjunus and W Simanjuntak

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012095

Identification and antibacterial activity of flavonoid compounds from wood branches of the pudau plant (*Artocarpus kemando* Miq.)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



The effect of initiator concentrations on corrosion inhibition activity of polymeric derivatives of 2-vinylpyridin

I Ilim^{1,*}, S Bahri¹, R Marjunus², W Simanjuntak¹

¹ Department of Chemistry, Faculty of Mathematics and Natural Sciences, University of Lampung, Jl. Sumantri Brojonegoro no 1, Bandar Lampung, Indonesia

² Department of Physics, Faculty of Mathematics and Natural Sciences, University of Lampung, Jl. Sumantri Brojonegoro no 1, Bandar Lampung, Indonesia

email: ilim@fmipa.unila.ac.id^{1,*}, syaiful.bahri@fmipa.unila.ac.id¹,
ronius.marjunus@fmipa.unila.ac.id², wasinton.simanjuntak@fmipa.unila.ac.id¹

Abstract. This study aims to investigate the effect of initiator concentrations of polymeric derivatives of 2-vinylpyridine, P(2VP) as corrosion inhibitors of mild steel in CO₂-saturated brine solution. Polymerization of the monomer was conducted using hydrogen peroxide initiator with four different concentrations of 0.25; 0.33; 0.50; and 0.80 mole, to produce four oligomers referred to as P(2VP)A, P(2VP)B, P(2VP)C, and P(2VP)D, respectively. A series of corrosion experiments was conducted to determine the corrosion rate of the mild steel using weight loss and linear polarization resistance (LPR) methods. The effect of inhibitor concentration, and temperature, on the corrosion rate was also investigated. The oligomers synthesized were found to have different physical appearance. Two oligomers, the P(2VP)A and P(2VP)B, were found as yellow viscous liquids, with O(2VP)B is more viscous than P(2VP)A, while the other two oligomers, P(2VP)C and P(2VP)D exist as yellow solids. The experimental results reveal that the use of monomer led to higher corrosion rate compared to that of blank experiment, but reduced corrosion rate was achieved with the use of the oligomers. P(2VP)A as an oligomer synthesized with the lowest concentration of H₂O₂ initiator inhibited the corrosion more effective than the higher concentrations. It was also found that the higher the concentration of the oligomer, the better the protection. For temperature, the opposite is true, indicating that the oligomer was physically adsorbed onto the surface of mild steel.

Keyword: 2-vinylpyridine monomer, oligomer, corrosion inhibitor, mild steel, brine solution.

1. Introduction

Polymeric compounds containing heteroatoms, such as sulphur [1] phosphor [2], and nitrogen [3-5], have been reported as reliable corrosion inhibitor to protect metallic materials in various corrosive environments. This efficiency is attributed to higher basicity and electron density of the heteroatoms which play as active sites for adsorption of inhibitor on the metal surface. Of particular interest are oligomers, consist of between 3 and 8 units of monomers, since they were adsorbed effectively on the surface of the metal to form a protective layer against corrosion attack [1,5,6]. In previous study [3-



5,7], the use of several derivatives of pyridine as corrosion inhibitor for carbon steel in acidic medium has been reported.

In this study, the efficacy of 2-vinylpyridine (Figure 1) as a monomer was compared to that the low molecular weight polymer known as oligomers synthesized using hydrogen peroxide as an initiator. To obtain the oligomers with different molecular weight, the synthesis was carried-out using the initiator with different amounts. Although the exact molecular weight cannot be obtained, however, based on previous study with 4VP [5] it was found that varying initiator concentrations led to production of oligomers with different molecular weights. In this regard, it presumably that the same is true for 2VP. The monomer and the synthesized oligomers were then tested as corrosion inhibitor for mild steel in brine solution saturated with CO₂ gas, by using the wheel test and linear polarization resistance (LPR) methods. For simplicity, the monomer 2-vinylpyridine is abbreviated as 2VP, whilst the oligomers as P(2VP)s.




Figure 1. Molecular structure of monomer 2-vinylpyridine, 2VP (a) and oligomer 2-vinylpyridine, P(2VP).

2. Materials and methods

2.1. Instruments

Instrumentations used were rotary evaporator, Heidolph rotator, balance/weighting, wheel oven manufactured by Detailed Design, Texas., Pine Model MSRX electrode rotator, digital hot plate, EG&G Princeton Applied Research Model 273A Potentiostat and EG&G Model 314 Multiplexer.

2.2. Preparation of solutions

The corrosion electrolyte used was a brine solution prepared by dissolving sodium chloride, NaCl, at 3 % (w/v) and sodium bicarbonate, NaHCO₃, analytical reagent (AR), at 100 mg L⁻¹ in milli-Q water. The electrolyte was saturated with food grade CO₂ gas at atmospheric pressure by purging the solution with the gas at a rate of approximately 150–200 mL min⁻¹. Inhibitor solution with the concentration of 10,000 mg L⁻¹ was prepared by dissolving the inhibitor in methanol.

2.3. Preparation of materials

Mild steels (coupon and cylindrical electrode) used in this experiment were SAE/AISI Grade 1022 according to AS 1443 with the spectrographic analysis of the steel provided the chemical composition; 0.22 % C, 0.74 % Mn, 0.02 % Si, 0.014 % S, 0.02 % P, 0.05 % Ni, 0.04 % Cr, <0.01 % Mo, <0.01 % Cu, <0.01 % Al, and the remainder Fe. Coupons (2 x 1 x 0.1) cm used for weight loss measurements were prepared by sand blasting a sheet of mild steel with garnet (size 0.89 mm) and cut to size using a guillotine. The coupons were degreased by placing them in a beaker filled with ethanol and sonicated for two minutes. The coupons were dried and the dimensions and weights were accurately recorded. A mild steel cylinder electrode (working electrode of linear polarization measurements) which has surface area of 3.02 cm² was prepared by polishing the surface with silicon carbide paper (grade 360, 400, 600 and 800) on a Heidolph rotator (rotated at 750 rpm), using ethanol as a lubricant.

2.4. Polymerization of 2-vinylpyridine

The synthesis of oligomers was conducted with the reaction composition as shown in Table 1. The monomer (2-vinylpyridine), methanol and water as solvent, and H₂O₂ as an initiator were mixed, and then heated to reflux for 2 – 10 hours. After reaction was completed, the solvent was removed by using a rotary evaporator, and the product was isolated using high vacuum distillation. This method was used in previous research [4].

Table 1. Reaction composition for synthesis of 2VP oligomers.

Monomer 2VP(g)	Methanol (mL)	Milli-Q Water (mL)	Hydrogen Peroxide (mol)	Oligomers produced
30	75	75	0.25	P(2VP)A
30	75	75	0.33	P(2VP)B
30	75	75	0.50	P(2VP)C
30	75	75	0.80	P(2VP)D

As can be seen in Table 1, the concentration of initiator (hydrogen peroxide) was varied while the rest three reactants were kept at constant quantity. This approach was taken since it is generally known that the extent of polymerization is influenced by the initiator concentration. It is then expected that the oligomers with different molecular weights will be produced from the reaction compositions applied, as shown in Table 1.

2.5. Weight loss measurement

To commence the experiments, a series of clean glass bottles (220 mL) were prepared to be used in the experiment. Five brine solutions with the same volume of 175 mL were prepared. One solution was used without addition of oligomer, while the other four samples were used for the experiments with oligomer, in which each of the solutions was added with specified one specified oligomer. Each of the samples was then purged for 45 minutes with CO₂ gas (at about 250 mL min⁻¹). A mild steel coupon prepared was placed into the bottles and the bottles were capped with crown seals and placed in a wheel oven at 50°C for 24 hours. After the completion of the experiment, the bottles were removed from the oven, and the coupons were removed and immediately placed in Clarke's solution (a solution composed of 2% of Sb₂O₃ and 5% SnCl₂, dissolved in concentrated HCl) for 45 seconds in order to remove the corrosion product from the surface. The coupon was dipped into water for about 5 seconds, and into ethanol for another 5 seconds, and then dried and accurately weighed. This method was used for investigation of oligomer 4-vinylpyridine as a corrosion inhibitor [4].

For calculation of the weight loss (W), the corrosion rate (CR) and the inhibition efficiency (%P), the following Equations (1, 2 and 3) were used.

$$W = W(i) - W(t) \quad (1)$$

$$CR = \frac{1}{A} \frac{W}{t} \quad (2)$$

$$\%P = \frac{(CR_0 - CR_i)}{CR_0} \times 100\% \quad (3)$$

Where W = weight loss (gram), W(i) = initial weight of coupon, W(t) = final weight of coupon, CR = corrosion rate (mm⁻¹ = millimeter per year), A = area of coupon (cm²), D = density (gcm⁻³) of coupon, which is equal to 7.86 g cm⁻³ for carbon steel, t = time of exposure (days), %P = percentage of protection, CR₀ = corrosion rate without inhibitor and CR_i = corrosion rate with inhibitor.

2.6. Linear polarization resistance (LPR) measurements

The experimental setup used is the same with the previous study [4-5]. The working electrode prepared was fitted to the end of the threaded shaft that was connected to a Pine rotator. The electrochemical cell (reaction vessel) was filled with 500 mL of brine solution and sparged with CO₂ until it was saturated (approximately 45 minutes). The sparging with CO₂ (100 mL min⁻¹) was maintained during all experiments. A platinum gauze auxiliary electrode, Ag/AgCl reference electrode and thermocouple were placed in the cell. The cell was heated and regulated by a thermocouple on a digital hot plate at 30, 50, and 70°C. The working electrode was inserted and operated at a speed of 1000 rpm through connection to a Pine Model MSRX electrode rotator. The rotating electrode with speed of 1000 rpm was prepared for simulating turbulent flow conditions related to data obtained in real life system [8,9]. The electrochemical cell was connected for LPR measurement.

LPR measurements were carried out using an EG&G Princeton Applied Research Model 273A Potentiostat and EG&G Model 314 Multiplexer. The instrument was controlled using EG&G Model 352 Corrosion Software, version 2.10. The working electrode was polarized from +10 to -10 with respect to the corrosion potential using an anodic scan of 0.1 mV s⁻¹. The polarization resistance was determined from the ensuing potential current plot, and converted to a corrosion rate by using assumed Tafel slope of $\beta_{a,c} = 100$ mV/decade. A blank measurement, with no inhibitor, was completed before inhibitor was added using a micro-pipette (0.1-0.2 mL). Eight LP measurements were completed for the blank and each inhibitor concentration, and last three readings were averaged to give a steady state corrosion rate. The experimental work was done at various temperatures.

3. Results and discussion

3.1. Synthesis of oligomers

The oligomers synthesized were found to have different physical appearance. Two oligomers, the P(2VP)A and P(2VP)B, were found as yellow viscous liquids, with P(2VP)B is more viscous than P(2VP)A, while the other two oligomers, P(2VP)C and P(2VP)D exist as yellow solids. These different phases of the products signify that the oligomers have different molecular weights, which also demonstrated that the concentration of initiator plays an important role in governing the extent of polymerization reaction. This finding is in accordance with the reports by Scriven et al [10] and Ilim et al [4], in which it is suggested that hydrogen peroxide acts as both initiator and as chain transfer agent in a polymerization reaction. Based on the different physical states of the oligomers, it can be inferred that corrosion inhibition by the oligomers could be related to molecular weight of the oligomer.

3.2. Weight loss measurement

In this study, weight loss or wheel test was used as a screening method to evaluate potential of the oligomers as corrosion inhibitors, and the results are shown in Table 2.

Table 2. Wheel test results using monomer and oligomers, carried out at 50°C.

No	Compound Name	Amount Added (ppm)	Coupon Area (cm ²)	Weight Loss (g)	Corrosion Rate Average (mmpy)	Protection (%)
1	Brine solution	-	4.8899	0.0352	3.3468	-
2	2VP	50	4.8677	0.0477	4.5500	-44.26
3	P(2VP)A	50	4.8105	0.0183	1.1768	64.83
4	P(2VP)B	50	4.8825	0.0199	1.2608	62.32
5	P(2VP)C	50	4.8854	0.0214	1.3611	59.33
6	P(2VP)D	50	4.8172	0.0198	1.9049	43.08

The results presented in Table 2 clearly demonstrate that the four oligomers tested display the ability to inhibit the corrosion, while the monomer the opposite is observed. Comparing the percentage of protection provided by the oligomers, it can be seen that the protection ability of the oligomers steadily decreases from P(2VP)A to P(2VP)D. If this trend is related to molecular weight, it can be inferred that the oligomers with lower molecular weight are more effective than those with higher molecular weights. Experiment with NaCl 3 % solution brine resulted in corrosion rate of 3.35 mmpy. This result is in agreement with the results reported by others [11-13].

3.3. Linear polarization results (LPR)

LPR has also been used to study the 2VP monomer and four synthesized products as corrosion inhibitors of mild steel in 3% NaCl solution saturated with CO₂ gas at various temperatures and concentrations. The experimental data obtained from linear polarization measurement was corrosion rate (CR) of each measurement.




Figure 2. Corrosion rate of 2VP (a) and P(2VP) (b) at various of concentrations and temperatures.

Figure 2 shows the corrosion rates of 2VP (a) and P(2VP)A (b) at various concentrations of 0-200 ppm and temperature varies (30, 50 and 70 °C). It can be seen in Figure 2 that the 2VP monomer promotes corrosion, the higher the 2-VP concentration, the higher the corrosion rate and the promotion decreases at 50 °C. Whereas the presence of P(2VP)A in Figures 2 (b) shows that the corrosion rates are inversely proportional to the concentrations of P(2VP)A, which means that the higher the concentration, the smaller the corrosion rate.




Figure 3. Protections of 2VP at various of concentrations and temperatures.

The obtained corrosion rates were used to calculate percentage of protection (% P) by using Equation (3) and the results are shown in Figure 3 for monomer 2VP and Figure 4 for P(2VP) in which percent protection as a function of temperatures and concentrations for each of the inhibitors tested was plotted. Figure 3 shows the plot of percent protection as a function of concentrations at various temperatures demonstrated that 2VP monomer gives a negative protection that can be concluded promotes carbon dioxide corrosion more significantly at higher temperature.

For the experiments with the use of oligomers, the results presented in Figure 4a-d, showing percent protection as a function of concentrations at various temperatures, it was found that the corrosion protection increases with decreasing temperature.




Figure 4. Protections of (a) P(2VP)A. (b) P(2VP)B. (c) P(2VP)C. and (d) P(2VP)D.

Monomer 2VP provides negative protection which means that monomer 2VP cannot protect against corrosion but on the other hand monomer 2VP promotes carbon dioxide corrosion with a lower promotion rate at 50 °C. The percentage of protection P(2VP)A is higher with increasing concentration, and the protection increases with decreasing temperature. Meanwhile, the protective ability of P(2VP)B was almost the same at the three treatment temperatures. The protective ability of oligomers in the form of viscous liquid, namely P(2VP)A and P(2VP)B (having a lower molecular weight) is better than P(2VP)C and P(2VP)D which are solid. The protection of P(2VP)A increases with decreasing temperature and the interaction with surface of mild steel indicated as physisorption. This result is different from the oligomers of 4VP [4] and oligomer of 4VPP [5] observed in previous study, in which the protection increases with increasing temperature.

In accordance with the mechanism of inhibition by nitrogen-containing inhibitors, Lopez et al [14] suggested that the main character for the formation of the most common metal-inhibitor bonds is

nitrogen from pyridine which functions as a strong base. In this study it can be concluded that the most important role in forming bonds between the surface of mild steel and the inhibitors is played by nitrogen atom in pyridine. The interactions between organic inhibitors (or filming inhibitors) results into the adsorption and formation of surface film over the interfaces of metal and environments (or electrolytes) that isolates the metals from corrosive surrounding and protect from corrosion [15]. Based on temperature effect of the protection, the interactions between oligomer P(2VP) and surface of mild steel were predicted as physisorption [5,13,16-18].

4. Conclusion

The nitrogen containing oligomers of poly 2-vinylpyridine (2VP) have been synthesized from monomer 2-VP using hydrogen peroxide as the initiator at various concentrations. Four oligomers synthesized were found to have different physical appearance. Two oligomers, the P(2VP)A and P(2VP)B, were found as yellow viscous liquids, with P(2VP)B is more viscous than P(2VP)A, while the other two oligomers, P(2VP)C and P(2VP)D exist as yellow solids. Wheel test results as screening tests showed that all of the oligomeric products protected the mild steel from carbon dioxide corrosion at various levels of concentration whilst the monomer promoted the corrosion. LPR also gave similar results with the degree of protection depends on the temperature and the concentration of the oligomer. The protection afforded by the P(2VP) oligomer was better at lower temperature. The oligomer synthesized using the lowest initiator concentration of H_2O_2 referred to as P(2VP)A protected more effective than other products. The monomer of 2VP cannot inhibit the corrosion rates. and on the contrary it was found to promote the carbon dioxide corrosion. Based on the temperature effect, the oligomers derived from 2VP were physisorbed on the surface of mild steels.

References

- [1] Yasir A H, Khalaf AS and Khalaf M N 2017 *OJOPM* **7** 1
- [2] Branzoi V, Branzoi F, Stanga A and Mititeanu L 2008 *Revue Roumaine de Chimie* **53** 459
- [3] El-Maksoud S A and Fouda A 2005 *Mater. Chem. Phys.* **93** 84
- [4] Ilim, Jefferson A, Simanjuntak W, Jeannin M, Syah Y M, Bundjali B and Buchari 2016 *Indones. J. Chem.* **16** 198
- [5] Ilim, Bahri S, Simanjuntak W, Syah Y M, Bundjali B and Buchari 2017 *JMES* **8** 2381
- [6] Verma C B, Quraishi M A and Ebenso E E 2014 *Int. J. Electrochem. Sci.* **9** 5507
- [7] Beknazarov K S, Dzhililov A T, Ostanov U Y and Erkaev A M 2015 *Inter. Pol. Sci. Tech.* **42** 33
- [8] Pérez T and Nava J L 2013 *Int. J. Electrochem* **8** 4690
- [9] Rustandi A, Adhika N, Prima T and Aziz N 2013 *Adv. Mater. Res.* 789
- [10] Scriven E F V, Stout J R, Keay J G and Murugan R *US Patent Database IBM America, Really Industries, Inc.* Indianapolis
- [11] Liu J W, Yu J, Zhany S, Hu L Y and Qiao G 2010 *App. Surf. Sc.* **256** 4729
- [12] Zhang Y, Pang X, Qu S, Li X and Gao K 2012 *Corros. Sci.* **59** 186
- [13] Farelis F, Galicia M, Brown B, Nesic S, Castaneda H 2010 *Corros. Sci.* **52** 509
- [14] Lopez D A, Simison S N and de Sanchez S R 2003 *Electrochim Acta* **48** 845
- [15] Verma C, Ebenso E E and Quraishi M A 2019 *Int. J. Corros. Scale Inhib.* **8** 512
- [16] Durnie W H, Kinsella B J, De Marco R and A Jefferson 2001 *J. Applied Electrochemistry* **31** 1221
- [17] Abdallah M, Fouda A S, Shama S A and Afifi E A 2008 *African Journal of Pure and Applied Chemistry* **2** 083
- [18] Obike A I, Okafor P C, Uwakwe K J, Jiang X and Qu D 2018 *Int. J. Corros. Scale Inhib.* **7** 318

Acknowledgements

Authors would like to sincerely acknowledge the Ministry of Research, Technology and Higher Education of the Republic of Indonesia for financial support. provided through the Scheme of: Penelitian Dasar 2019” Research Grant with Contract Number: 857/UN26.21/PN/2019.