
PAPER NAME

4. Study on GC-MS Profile of Fuels Produced from Plastic Waste Conversion via Three-Condenser Pyroly

WORD COUNT

5531 Words

CHARACTER COUNT

31157 Characters

PAGE COUNT

15 Pages

FILE SIZE

1.2MB

SUBMISSION DATE

Mar 31, 2023 5:10 AM GMT+7

REPORT DATE

Mar 31, 2023 5:11 AM GMT+7

● 15% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 12% Internet database
- Crossref database
- 8% Submitted Works database
- 11% Publications database
- Crossref Posted Content database

● Excluded from Similarity Report

- Bibliographic material
- Cited material
- Manually excluded sources
- Quoted material
- Small Matches (Less than 10 words)



ISSN (p) : 2302-559X
ISSN (e) : 2549-0818

Teknik Pertanian Lampung

JURNAL

Vol. 10, No. 1, Maret 2021



SK Dirjen DIKTI No : 21/E/KPT/2018





Jurnal TEKNIK PERTANIAN LAMPUNG

ISSN (p): 2302-559X ISSN (e): 2549-0818

Vol. 10 No. 1, Maret 2021

Jurnal Teknik Pertanian (J-TEP) merupakan publikasi ilmiah yang memuat hasil-hasil penelitian, pengembangan, kajian atau gagasan dalam bidang keteknikan pertanian. Lingkup penulisan karya ilmiah dalam jurnal ini antara lain: rekayasa sumber daya air dan lahan, bangunan dan lingkungan pertanian, rekayasa bioproses dan penanganan pasca panen, daya dan alat mesin pertanian, energi terbarukan, dan system kendali dan kecerdasan buatan dalam bidang pertanian. Mulai tahun 2019, J-TEP terbit sebanyak 4 (empat) kali dalam setahun pada bulan Maret, Juni, September, dan Desember. Sejak tahun 2018, J-TEP mendapatkan terakreditasi SINTA 3 berdasarkan SK Dirjen Dikti No.21/E/KPT/2018. J-TEP terbuka untuk umum, peneliti, mahasiswa, praktisi, dan pemerhati dalam dunia keteknikan pertanian.

Chief Editor

Dr. Ir. Agus Haryanto, M.P

Reviewer

Prof. Dr. Ir. Udin Hasanudin, M.T (Universitas Lampung)

Prof. Dr. Indarto, S.TP., DEA (Universitas Jember)

Dr. Ir. Sugeng Triyono, M.Sc. (Universitas Lampung)

Dr. Nur Aini Iswati Hasanah,S.T., M.Si (Dirjen Sumber Daya Air Kementerian PUPR)

Dr. Diding Suhandy, S.TP., M.Agr (Universitas Lampung)

Dr. Sri Waluyo, S.TP, M.Si (Universitas Lampung)

Dr. Eng. Dewi Agustina Iriani, S.T., M.T (Universitas Lampung)

Dr. Ansar, S.TP., M.Si (Universitas Mataram)

Dr. Mareli Telaumbanua, S.TP., M.Sc. (Universitas Lampung)

Editorial Boards

Dr. Warji, S.TP, M.Si

Ahmad Tusi, S.TP., M.Si., Ph.D

Cicih Sugianti, S.TP, M.Si

Elhamida Rezkia Amien S.TP, M.Si

Winda Rahmawati S.TP, M.Si

Febryan Kusuma Wisnu, S. TP, M.Sc

Jurnal Teknik Pertanian diterbitkan oleh Jurusan Teknik Pertanian, Universitas Lampung.

Alamat Redaksi J-TEP:

Jurusank Teknik Pertanian, Fakultas Pertanian Universitas Lampung

Jl. Soemantri Brodjonegoro No.1, Telp. 0721-701609 ext. 846

Website :<http://jurnal.fp.unila.ac.id/index.php/JTP>

Email :jurnal_tep@fp.unila.ac.id dan ae.journal@yahoo.com

PENGANTAR REDAKSI

Dengan mengucapkan puji syukur kepada Allah yang Maha Kuasa, Jurnal Teknik Pertanian (J-TEP) Volume 10 No. 1, bulan Maret 2021 dapat diterbitkan. Sejak Volume 9 No 1 Maret 2020, J-TEP menerima makalah review. J-TEP terus berusaha mengembangkan diri dengan menambah jumlah artikel pada setiap edisinya. Pada edisi kali ini dimuat 15 (lima belas) artikel yang merupakan karya tulis ilmiah dari berbagai bidang kajian dalam dunia Keteknikan Pertanian yang meliputi rancang bangun dan uji kinerja mesin penyaring sistem getar; proses pembersihan syngas; ³⁷ ⁴ kajian kebutuhan energi spesifik dan kapasitas kerja mesin pengering gabah; rancang bangun mesin pulper kopi; *study on gc-ms profile of fuels produced*; pengaruh umur daun teh dan waktu oksidasi enzimatis; aplikasi UV Spectroscopy dan metode simca; pembuatan permen jamu; evaluasi data CHIRPS; rancang desain alat pengayak; pengaruh seleksi fitur citra; pengaruh kemiringan talang terhadap pertumbuhan; model prediksi level air di lahan perkebunan kelapa sawit; unjuk kerja *rice transplanter*; metode pengemasan tauge kacang hijau. Para penulis pada edisi kali ini berasal dari berbagai institusi seperti UGM, Unpad, Politeknik Negeri Padang, Unhas, Unram, UKSW, Unila, UNU Purwokerto, Universitas Papua, dan Politeknik Pertanian Negeri Kupang.

Pada kesempatan kali ini kami menyampaikan ucapan terima kasih yang sebesar-besarnya kepada para penulis atas kontribusinya dalam Jurnal TEP dan kepada para reviewer/penelaah jurnal ini atas peran sertanya dalam meningkatkan mutu karya tulis ilmiah yang diterbitkan dalam edisi ini.

Akhir kata, semoga Jurnal TEP ini dapat bermanfaat bagi masyarakat dan memberikan konstribusi yang berarti bagi pengembangan ilmu pengetahuan dan teknologi, khususnya di bidang keteknikan pertanian.

Editorial J TEP-Lampung

Jurnal TEKNIK PERTANIAN LAMPUNG

ISSN (p): 2302-559X ISSN (e): 2549-0818

Vol. 10 No. 1, Maret 2021

Halaman

Daftar isi

Pengantar Redaksi

15	RANCANG BANGUN DAN UJI KINERJA MESIN PENYARING SISTEM GETAR UNTUK MEMISAHKAN BIJI DAN KULIT HANJELI HASIL PROSES PENGUPASAN <i>Asep Yusuf, Wahyu Sugandi, Desi Purnamasari</i>	1-9
	PROSES PEMBERSIHAN SYNGAS HASIL GASIFIKASI TEMPURUNG KEMIRI MENGGUNAKAN SIKLON <i>Jemseng Carles Abineno dan Johny Agustinus Koylal</i>	10-15
4	RAJIAN KEBUTUHAN ENERGI SPESIFIK DAN KAPASITAS KERJA MESIN PENGERING GABAH BERBAHAN BAKAR KAYU KELOMPOK TANI WARGI MEKAR, DESA TEGAL, KECAMATAN KARAWANG TIMUR, KABUPATEN KARAWANG, PROVINSI JAWA BARAT <i>Wahyu K Sugandi, Boy Macklin P, Ahmad Thoriq, Fikrialdis Rifki</i>	16-25
	RANCANG BANGUN MESIN PULPER KOPI MENGGUNAKAN PENGERAK MOTOR LISTRIK <i>Tri Ego Wiranata, Ruzita Sumiati, Rakiman, Yuli Yetri</i>	26-32
6	STUDY ON GC-MS PROFILE OF FUELS PRODUCED FROM PLASTIC WASTE CONVERSION VIA THREE-CONDENSER PYROLYSIS REACTOR <i>Syaiful Bahr, Yuli Ambarwati, Yul Martin, Lina Marlina, Sri Waluyo</i>	33-40
23	PENGARUH UMUR DAUN TEH DAN WAKTU OKSIDASI ENZIMATIS TERHADAP KANDUNGAN TOTAL FLAVONOID PADA TEH HITAM <i>Jennifer Larisa Liem, Maria Marina Herawati</i>	41-48
18	APLIKASI UV SPECTROSCOPY DAN METODE SIMCA UNTUK KLASIFIKASI KOPI LIBERIKA TUNGKAL JAMBI DAN KOPI LIBERIKA PROBOLINGGO <i>Sapto Kuncoro, Meinilwita Yulia, Diding Suhandy</i>	49-56
	PEMBUATAN PERMEN JAMU CEKOK DAN KARAKTERISTIK YANG DIHASILKAN <i>Sri Hidayati, Fibra Nurainy, Dyah koesoemawardani, Mierinda Sefriadi</i>	57-63
2	EVALUASI DATA CLIMATE HAZARDS GROUP INFRARED PRECIPITATION WITH STATION (CHIRPS) DENGAN DATA PEMBANDING AUTOMATIC WEATHER STATIONS (AWS) DALAM MENGEstimASI CURAH HUJAN HARIAN DI PROVINSI PAPUA BARAT <i>Budiyono, Arif Faisol</i>	64-72
26	RANCANG DESAIN ALAT PENGAYAK MODIFIED CASSAVA FLOUR (MOCAF) BERDASARKAN ANALISIS KEBUTUHAN, MORFOLOGI DAN TEKNIK <i>Slamet Sulistiadi, Fenny Aprilliani, Anri Kurniawan</i>	73-84
32	PENGARUH SELEKSI FITUR CITRA TERHADAP KLASIFIKASI TINGKAT KESEGARAN DAGING SAPI LOKAL <i>Titin Yulianti, Mareli Telaumbanua, Hery Dian Septama, Helmi Fitriawan, Afri Yudamson</i>	85-95
2	PENGARUH KEMIRINGAN TALANG TERHADAP PERTUMBUHAN DAN HASIL DUA VARIETAS PAKCOY (<i>Brassica rapa</i> L.) DENGAN SISTEM HIDROPONIK NUTRIENT FILM TECHNIQUE <i>Syahtian Suprayogi, Suprihati</i>	96-103

- 10 MODEL PREDIKSI LEVEL AIR DI LAHAN PERKEBUNAN KELAPA SAWIT DENGAN JARINGAN SYARAF TIRUAN BERDASARKAN PENGUKURAN SENSOR RAIN GAUGE DAN ULTRASONIK
Hasan Al-Banna, Bayu Dwi Apri Nugroho 104-112
- 19 PENJUK KERJA RICE TRANSPLANTER SISTEM JAJAR LEGOWO TIPE CROWN INDO JARWO DI KABUPATEN PINRANG SULAWESI SELATAN
Iqbal, Yoesrifar Jafar, Tahir Sapsal 113-118
- 21 METODE PENGEMASAN TAUGE KACANG HIJAU MENGGUNAKAN PLASTIK POLIETILIN DAN POLIPROPILIN PADA PENYIMPANAN SUHU RENDAH
Ansar, Sukmawaty, Murad, Isna Hilda Arini 119-128

PEDOMAN PENULISAN ARTIKEL BAGI PENULIS

- 1) **Naskah:** Redaksi menerima sumbangan naskah/tulisan ilmiah dalam bahasa Indonesia atau bahasa Inggris, dengan batasan sebagai berikut :
 - a. Naskah diketik pada kertas ukuran A4 (210mm x 297mm) dengan 2 spasi dan ukuran huruf Times New Roman 12pt. Jarak tepi kiri, kanan, atas, dan bawah masing-masing 3 cm. Panjang naskah tidak melebihi 20 halaman termasuk abstrak, daftar pustaka, tabel dan gambar. **Semua tabel dan gambar ditempatkan terpisah pada bagian akhir naskah (tidak disisipkan dalam naskah)** dengan penomoran sesuai dengan yang tertera dalam naskah. Naskah disusun dengan urutan sebagai berikut: Judul; Nama Penulis disertai dengan catatan kaki tentang instansi tempat bekerja; Pendahuluan; Bahan dan Metode; Hasil dan Pembahasan; Kesimpulan dan Saran; Daftar Pustaka; serta Lampiran jika diperlukan. Template penulisan dapat didownload di <http://jurnal.fp.unila.ac.id/index.php/JTP>
 - b. **Abstrak (Abstract)** dalam bahasa Indonesia dan bahasa Inggris, tidak lebih dari 200 kata. Mengandung informasi yang tertuang dalam penulisan dan mudah untuk dipahami. Ringkasan (abstract) harus memuat secara singkat latar belakang, tujuan, metode, serta kesimpulan dan yang merupakan *high light* hasil penelitian.
 - c. **Pendahuluan:** memuat latar belakang masalah yang mendorong dilaksanakannya perekayasaan dan penelitian, sitasi dari temuan-temuan terdahulu yang berkaitan dan relevan, serta tujuan perekayasaan atau penelitian.
 - d. **Bahan dan Metoda:** secara jelas menerangkan bahan dan metodologi yang digunakan dalam perekayasaan atau penelitian berikut dengan lokasi dan waktu pelaksanaan, serta analisis statistik yang digunakan. Rujukan diberikan kepada metoda yang spesifik.
 - e. **Hasil dan Pembahasan:** Memuat hasil-hasil perekayasaan atau penelitian yang diperoleh dan kaitannya dengan bagaimana hasil tersebut dapat memecahkan masalah serta implikasinya. Persamaan dan perbedaannya dengan hasil perekayasaan atau penelitian terdahulu serta prospek pengembangannya. Hasil dapat disajikan dengan menampilkan gambar, grafik, ataupun tabel.
 - f. **Kesimpulan dan Saran:** memuat hal-hal penting dari hasil penelitian dan kontribusinya untuk mengatasi masalah serta saran yang diperlukan untuk arah perekayasaan dan penelitian lebih lanjut.
 - g. **Daftar Pustaka:** disusun secara alfabetis menurut penulis, dengan susunan dan format sebagai berikut: Nama penulis didahului nama family/nama terakhir diikuti huruf pertama nama kecil atau nama pertama. Untuk penulis kedua dan seterusnya ditulis kebalikannya. Contoh:
 - Kepustakaan dari Jurnal:
Tusi, Ahmad, dan R.A. Bustomi Rosadi. 2009. *Aplikasi Irigasi Defisit pada Tanaman Jagung*. Jurnal Irigasi, 4(2): 120-130.
 - Kepustakaan dari Buku:
²⁷ Keller, J., and R.D. Bleisner. 1990. *Sprinkle and Trickle Irrigation*. AVI Publishing Company Inc. New York, USA.
 - h. **Satuan:** Satuan harus menggunakan system internasional (SI), contoh : m (meter), N (newton), °C (temperature), kW dan W (daya), dll.
- 2) **PenyampaianNaskah:** Naskah/karya ilmiah dapat dikirimkan ke alamatdalam bentuksoft copy ke :
Redaksi J-TEP(JurnalTeknikPertanianUnila)
Jurusan Teknik Pertanian, Fakultas Pertanian
Universitas Lampung
Jl. Sumantri Brodjonegoro No. 1
Telp. 0721-701609 ext. 846
Website : <http://jurnal.fp.unila.ac.id/index.php/JTP>
Email : ae.journal@yahoo.com
- 3) Selama proses penerimaan karya ilmiah, penelaahan oleh Reviewer, sampai diterimanya makalah untuk diterbitkan dalam jurnal akan dikonfirmasi kepada penulis melalui email.
- 4) Reviewer berhak melakukan penilaian, koreksi, menambah atau mengurangi isi naskah/tulisan bila dianggap perlu, tanpa mengurangi maksud dan tujuan penulisan.

6 STUDY ON GC-MS PROFILE OF FUELS PRODUCED FROM PLASTIC WASTE CONVERSION VIA THREE-CONDENSER PYROLYSIS REACTOR

Syaiful Bahri¹✉, Yuli Ambarwati¹, Yul Martin², Lina Marlina³, Sri Waluyo⁴

¹ Chemistry Department, Faculty of Mathematics and Natural Sciences, Lampung University

² Electrical Engineering Department, Faculty of Engineering, Lampung University

³ Social Economy Department, Faculty of Agriculture, Lampung University

⁴ Agriculture Engineering Department, Faculty of Agriculture, Lampung University

✉Komunikasi Penulis, email: syaiful.bahri@fmipa.unila.ac.id

DOI:<http://dx.doi.org/10.23960/jtep-lv10.i1.33-40>

Naskah ini diterima pada 14 September 2020; revisi pada 4 Januari 2021;

disetujui untuk dipublikasikan pada 26 Januari 2021

ABSTRACT

The problem of plastic waste is very flourished in the current era of modern life. In this study, a three-condenser pyrolysis reactor was applied to obtain fuels in the form of oil#1, oil#2, and oil#3 from plastic waste. Gas Chromatography-Mass Spectroscopy (GC-MS) technique was carried out to analyze the fuel for profiling study. Characterization using GC-MS indicated the domination of hydrocarbon compounds was found oil#1. The existence of hydrocarbon compounds from oil#2 and oil#3 was displayed by chromatogram and MS database from Library Wiley 7.LIB. Meanwhile, alcohol, ether, and fatty acid were detected from oil#1 based on the chromatogram and MS database. Therefore, the samples were categorized as fuel. The result of this study corresponded to the concept of pyrolysis and be able to be implemented as an alternative energy source.

Keywords: fuel, GC-MS profile, plastic waste, three-condenser pyrolysis reactor

I.INTRODUCTION

The utilization of plastics is significantly flourished in the current era of modern life. However, both the function and pollution from plastics are like two sides of a coin, which become a challenge in recent decades. In general, plastic waste generation rates are affected by economic development, the degree of industrialization, public habits, and others (Hoornweg and Bhada-Tata, 2012). Global plastic waste generation by sector reported around 343 million metric tonnes in 2018 (Geyer, 2020). Of the Basel Convention data reported after 2015, Indonesia produced plastic waste approximately 9.6 million metric tonnes, after China about 61 million metric tonnes and the United States around 34.5 million metric tonnes per year in 2018 (Tsakona and Rucevska, 2020). Plastic waste originated from packaging plastic is estimated 275 million tonnes. More than 10 % is dominated by a large amount of landfilled waste (Cassou, 2018). Based on other data, plastic waste around the world approximately 12% was incinerated, 9% was recycled, and more than 60% was discharged in landfills or the environment, including on the ocean (Jambeck et al, 2015; Geyer et al, 2017).

31 The term "plastic" derived from the Greek word "plastikos" meaning fit for molding. (Tulashie et al, 2019). According to the American Chemistry Council, plastic is a type of synthetic or polymer, similar to natural resins found in trees and other plants (American Chemistry Council, 2015). Nowadays, there are more than 30 types of primary plastic combined with several different additives, so that thousands types of plastics give diverse plastic materials. Around 97-99 % of these plastics derives from fossil fuel feedstock (Center for International Environmental Law, 2017), while remaining 1-3 % comes from bio-based plastics (European Bioplastics, 2016). Commonly, one of the plastics that have frequently been found is Polyethylene (PE) : low-density polyethylene (LDPE), linear low-density polyethylene (LLDPE), high-density polyethylene (HDPE), and the other plastic is Polypropylene (PP); Polyvinylchloride (PVC); Polystyrene (PS); Polyethylene terephthalate (PET); Polylactic acid (PLA), Polycaprolactone (PCL), Bio polymers-polybutylene succinate (PBS), Polyvinyl alcohol (PVA), Polytrimethylene terephthalate (PTT), and others (Anuar Sharuddin et al, 2016; Tsakona and Rucevska, 2020).

Today, thermochemical recycling of plastics, thermal cracking or pyrolysis, has been conducted across countries and regions (Panda et al, 2010; Tsakona and Rucevska, 2020). However, Indonesia's energy recycling based on plastic, meaning conversion of plastic into fuel, is not available yet, and recycled plastic material is only 11% of a total plastic waste (Quina et al, 2019). Commonly, most of the plastics can be recycled into liquid fuel, although the effect of plastic waste types of pyrolysis process is very significant on the yield and quality of produced oil (Almeida and Marque, 2015; Miandad et al, 2017).

Recycling plastic faces many challenges. Both cost-effectiveness and efficient recycling of mixed plastic are some of the problems. Key parameters that have to notice for the quality assessment of recycled plastic are the degree of mixing (polymers cross-contamination), the degree of degradation, and the contamination levels (Vilaplana et al, 2007). In addition, there are some aspects to recycle plastic waste into fuel depend on technical/ method, economic, environmental, political, and others (Lazarevic et al, 2010).

To recycle plastic waste, there are some of the methods, which are mechanical recycling, chemical recycling : hydrogenation, gasification, pyrolysis, chemical depolymerization, etc and energy recovery. Each recycling methods have advantages and disadvantages depend on kinds of used plastic polymers (Panda et al, 2010; Kumar et al, 2011; Grigore, 2017; Antelava et al, 2019).

Pyrolysis is defined as irreversible thermochemical process of anaerobic decomposition ³³ on the material at elevated temperature ($300+^{\circ}\text{C}$) (Singh and Ruj, 2016; Faussone, 2018; Sharuddin et al, 2018; Tulashie et al, 2019). The pyrolysis technique is considerable be applied to obtain liquid oil and char solid fractions (López et al, 2011; Sharma et al, 2014) as well as gas (Erkiaga et al, 2013; Wilk and Hofbauer, 2013). Many types of the pyrolysis reactors have been used to produce liquid fuel and its derivate products. The parameters such as mixing plastic and catalyst (Syamsiro et al, 2014), co-reactant or co-pyrolysis, temperature (Wu and Williams, 2010; Dewangan et al, 2016), operation time, heat transfer (Singh and Ruj, 2016), and efficiency of the reaction towards achieving the final desired product have been studied (Hazrat et

⁹ al, 2014). Most of the plastic pyrolysis in the lab-scales have performed in batch, semi-batch, or continuous-flow reactors such as fluidized bed, fixed-bed reactor, and conical spouted bed reactor (CSBR) (Wong et al, 2015; Anuar Sharuddin et al, 2016; Kunwar et al, 2016; Othman et al, 2017; Sharuddin et al, 2018).

Kinds of compounds in the fuel from plastic waste have been reported that mainly categorized like hydrocarbon and followed by minor compounds such as hydrocarbon cyclic, alcohols, esters, oxirane, acids, ketones, nitrogen-containing compounds and chloro-containing compounds (Dewangan et al, 2016; Tulashie et al, 2019).

As the comparison of fuel oil applied, especially according to various fuels and carbon ranges, there is the characterization of some petroleum product ¹. Gasoline or petrol is a flammable petroleum liquid consists mostly of hydrocarbons with a range of $\text{C}_4 - \text{C}_{12}$ per molecule. Classification of gasoline is automobile gasoline, aviation gasoline, and technical (solvent) depending on use. Kerosene or paraffin oil is a highly flammable colorless liquid ¹ with a strong odor, distilled from petroleum which ¹ is a mixture of about ten different types of fairly simple chain hydrocarbons with a range $\text{C}_6 - \text{C}_{16}$ per molecule. It is less volatile than gasoline that is applied as burned in lamps, heaters, and furnaces, as well as jet fuel. ⁸ Kerosene-type jet fuel (including Jet A and Jet A-1) has a carbon number distribution $\text{C}_8 - \text{C}_{16}$, and wide-cut or naphtha-type jet fuel ⁵ (including Jet B) has a range $\text{C}_5 - \text{C}_{15}$. Jet fuel is a type of aviation fuel designed for use in aircraft powered by gas-turbine engines. The most commonly used fuels for commercial aviation are Jet A and Jet A-1 which are produced to a standardized international specification. Fuel oil ¹³ is a fraction obtained from petroleum distillation, either as a distillate or a residue that is made of long hydrocarbon chains, particularly alkanes, cycloalkanes, and aromatics. Fuel oil is classified into six classes, numbered 1 through 6, according to its boiling point, composition, and purpose. Containing $\text{C}_9 - \text{C}_{70}$, the fuel oil has a long carbon chain and a boiling point ranging from $175 - 600^{\circ}\text{C}$. Diesel oil is a type of fuel oil, it is produced from the fractional distillation of crude oil, resulting in a mixture of carbon chains, typically contain $\text{C}_8 - \text{C}_{21}$ per molecule (Tulashie et al, 2019; ALS (Australian Laboratory Services) Global, 2020).

³⁹
Analysis method, a gas chromatography-mass spectroscopy (GC-MS) technique, has been widely applied for the samples measurement in several fuel products. GC-MS gives advantages in realistic measurement, and is a valid technique for the analysis of fuel even that can be used in complex mixtures of samples to identify the release of volatile compounds (Sharma et al, 2014).

To provide innovative solutions in tackling the problem of plastic waste, a three-condenser pyrolysis reactor, which means the pyrolysis reactor with three condensers, has been developed to be functionated for converting plastic waste into three types of fuel oils. As far as our literature survey could ascertain, no study was found about the three-condenser pyrolysis reactor that used to convert plastic waste into fuel. In this study, a three-condenser pyrolysis reactor has been applied to obtain fuel oils from plastic waste via the pyrolysis method. The fuel oils were characterized by the GC-MS technique to study profile component

II. MATERIALS AND METHODS

Types of plastics used for the pyrolysis process was collected from plastic packaging, mainly beverages such as mineral water, soft drink bottle, and fruit juice containers, which were from Polyethylene terephthalate (PET) waste. The plastic waste was washed with detergent and water to clean dirt and oil. The treatment was conducted so that not affect the chemical properties of oil. The plastic waste was dried, and then cut into pieces

to the size of about 0.5–2.0 cm using scissor (Tulashie et al, 2019).

2.1. Pyrolysis of Plastic Waste using Three-condenser Pyrolysis Reactor

Pyrolysis apparatus to convert plastic waste into fuel oil was carried out using a lab scale three-condenser pyrolysis reactor. The part of it was described in Figure 1.

Before the pyrolysis process was conducted, the heating source, using a gas stove, was assembled to a reactor/boiler (1). To monitor heat, a thermostat was paired in the reactor lid (2). The aerator, filled with cold water, was connected to three condensers (3, 4, 5). Each liquid oil/fuel exit place pipeline (6, 7, 8) was positioned receptacle under the storage tank for oil#1, oil#2, and oil#3, respectively.

As many as 2 kg of plastic waste samples were filled in the pyrolysis reactor (tank). Started from around 30 °C, the pyrolysis reactor was heated up to 350 °C during the whole process. After the reactor temperature had reached the set limit, the process started and lasted for 2 hours. Vapor from the tank flowed in the pipeline toward condensers one, two, and three was condensed using cold water and was obtained three different oils. The pyrolysis products, three types of oil, were measured in mL using a measuring cylinder. And then, the reactor lid opened when the temperature of the reactor had reached under 40 °C to remove the residual solid material (Tulashie et al, 2019).




Figure 1. A Three-condenser Pyrolysis Reactor

2.2. Characterization of Fuel Using GC-MS Analysis

The samples of oil from the pyrolysis process of plastic waste were analyzed using GC-MS, respectively. With the specification of the GCMS-QP 2010 Ultra variant equipped with capillary column HP-PONA (50 mL x 0.25 mm I.D., 0.50 μm), chromatographic condition was raised with a gradient temperature of 2 °C/min until the limit set temperature (Shimadzu, 2011).

III. RESULTS AND DISCUSSION

By the process of pyrolysis conducted for 2 hours at 350 °C using a three-condenser pyrolysis reactor, three different oils, which categorized as oil#1, oil#2, and oil#3, acquired from three disparate condensers. As many as 2 kg of plastic waste samples obtained 2 L of a total oil based on 1200 mL of oil#1 from condenser one, 300 mL of oil#2 from condenser two, and 500 mL of oil#3 from condenser three, respectively. The three samples of oil were investigated using the GC-MS technique to discover the characterization of it. Either identification or quantification on the chromatogram profile of three types of oil was interpreted based on MS data from the Wiley 7.LIB Library.

Through observation of chromatogram and MS data interpretation, the profiles of each oil were compared with fuel oil (ALS Global, 2020) both by chemical compound names and by range carbon (Tulashie et al., 2019). In Figure 2, the chromatogram profile of oil#1 revealed three peaks that explained three chemical compounds in the oil sample. The three chemical compounds were $\text{C}_{14}\text{H}_{30}\text{O}$ of 1-Tetradecanol (41.42 %), $\text{C}_{18}\text{H}_{36}\text{O}_2$ of Stearic acid (39.28 %), and $\text{C}_9\text{H}_{16}\text{O}_2$ of 2-Butoxy-3,4-dihydropyran (19.30 %) (see Table 1). Comparing with carbon range, it can be concluded that oil#1 of plastic waste pyrolysis was like the diesel oil range ($\text{C}_8 - \text{C}_{21}$) according to (ALS Global, 2020). But, in component, oil#1 contained alcohol, fatty acid, and ether as reported by (Tulashie et al, 2019).

In Figure 3, as many as seven peaks appeared on the chromatogram profile of the oil#2 sample. The hydrocarbon compounds represented by six peaks (total of 52.2 %), and only one peak of the ketone compound (47.80 %). Six kinds of hydrocarbon compounds have a carbon range (C_6 and C_{12}) of alkanes hydrocarbon meanwhile only C_6 of the alkenes hydrocarbon. The ketone compound contained in the sample was $\text{C}_3\text{H}_6\text{O}$. In detail, the chemical compounds of oil#2 were summarized




Figure 2. GC-MS Chromatogram Profile of Oil#1 from Pyrolysis of Plastic Waste. Peaks: (1) 1-Tetradecanol; (2) 2-Butoxy-3,4-Dihydropyran; (3) Stearic Acid




Figure 3. GC-MS Chromatogram Profile Of Oil#2 From Pyrolysis Of Plastic Waste. Peaks: (1) 2-Propanone; (2) 2,3-Dimethylbutane; (3) N-Hexane; (4) 2-Methyl-1-Pentene; (5) 1-Hexene; (6) 4,6,8-Trimethyl-1-Nonene; (7) 7-Methyl-1-Undecene




Figure 4. GC-MS Chromatogram Profile of Oil#3 from Pyrolysis of Plastic Waste. Peaks: (1) n-Pentadecane; (2) Cis-1,3-Dimethoxycyclopentane; (3) n-Eicosane; (4) n-Heptadecane; (5) Diethylphthalate; (6) n-Tricosane; (7) n-Pentacosane; (8) n-Hexadecane; (9) n-Hexatriacontane; (10) n-Octacosane

Tabel 1. Composition of Oil#1 from Pyrolysis of Plastic Waste

Name of Compound	Peaks	*RT (min)	%Area	Molecular Formula
Fatty Acid				
Stearic acid	3	24.610	39.28	C ₁₈ H ₃₆ O ₂
Alcohol				
1-Tetradecanol	1	19.787	41.42	C ₁₄ H ₃₀ O
Ether				
2-Butoxy-3,4-dihydropyran	2	22.218	19.30	C ₉ H ₁₆ O ₂

*RT, Retention Times of Gas Chromatography in minutes

Tabel 2. Composition of Oil#2 from Pyrolysis of Plastic Waste

Name of Compound	Peaks	*RT (min)	%Area	Molecular Formula
Alkanes Hydrocarbon				
2,3-Dimethylbutane	2	2.300	7.80	C ₆ H ₁₄
n-Hexane	3	2.345	6.07	C ₆ H ₁₄
4,6,8-Trimethyl-1-nonene	6	8.387	10.50	C ₁₂ H ₂₄
7-Methyl-1-Uncdecene	7	8.620	13.43	C ₁₂ H ₂₄
Alkenes Hydrocarbon				
2-Methyl-1-pentene	4	2.413	6.06	C ₆ H ₁₂
1-Hexene	5	2.483	8.34	C ₆ H ₁₂
Ketones				
2-Propanone	1	2.230	47.80	C ₃ H ₆ O

*RT, Retention Times of Gas Chromatography in minutes

in Table 2. To investigate oil#2, compared according to (ALS Global, 2020) that oil#2 has a carbon range C₆ - C₁₂ indicated like kerosene-type jet fuel (C₅ - C₁₅).

As shown in Figure 4, the chromatogram profile of oil#3 displayed ten types of peaks that represented ten chemical compounds. Alkanes hydrocarbon (C₁₅ - C₃₆) represented by eight peaks have dominated in quantities (95.65%) and followed by

other minor components such as C₂₄H₃₈O₄ of Diethylphthalate (4.32%), and C₇H₁₄O₂ of Cis-1,3-Dimethoxycyclopentane (0.03%). If the chemical compounds contained in oil#3 (see Table 3) were compared as claimed by (Tulashie et al, 2019; ALS Global, 2020), the highest composition of chemical compounds, alkanes hydrocarbon, would not exhibit like gasoline with a range of C₄ - C₁₂ per molecule, but fuel oil (C₉ - C₇₀) or hydraulic oil for phthalate substance.

Tabel 3. Composition of Oil#3 from Pyrolysis of Plastic Waste

Name of Compound	Peaks	*RT (min)	%Area	Molecular Formula
Alkanes Hydrocarbon				
n-Pentadecane	1	19.564	1.48	C ₁₅ H ₃₂
n-Hexadecane	8	23.786	15.63	C ₁₆ H ₃₄
n-Heptadecane	4	21.272	13.62	C ₁₇ H ₃₆
n-Eicosane	3	20.437	6.98	C ₂₀ H ₄₂
n-Tricosane	6	22.078	14.60	C ₂₃ H ₄₈
n-Pentacosane	7	22.901	16.72	C ₂₅ H ₅₂
n-Octacosane	10	25.853	11.86	C ₂₈ H ₅₈
n-Hexatriacontane	9	24.752	14.77	C ₃₆ H ₇₄
Ester				
Diethylphthalate	5	21.823	4.32	C ₂₄ H ₃₈ O ₄
Ether				
Cis-1,3-Dimethoxycyclopentane	2	20.375	0.03	C ₇ H ₁₄ O ₂

*RT, Retention Times of Gas Chromatography in minutes

Overall, each sample, which is oil#1, oil#2, and oil#3, indicates the pyrolysis oil from plastic waste containing chemical compounds such as hydrocarbon compounds, fatty acids, alcohols, ketones, esters, and ether. Although the characteristic of pyrolysis oil was not investigated more yet like other parameters, viscosity, boiling point and specific gravity, that can be used to claim as fuel specifically, the oil of plastic waste pyrolysis has the potential to be used as a combustible fuel source as reported by (Sharma et al., 2014; Dewangan et al., 2016; Tulashie et al., 2019).

IV. CONCLUSIONS

In this study, converting plastic waste into fuel using three-condenser pyrolysis reactor technology is very prospect to be implemented for reducing plastic waste which is obtained about 2 L of total oil from 2 kg of plastic waste. Overall, the chemical compounds, which are indicated as fuel like hydrocarbon compounds, fatty acids, alcohols, ketones, esters, and ethers, are discovered from oil#1, oil#2, and oil#3 samples. Therefore, the oil of pyrolysis product, especially fuel from plastic waste, has the potential to be used as an alternative energy source.

ACKNOWLEDGMENTS

The authors would like to thank the University of Lampung research and community for support and basic research grants.

REFERENCES

- Almeida, D. and Marque, M. de F. 2015. Thermal and Catalytic Pyrolysis of Polyethylene Plastic Waste in Semi. *Polimeros*. 26 (1) : 1-8.
- ALS Global. 2020. Library of petroleum products and other organic compounds. [Online] available at : <https://www.alsglobales/media-general/pdf/library-of-petroleum-products-a n d - o t h e r - o r g a n i c - compounds.pdf> (Accessed 30.12.2020).
- American Chemistry Council 2015. The Rising Competitive Advantage of U.S. Plastics. [Online] available at : <https://plastics.americanchemistry.com/Education-Resources/Publications/The-Rising-Competitive-Advantage-of-US-Plastics.pdf>. (Accessed 19.06.2020).
- Antelava, A., Damilos, S., Hafeez, S., Manos, G., Al-Salem, S. M., Sharma, B. K., Kohli, K., and Constantinou, A. 2019. Plastic Solid Waste (PSW) in the Context of Life Cycle Assessment (LCA) and Sustainable Management. *Environmental Management*. 64 (2) : 230-244.
- Anuar Sharuddin, S. D., Abnisa, F., Daud, W. M. A. W., and Aroua, M. K. 2016. A review on pyrolysis of plastic wastes. *Energy Conversion and Management*. 115 (2016) : 308-326.

- Casson, E. 2018. Agricultural Pollution: Plastics.¹¹ *World Bank Group*. [Online] available at: <https://openknowledge.worldbank.org/handle/10986/29505> (Accessed 19.06.2020).
- Center for International Environmental Law. 2017. Fueling Plastics, Fossils Plastics Petrochemical Feedstocks. *CIEL*. [Online] available at: <http://www.ciel.org/wp-content/uploads/2017/09/Fueling-Plastics-Fossils-Plastics-Petrochemical-Feedstocks.pdf> (Accessed 19.06.2020).
- Dewangan, A., Pradhan, D. and Singh, R. K. 2016. Co-pyrolysis of sugarcane bagasse and low-density polyethylene: Influence of plastic on pyrolysis product yield. *Fuel*. 185 (2016) : 508–516.
- Erkiaga, A., Lopez, G., Amutio, M., Bilbao, J., and Olazar, M. 2013. Syngas from steam gasification of polyethylene in a conical spouted bed reactor. *Fuel*. 109 (2013):461–469.
- European Bioplastics. 2016. Global production capacities of bioplastics: Bioplastic market data 2016. *Institute for Bioplastics and Biocomposites*. [Online] available at: http://docs.european-bioplastics.org/publications/EUBP_Bioplastics_market_data_report_2016.pdf (Accessed 19.06.2020).
- Faussone, G. C. 2018. Transportation fuel from plastic: Two cases of study. *Waste Management*. 73 (2017) : 416–423. doi: 10.1016/j.wasman.2017.11.027.
- Geyer, R. 2020. Production, use, and fate of synthetic polymers. *Plastic Waste and Recycling*. Elsevier Inc. doi: 10.1016/b978-0-12-817880-5.00002-5.
- Geyer, R., Jambeck, J. R., and Law, K. L. 2017. Production, use, and fate of all plastics ever made - Supplementary Information. *Science Advances*. 3 (7) : 19–24.
- Grigore, M. E. 2017. Methods of recycling, properties and applications of recycled thermoplastic polymers. *Recycling*. 2 (4) : 1–11.
- Hazrat, M. A., Rasul, M. G., Khan, M. M. K., Azad, A. K., and Bhuiya, M. M. K. 2014. Utilization of polymer wastes as transport fuel resources a recent development. *Energy Procedia*. 61 (2014) : 1681–1685.
- Hoornweg, D. and Bhada-Tata, P. 2012. What a Waste/ : A Global Review of Solid Waste Management. *Urban development series, World Bank*. Washington, DC.
- Jambeck, J. R., Geyer, R., Wilcox, C., Siegler, T. R., Perryman, M., Andrade, A., Narayan, R., and Law, K. L. 2015. Plastic waste inputs from land into the ocean. *Science*. doi: 10.1126/science.1260352.
- Kumar, S., Panda, A. K., and Singh, R. K. 2011. A review on tertiary recycling of high-density polyethylene to fuel. *Resources, Conservation and Recycling*. 55 (2011) : 893–910.
- Kunwar, B., Cheng, H. N., Chandrashekaran, S. R., and Sharma, B. K. 2016. Plastics to fuel: a review. *Renewable and Sustainable Energy Reviews*. 54 (2016) : 421–428.
- Lazarevic, D., Aoustin, E., Buclet, N., and Brandt, N. 2010. Plastic waste management in the context of a European recycling society: Comparing results and uncertainties in a life cycle perspective. *Resources, Conservation and Recycling*. 55 (2010) : 246–259.
- López, A., Marco, I. de., Caballero, B.M., Laresgoiti, M. F., and Adrados, A. 2011. Dechlorination of fuels in pyrolysis of PVC containing plastic wastes. *Fuel Processing Technology*. 92 (2011) : 253–260.
- Miandad, R., Barakat, M. A., Aburiazaiza, A. S., Rehan, M., Ismail, I. M. I., and Nizami, A. S. 2017. Effect of plastic waste types on pyrolysis liquid oil. *International Biodeterioration and Biodegradation*. 119 (2016) : 239–252. doi: 10.1016/j.ibiod.2016.09.017.

- Othman, M. F., Adam, A., Najafi, G., and Mamat, R. 2017. Green fuel as alternative fuel for diesel engine: A review. *Renewable and Sustainable Energy Reviews*. 80 (2017) : 694–709.
- Panda, A. K., Singh, R. K., and Mishra, D. K. 2010. Thermolysis of waste plastics to liquid fuel A suitable method for plastic waste management and manufacture of value added products-A world prospective. *Renewable and Sustainable Energy Reviews*. 14 (2010) : 233–248.
- Quina, Margaretha, and Drwiega, Y. I. 2019. Averting The Global Plastic Waste Tsunami in Indonesia. [Online] available at : <https://icel.or.id/en/issues/averting-the-global-plastic-waste-tsunami-in-indonesia/> (accessed 19.06.2020)
- Sharma, B. K., Moser, B. R., Vermillion, K. E., Doll, K. M., and Rajagopalan, N. 2014. Production, characterization and fuel properties of alternative diesel fuel from pyrolysis of waste plastic grocery bags. *Fuel Processing Technology*. 122 (2014) : 79–90.
- Sharuddin, S. D. A., Abnisa, F., Daud, M. W. A. W., and Aroua, M. K. 2018. Pyrolysis of plastic waste for liquid fuel production as prospective energy resource. *IOP Conference Series: Materials Science and Engineering*. 334 (2018). doi: 10.1088/1757-899X/334/1/012001.
- Shimadzu. 2011. Analysis of Gasoline Using a GC-MS. 21, pp. 20–21.
- Singh, R. K., and Ruj, B. 2016. Time and temperature depended fuel gas generation from pyrolysis of real world municipal plastic waste. *Fuel*. 174 (2016) : 164–171.
- Syamsiro, M., Saptoadi, H., Norsujianto, T., Noviasri, P., Cheng, S., Alimuddin, Z., and Yoshikawa, K. 2014. Fuel oil production from municipal plastic wastes in sequential pyrolysis and catalytic reforming reactors. *Energy Procedia*. 47 (2014) : 180–188.
- Tsakona, M., and Rucevska, I. 2020. Baseline report on plastic waste (Basel Convention 2020). UNEP/chw/pwpwg.1/inf/4 (UN Environment Programme).
- Tulashie, S. K., Boadu, E. K., and Dapaah, S. 2019. Plastic waste to fuel via pyrolysis: A key way to solving the severe plastic waste problem in Ghana. *Thermal Science and Engineering Progress*. 11 (2019) : 417–424.
- Wilk, V., and Hofbauer, H. 2013. Conversion of mixed plastic wastes in a dual fluidized bed steam gasifier. *Fuel*. 107 (2013) : 787–799.
- Wong, S. L., Ngadi, N., Abdullah, T. A. T., and Inuwa, I. M. 2015. Current state and future prospects of plastic waste as source of fuel: A review. *Renewable and Sustainable Energy Reviews*. 50 (2015) : 1167–1180.
- Wu, C., and Williams, P. T. 2010. Pyrolysis-gasification of plastics, mixed plastics and real-world plastic waste with and without Ni-Mg-Al catalyst. *Fuel*. 89 (2010) : 3022–3032.

● 15% Overall Similarity

Top sources found in the following databases:

- 12% Internet database
 - Crossref database
 - 8% Submitted Works database
 - 11% Publications database
 - Crossref Posted Content database
-

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	docplayer.net	1%
	Internet	
2	semanticscholar.org	<1%
	Internet	
3	gridarendal-website-live.s3.amazonaws.com	<1%
	Internet	
4	explore.openaire.eu	<1%
	Internet	
5	link.springer.com	<1%
	Internet	
6	Muhammad Sadiq, Jenho Peter Ou, Khoa Dang Duong, Le Van, Thanh ...	<1%
	Crossref	
7	erepo.unud.ac.id	<1%
	Internet	
8	patents.google.com	<1%
	Internet	

- 9 J. Rajesh Banu, V. Godvin Sharmila, U. Ushani, V. Amudha, Gopalakrish... <1%
Crossref
- 10 etd.repository.ugm.ac.id <1%
Internet
- 11 frontiersin.org <1%
Internet
- 12 University of Sydney on 2020-05-18 <1%
Submitted works
- 13 hkmex.asia <1%
Internet
- 14 All Saints' College on 2017-09-20 <1%
Submitted works
- 15 Asep Yusuf, Wahyu K Sugandi, Desi Purnamasari. "RANCANG BANGUN... <1%
Crossref
- 16 tandfonline.com <1%
Internet
- 17 Chongrak Polprasert, Thammarat Koottatep, Ekbordin Winijkul, Tatchai... <1%
Crossref
- 18 Sapto Kuncoro, Meinilwita Yulia, Diding Suhandy. "APLIKASI UV SPECT... <1%
Crossref
- 19 repository.unhas.ac.id <1%
Internet
- 20 theinsightpartners.com <1%
Internet

21	eprints.unram.ac.id	<1%
	Internet	
22	mie-u.repo.nii.ac.jp	<1%
	Internet	
23	scholar.unand.ac.id	<1%
	Internet	
24	Samuel Kofi Tulashie, Enoch Kofi Boadu, Samuel Dapaah. "Plastic wast...	<1%
	Crossref	
25	epdf.pub	<1%
	Internet	
26	jurnal.um-tapsel.ac.id	<1%
	Internet	
27	Brian G. Leib, , and David Strausz. "Evaluation and Improvement Poten...	<1%
	Crossref	
28	University of Arizona on 2019-10-28	<1%
	Submitted works	
29	Editorial Front and Back Matter. "Front and Back matter", Jurnal Sosial ...	<1%
	Crossref	
30	Titin Yulianti, Mareli Telaumbanua, Hery Dian Septama, Helmy Fitriawa...	<1%
	Crossref	
31	erl.ucc.edu.gh:8080	<1%
	Internet	
32	jurnal.ugm.ac.id	<1%
	Internet	

- 33 Krishna Murthy, Rahul J Shetty, Kumar Shiva. "Plastic waste conversio... <1%
Crossref
- 34 Minarni Shiddiq, Lentina Br Sitohang, Ikhsan Rahman Husein, Sinta Afri... <1%
Crossref
- 35 Praveen Kumar Ghodke, Krishna Moorthy, Amit Kumar Sharma, Wei-Hs... <1%
Crossref posted content
- 36 R. Miandad, M.A. Barakat, M. Rehan, A.S. Aburiazaiza, I.M.I. Ismail, A.S... <1%
Crossref
- 37 TABLE OF CONTENT. "Table of Content", JURNAL TEKNIK HIDRAULIK, ... <1%
Crossref
- 38 University of Leeds on 2018-09-03 <1%
Submitted works
- 39 ethesis.nitrkl.ac.in <1%
Internet

● Excluded from Similarity Report

- Bibliographic material
- Cited material
- Manually excluded sources
- Quoted material
- Small Matches (Less than 10 words)

EXCLUDED SOURCES

jurnal.fp.unila.ac.id

73%

Internet

repository.lppm.unila.ac.id

64%

Internet

Syaiful Bahri, Yuli Ambarwati, Yul Martin, Lina Marlina, Sri Waluyo. "STUDY ON...

49%

Crossref

researchgate.net

27%

Internet

Institut Pertanian Bogor on 2023-03-30

15%

Submitted works

Wahyu K Sugandi, Ahmad Thoriq, Asep Yusuf, Amorita Iqradiella. "RANCANG ...

15%

Crossref

Roh Santoso Budi Waspodo, Silvia Kusumarini, Vita Ayu Kusuma Dewi. "Predi...

15%

Crossref

Sukmawaty Sukmawaty, Muhammad Ahzani, Guyup Mahardhian Dwi Putra. "K...

15%

Crossref

Mareli Telaumbanua, Dermiyati Dermiyati, Radix Suharjo. "RANCANG BANGU...

15%

Crossref

- Ifmalinda Ifmalinda, Andasuryani Andasuryani, Husein Lubis. "Kajian Karakteri... 15%
Crossref
-
- Asri Widyasanti, Dinda Nuraini Maulfida, Dadan Rohdiana. "KARAKTERISTIK M... 15%
Crossref
-
- Ansar Ansar ANSAR, Sukmawaty Sukmawaty, Abdul Muttalib, Nopia Wartono.... 15%
Crossref
-
- Andreas Wahyu Krisdiarto, Irya Wisnubhadra, Kuncoro H Widodo. "KENDALI J... 15%
Crossref
-
- dokumen.tips 14%
Internet
-
- Wahyu K Sugandi. "UJI KINERJA DAN ANALISIS EKONOMI MESIN PENEPUNG... 14%
Crossref
-
- Sugeng Triyono, Agus Haryanto, Dermiyati Dermiyati, Jamalam Lumbanraja. "... 14%
Crossref
-
- Michael Alexander Hutabarat, Rokhani Hasbullah, Mohamad Solahudin. "VAP... 14%
Crossref
-
- Lisma Safitri. "Manajemen Irigasi Pembibitan Sawit (*Elaeis guineensis*) Presis... 14%
Crossref
-
- Indarto Indarto. "Application of USLE and GIS to predict erosion loss at Branta... 14%
Crossref
-
- Guyup Mahardhian dwi Putra, Huswatun Ida Lailatun, Rahmat Sabani, Diah Aje... 14%
Crossref
-
- Galih Pratama, Diding Suhandy, Meinilwita Yulia, Iskandar Zulkarnain. "Studi K... 14%
Crossref

- Annisa Nur Rachmawaty, Sugeng Triyono, Siti Suharyatun, Mareli Telaumbanu... 14%
Crossref
-
- Sari Virgawati, Muhjidin Mawardi, Lilik Sutiarno, Sakae Shibusawa, Hendrik Se... 14%
Crossref
-
- Lilis Sucahyo. "PERFORMANCE ANALYSIS OF WORKING FLUIDS ON ORGANIC... 14%
Crossref
-
- Julfi Restu Amelia. "POTENSI BIOGAS DARI PROSES REKAYASA AKLIMATISA... 14%
Crossref
-
- Hendra Andiananta Pradana. "ANAEROBIC DIGESTER VARIATION FOR BIOGA... 14%
Crossref
-
- Devi Safrina. "PENGARUH KETINGGIAN TEMPAT TUMBUH DAN METODE PEN... 14%
Crossref
-
- Indarto Indarto. "Trend and spatial variability of 1-day extreme rainfall from 19... 14%
Crossref
-
- Haposan Maditua Simorangkir, Ridwan Ridwan, M Zen Kadir, Mohamad Amin.... 14%
Crossref
-
- Dodi Setiawan, Mohamad Amin, Sandi Asmara, Ridwan Ridwan. "Aplikasi Sist... 14%
Crossref
-
- Gatot Pramuhadi, Muhammad Naufan Rais Ibrahim Rais Ibrahim, Henry Harya... 14%
Crossref
-
- Ahmad Thoriq. "Performance Analysis Of Cilembu Sweet Burning Using Oven ... 14%
Crossref
-
- Suparlan Suparlan, Uning Budiharti, Astu Unadi. "Uji Kinerja Unit Mesin Pasteu... 14%
Crossref

Ansar Ansar ANSAR. "Effect of Temperature and Time Storage to pH and Colo...	14%
Crossref	
Zaqlul Iqbal, Sam Herodian, Slamet Widodo. "EVALUASI NON-DESTRUTIF KA...	13%
Crossref	
Slamet Widodo, Muhammad Kalili. "Quality Evaluation of Melinjo Seeds (Gnet... 13%	
Crossref	
Siti Anisa, Siti Suharyatun, Oktafri Oktafri, Sandi Asmara. "UNJUK KERJA MES... 13%	
Crossref	
Made Aditya Putra, Sandi Asmara, Cicih Sugianti, Dwi Dian Novita. "UJI KINER... 13%	
Crossref	
Dyah Isworo, Sugeng Triyono, Agus Haryanto, Iskandar Zulkarnain. "KAJIAN ... 13%	
Crossref	
Ahmad Thoriq, Totok Herwanto, Drupadi Ciptaningtyas. "MODIFIKASI MESIN ... 13%	
Crossref	
Amieria Citra Gita, Agus Haryanto, Tri Wahyu Saputra, Mareli Telaumbanua. "... 13%	
Crossref	
doaj.org	10%
Internet	
pubag.nal.usda.gov	8%
Internet	
garuda.kemdikbud.go.id	8%
Internet	
sciencegate.app	5%
Internet	

coursehero.com	5%
Internet	
garuda.ristekbrin.go.id	4%
Internet	
tib.eu	4%
Internet	
unsri.portalgaruda.org	2%
Internet	
ipi.portalgaruda.org	2%
Internet	
jurnal.unupurwokerto.ac.id	1%
Internet	