



Antioxidant and Antibacterial Activities of Magnesium Oxide Nanoparticles Prepared using Aqueous Extract of *Moringa Oleifera* Bark as Green Agents

Hanif Amrulloh*, Awalul Fatiqin, Wasinton Simanjuntak, Hapin Afriyani, Annissa Annissa

Received : October 13, 2020

Revised : January 11, 2021

Accepted : January 25, 2021

Online : January 30, 2021

Abstract

In this research, Magnesium oxide nanoparticles (MgONPs) was prepared from MgCl₂ solution using aqueous extract of *M. oleifera* bark as green agent. Preparation procedure involved mixing of MgCl₂.6H₂O solution and the aqueous extract of *M. oleifera* bark, followed by drop wise addition of NaOH solution. The formation of MgO nanoparticles in this synthesis was confirmed using UV-Vis absorption. The spherical crystal structure of MgO nanoparticle confirmed XRD analysis. The average particle size of the synthesized MgO nanoparticles measured between 60 - 100 nm using SEM and TEM images and PSA results. MgONPs synthesized showed good antioxidant activity and antibacterial activity against *S. aureus*, *E. faecalis*, *E. coli*, and *S. dysenteriae* bacteria.

Keywords: antibacterial, antioxidant, bark extract, green synthesis, magnesium oxide nanoparticles

1. INTRODUCTION

Green method is a method that uses extracts from plants as agents to form nanoparticles. This method provides a variety of resources in the process of nanoparticle synthesis [1]–[3]. In addition, there are many other advantages in the use of natural materials in the synthesis of nanoparticles. The fact that the use of biodegradable raw materials as a synthesis of nanoparticles has no harmful impact on the environment, leads to a green technology policy, is first and foremost environmentally friendly. Second, the efficiency of synthesis, which promotes further production and further production through the availability of abundant natural raw materials. Thirdly, the nanoparticles produced are biocompatible in comparison with conventionally seized nanoparticles [4].

Magnesium oxide nanoparticles (MgONPs) are multipurpose metal oxide nanoparticles which have many applications in various fields. MgONPs have been widely used as catalysts [2][5][6] and catalyst supports for various organic reactions [7], adsorbents [8]–[10] and electrochemical biosensors

[11]. In biomedical applications, there are evidence reports showing MgONPs have antioxidant [12], antibacterial [13]–[15], antifungal [12][16], and anticancer [16] activities.

Moringa Oleifera (*M. oleifera*) is a multipurpose tropical plant from the *Moriceae* family which is spread throughout India, Asia, and sub-Saharan Africa [17]. The use of Moringa extract has been widely used in synthesizing metal nanoparticles and metal oxides. Moringa flower extract reportedly can be used to prepare palladium [18], silver [19], and hydroxyapatite [20] nanoparticles. Moringa leaf extract to prepare silver [21], zinc oxide [22], titanium oxide [23] and nickel oxide [24] nanoparticles. Phytochemical analysis of water extracts of *M. oleifera* bark shows that Moringa wood bark contains compounds such as alkaloids, phenolic acids, terpenoids, and flavonoids [25]. These compounds play a role in the chelation process and are able to reduce metal ions to nanoparticles [26].

The effect of *M. oleifera* bark water extract for preparation of MgO nanoparticles was examined in this presence research. In this presence study. This research has been confirmed, since the special use of these plant components for nanoparticle preparation is still limited. The MgONPs characteristics were evaluated through UV-Vis absorption spectroscopy, X-Ray (XRD), Electron scanning (SEM). Electron transmission microscopy (TEM) and particle size analyzer (PSA). The results of this analysis were evaluated. The bioactivity of MgONPs was subsequently examined as

Copyright Holder:

© Amrulloh, H., Fatiqin, A., Simanjuntak, W., Afriyani, H., Annissa, A. (2021)

First Publication Right:

Journal of Multidisciplinary Applied Natural Science

This Article is Licensed Under:



Table 1. Phytochemicals analysis of *M. oleifera* bark aqueous extract

Chemical constituents	Testing Methods	<i>M. oleifera</i> bark aqueous extract
Alkaloids	Dragendorff's test	+
Flavonoids	Shinoda test	+
Saponins	Foam test	+
Carbohydrate	Anthrone test	+
polyphenols	Puncal-D	-
Proteins	Ninhydrin test	-
Asam Amino	Millon's test	-
phenolics	Ferric chloride test	+
Triterpens	Salkowski test	-
Anthraquinones	Borntragger's test	-

+ = present, - = absence

antioxidant and antibacterial.

2. MATERIALS AND METHOD

2.1. Materials

Fresh *M. oleifera* bark were collected from the plants that grow naturally around the City of Metro, Lampung, Indonesia during September 2019. Laboratory grade magnesium chloride hexahydrate ($\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$), Folin-Ciocalteu reagents, sodium carbonate (Na_2CO_3), gallic acid, catechin, aluminum chloride (AlCl_3), sodium nitrite (NaNO_2), and sodium hydroxide (NaOH) were purchased from Merck Sigma-Aldrich Reagent Pte, Singapore.

2.2. Methods

2.2.1. Plant extract

A fresh, *M. oleifera* sample washed by floating water, dried and then poured into powder and stored at room temperature under direct sunlight. In 100 mL of distilled water, four grams of *M. oleifera* bark powder was soaked and heated for 20 minutes at 60 °C. The mixture was then filtered 1 hour with Whatman Filter Paper 1 to isolate the extract from the residue. The mixture was left.

2.2.2 Phytochemicals analysis

The aqueous extract was subjected to phytochemical analysis to detect the presence of carbohydrates, amino acids, glycosides, polyphenols, saponins, steroids, flavonoids, tannins,

and alkaloids. Total phenolic was estimated using the Folin-Ciocalteu test [27], and the result was expressed as microgram per milligram ($\mu\text{g}/\text{mg}$) gallic acid equivalent (GAE). Total flavonoid content was determined by the colorimetric AlCl_3 method, using catechin as standard and expressed as microgram per milligram ($\mu\text{g}/\text{mg}$) equivalent of catechin (CE) [28].

2.2.3. Preparation of MgO nanoparticles (MgONPs)

To synthesize nanoparticles, an aqueous extract of *M. oleifera* barks 50 mL was mixed with $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ solution 1 mM 50 mL in a beaker with heating to 90 °C and stirred at 600 rpm. The 1 M NaOH solution was added drop wise until the color of the mixture faded out and precipitate was formed. The mixture was left for 3 hours to maximize the synthesis process. MgONPs




Figure 1. Total phenolic and flavonoid content in *M. oleifera* bark aqueous extract, Notes: value is mean \pm SD

synthesized was centrifuged at 7500 rpm at room temperature and re-dispersed in deionized water and methanol (99%) to remove biological residues. The process was repeated twice, and the solid was dried at 100 °C. The solid was subjected to calcination at 600 °C for 5 hours was used to optimize the formation of oxides.

2.2.4. Characterizations of MgO nanoparticles (MgONPs)

Several techniques were used to describe MgO nanoparticles (MgONPs). The confirmation of MgONPs synthesis was based on the change in the color of the mixture during the reaction and recorded with UV-Visible spectroscopy (Analytic Jena Specord 200 Plus) by scanning the spectrum in the range of 200 - 800 nm. The morphology of nanoparticles was studied with scanning electron microscopy (SEM; FEI Inspect-S50). The size and morphology of the MgONPs were investigated by transmission electron microscopy (TEM; Jeol Jem 1400) and the average particle size by the particle size analyzer (PSA; Horiba SZ 100z). The crystal structure of the synthesized MgONPs nanoparticles was confirmed by x-ray diffraction (XRD; PANAnalytical Expert Pro).

2.2.5. Antioxidant activity

Antioxidant activity of *Moringa oleifera* bark aqueous extract (BEM) and MgONPs was evaluated through (2,2-diphenyl-1-picrylhydrazyl) DPPH radical testing in accordance with the procedure described by Das et al. [29], using ascorbic acid as




Figure 2. UV-Vis spectrum of *M. oleifera* aqueous extract and MgO nanoparticles

reference. DPPH 0.1 mM solution is was prepared by dissolving in ethanol. 1 mg of ascorbic acid is was dissolved in 1 mL of methanol. Dilution was carried out to make a standard solution of ascorbic acid with different concentrations (50-500 µg). For each tube containing a standard solution of ascorbic acid (200 µL), 1 mL of 0.1 mM DPPH solution was added and continued with the addition of 800 µL 50 mM Tris-HCl buffer (pH7.4). The final volume is adjusted to 4 mL using ethanol. Stock solutions for BEM and MgONPs were synthesized prepared by dissolving 1 mg of each sample in 1 mL of a suitable solvent (BEM using methanol and MgONPs using DMSO).

Different aliquots of stock solution (50-500 µg) was added to separate tube, and the final volume is adjusted to 2 mL using ethanol. A total of 1 mL of 0.1 mM DPPH solution and 800 µL 50 mM Tris-HCl buffer (pH7.4) was added to each tube. The control was made by mixing 1 mL DPPH 0.1 mM, 800 µL 50 mM Tris-HCl buffer (pH7.4), and 2 mL ethanol. Absorbance was recorded after incubation for 30 minutes at room temperature, measured by UV-Vis spectrophotometer at 517 nm. The percentage of antioxidant activity (% Inhibition) was calculated using the following equation:

$$(\% \text{ Inhibition}) = \frac{\text{control absorbance} - \text{sample absorbance}}{\text{control absorbance}} \times 100 \% \quad (1)$$

The mean and standard deviation (SD) were calculated based on triplicate measurements by repeating three times.

2.2.6. Antibacterial activity

2.2.6.1. Microorganism and inoculum preparation

The antibacterial activity of BEM and MgONPs nanoparticles was evaluated against both gram-positive (*S. aureus* and *E. faecalis*) and gram-negative (*E. coli* and *S. dysenteriae*) obtained from the microbiology laboratory of Airlangga University. Bacterial cultures for testing were cultivated on nutrient agar (NA) tilted by selecting a colony from the Mueller-Hinton agar plate (MHA) after 24 hours.

A single bacterial or fungal colony is selected and transferred to the Mueller-Hinton (MHB) broth using a sterilized loop, followed by shaking at 100 rpm at a temperature of 37 °C overnight for a normalized population. The optical density of




Figure 3. (a) diffraction pattern, (b) SEM image, (c) TEM image and (d) particles size distribution of synthesized MgONPs

bacterial or fungal suspense was maintained at the standard 0.5 for MacFarland by adding sterilized MHB for the test of antibacterial and antifungal activity. The inoculum is therefore composed in about 106-107 CFU / mL of several fungi or bacteria.

2.2.6.2. Minimum inhibition concentration (MIC) determination

The resazurin microtiter test was used to assess the minimum concentration of inhibition. This approach has been chosen as the easiest and most economical way to simultaneously scan for multiple microorganism isolates and produces satisfactory performance. A 270 mg tablet of resazurin in 40 mL of sterile distilled water was prepared to dissolve the resazurin solution. The test was conducted in aseptic conditions in 96-well plates. The samples were transferred into the plate well with a volume of 100 µL containing 600 mg / mL. Subsequently, the checked sample was applied to all other wells by 50 µL of bacterial suspense and diluted

severely. Each well was subsequently supplemented with 10 µL resazurin solution. The plate was covered with film to avoid dehydration and incubated for 24 hours at 37 ° C. The change in color was noticed visually. A change in blue to rose color signaling growth of the cells was considered. In case of a color change, the MIC was registered at the lowest concentration. The mixtures between the sterile distilled water and the DMSO solvent and the nutrient broth were used as adverse controls by Streptomycin (antibacterial) (10 µg / 500 µL).

3. RESULT AND DISCUSSION

3.1. Phytochemical screening of *M. oleifera* bark aqueous extract

Different methods are used to qualitatively test phytochemical compounds contained in moringa oleifera (BEM) extracts. The test method used refers to the report Das et al. [29], Qualitative evaluations of several chemical contents are shown in Table 1.

Table 1 shows BEM containing phytochemical compounds such as alkaloids, flavonoids, saponins, and phenolics. These compounds play a role in the chelation process and are able to reduce metal ions to nanoparticles [26].

Total phenolic and flavonoid levels in BEM 21.65 ± 4.25 ($\mu\text{g} / \text{mg GAE}$) and 55.31 ± 3.82 ($\mu\text{g} / \text{mg CE}$) respectively in dry powder, as shown in Figure 1. Extracts of some parts of the plant contain different constituents with distinct functional groups, which can act as reducing or chelating agents in the formation of nanoparticles. Total phenolic and flavonoid levels in bark water extracts are lower than total phenolic and flavonoid levels in water extracts of other *M. oleifera* plants that have been previously reported. Siddhuraju and Becker [30] reported total phenolic content in leaves is 74.30 ± 9.00 ($\mu\text{g} / \text{mg GAE}$), while Mohammed and Manan [31] reported total phenolic content in ore is 101.79 ± 2.89 ($\mu\text{g} / \text{mg GAE}$). The total flavonoid content in leaf water extract was reported by Okumu et al. [32] amounted to 79.13 ± 13.04 ($\mu\text{g} / \text{mg CE}$).

3.2. Characterization

3.2.1. UV-Vis spectroscopy of BEM and MgONPs synthesized

Synthesis of MgO nanoparticles using Moringa aqueous extract followed by a change in color during the synthesis process. The color of the solution changes from clear (MgCl_2 solution) to dark brown when added with Moringa extract. After adding NaOH, the color of the solution changes to brighter, indicating the formation of MgO and Mg(OH)_2 complexes in the solution. Spectrum adsorption of MgO nanoparticles measured in the range of 200-800 nm. Figure 2 shows the UV spectrum with a sharp peak at around 290 nm, which confirms the formation of MgO nanoparticles [28]. Besides, the precursor ion Mg^{2+} , MgCl_2 salt does not show a spectrum at the specified wavelength. The existence of a peak of about 280 - 290 nm can be attributed to the formation of metal oxide nanoparticles after the addition of plant extracts and NaOH solution [28].

3.2.2. Size and morphology of MgONPs synthesized

In order to correctly assess the atomic position in the lattice structure, a crystalline stage and

structure of the synthesized MgO nanoparticulate were studied using X-ray diffraction technologies. The XRD patterns of MgO nanoparticles manufacturing are shown in Figure 3(a). MgONPs showed a high intensity peak with two peaks = 42.915 and 62.304 and a low intensity of 31.636, 74.729 and 78.629. The obtained results have been verified using XRD data (No: 78-0430) from JCPDS. A high purity of synthesized MgO nanoparticles does not appear as major peaks from Mg or other impurities observed on the diffractogram. The average crystalline (D) diameter was calculated with the formula of Scherrer (equation 2) for (200) planes of 20 – 30 nm.

$$D = \frac{K\lambda}{\beta \cos \theta} \quad (2)$$

Where K is a constant dimension depending on the particular geometry of the target, λ is the wavelength of X-ray radiation, β is the full width at half maximum (FWHM) of the significant peaks in radians, and θ is the Bragg's angle. SEM has been used to carry out morphological tests of MgO nanoparticles synthesized with extract. Figure 3(b) shows an image of the MgO nanoparticles scanning electric microscopy (SEM) showing that the resulting MgO nanos are in the form of spherical particle of 20 to 80 nm.

Figure 3 (c) and (d) shows TEM and PSA of MgO nanoparticles prepared. The results of particle size analysis (PSA) show that the MgO with particle size in the range of nanometer with relatively narrow distribution was produced. The samples obtained have the particle size in the range of 60-100 nm. The existence of spheres particles




Figure 4. Antioxidant activity of BEM and MgONPs




Figure 5. Antibacterial activity of BEM and MgONPs

with a size ranging from 60-100 nm was supported by the results of the transmission electron microscope (TEM). Based on these results, MgO nanoparticles have been successfully produced using aqueous extracts of bark of *M. oleifera* plant, providing an alternative method for synthesizing MgO nanoparticles. Amrulloh et al [33] reported the use aqueous extract of Moringa leaves as a green agent in synthesizing MgO nanoparticles. The water extract sample of Moringa leaves contains phytochemical compounds such as alkaloids, flavonoids, saponins, carbohydrates, polyphenols, proteins, amino acids, and phenolics with phenolics and flavonoids contents of 34.75 ± 4.03 ($\mu\text{g} / \text{mg GAE}$) and 74.28 ± 4.82 ($\mu\text{g} / \text{mg CE}$), respectively. The structure of the synthesized MgO nanoparticles was confirmed by the spherical structure. The average particle size of the synthesized MgO nanoparticles measured between 40 - 70 nm. MgO nanoparticles synthesized from leaf aqueous extract have narrower particle size distribution than that of MgO produced using bark aqueous extract, which was attributable to the presence of antioxidants-rich compounds (e.g. flavonoids, phenolic acids, reducing sugars, etc.) [34][35]. They are biomolecules that play a vital role as outstanding bio-reducing and/or bio-capping agents towards generation of the nanoparticles [36].

3.3. Antioxidant

The antioxidant activity of BEM and MgONPs was assessed by DPPH testing using ascorbic acid as a positive control. The free radical capture activity of DPPH BEM and MgONPs is directly related to their concentration. DPPH is a stable

compound and accepts hydrogen or electrons from BEM or MgO nanoparticles. This test is often used for the antioxidant activity of compounds present in medicinal plant extracts [37]. The antioxidant activity of MgONPs tends to be higher than that of BEM (Figure 5). Several workers have reported similar observations of antioxidant activity by ZnO [38], CuO [39], and MgO [28] nanoparticles.

3.4. Antibacterial

The potential antibacterial activity of BEM and MgONPs was evaluated against gram-positive bacteria (*S. aureus* and *E. faecalis*) and gram-negative (*E. coli* and *S. dysenteriae*) clinically isolated in vitro. MIC values of the presence of BEM against *S. aureus*; *E. faecalis*; *E. coli*, and *S. dysenteriae* are in the range 300 - 550 g/mL (Figure 5). The antibacterial activity of MgONPs nanoparticles was observed with MIC values (300-550 $\mu\text{g}/\text{mL}$). If we compare the susceptibility between the bacteria tested, *S. dysenteriae* is very susceptible to BEM and MgONPs compared to other test bacteria. Medicinal plants such as *M. oleifera*, because of their antibacterial activity, are traditionally used to treat various diseases [40].

The antibacterial activity of MgONPs nanoparticles against gram-positive and gram-negative test bacteria showed different results. The difference between gram-positive and gram-negative bacteria is mainly in the structure of their cell walls. Gram-positive bacteria have a thick layer of peptidoglycan without an outer membrane and contain teichoic acid. In contrast, gram-negative bacteria have a thin layer of peptidoglycan with an outer membrane that contains lipopolysaccharides. Because of this difference, each type of bacteria shows a different sensitivity [41].

4. CONCLUSION

Green synthesis of MgO nanoparticles that were prepared using *M. oleifera* bark aqueous extract was successful. The formation of MgO nanoparticles in this synthesis was confirmed using UV-Vis absorption. The spherical crystal structure of MgO nanoparticles confirmed XRD analysis. The average particle size of the synthesized MgO nanoparticles measured between 60 - 100 nm using SEM and TEM images and PSA results. Our study shows that

MgO nanoparticles synthesized show a good antioxidant activity, ascorbic acid, as a comparison. We also demonstrated that water extracts of *M. oleifera* bark and MgO nanoparticles have good antibacterial activity against *S. aureus*, *E. faecalis*, *E. coli*, and *S. dysenteriae* with MIC values (300 - 550 g/mL).

AUTHOR INFORMATION

Corresponding Author

Hanif Amrulloh — Department of Mathematic Education, Institute for Islamic Studies Ma'arif NU (IAIMNU), Metro-34111 (Indonesia) ;

 orcid.org/0000-0001-7458-9258

Email:

amrulloh.hanif@iaimnumetrolampung.ac.id

Authors

Awalul Fatiqin — Department of Biology, Islamic State University Raden Fatah, Palembang -30126 (Indonesia);

 orcid.org/0000-0001-7799-2835

Wasinton Simanjuntak — Department of Chemistry, Lampung University, Bandar Lampung- 3514 (Indonesia);

 orcid.org/0000-0001-8152-5084

Hapin Afriyani — Department of Chemistry, Lampung University, Bandar Lampung- 3514 (Indonesia);

 orcid.org/0000-0002-6092-127X

Annissa Annissa — Department of Public Health, Faletehan University, Serang-42161 (Indonesia);

ACKNOWLEDGEMENT

This research supported by the Ministry of Religious Affairs Republic Indonesia through collaboration research BOPTN UIN Raden Fatah Palembang No: B-383/Un.09/PP.06/05/2019. Furthermore, acknowledgment also expressed for the full support from Laboratorium Sentral Mineral & Material Maju Universitas Negeri Malang, Direktorat Riset & Pengabdian Masyarakat Universitas Indonesia, and Laboratorium TEM Jurusan Kimia Universitas Gajah Mada for technical contributions on the research projects.

REFERENCES

- [1] L. Katata-Seru, T. Moremedi, O. S. Aremu, and I. Bahadur. (2018). "Green synthesis of iron nanoparticles using Moringa oleifera extracts and their applications: Removal of nitrate from water and antibacterial activity against Escherichia coli". *Journal of Molecular Liquids*. **256** : 296–304. [10.1016/j.molliq.2017.11.093](https://doi.org/10.1016/j.molliq.2017.11.093).
- [2] Y. Abdallah, S. O. Ogunyemi, A. Abdelazez, M. Zhang, X. Hong, E. Ibrahim, A. Hossain, H. Fouad, B. Li, and J. Chen. (2019). "The Green Synthesis of MgO Nano-Flowers Using Rosmarinus officinalis L. (Rosemary) and the Antibacterial Activities against Xanthomonas oryzae pv. oryzae". *BioMed Research International*. **2019** : 5620989. [10.1155/2019/5620989](https://doi.org/10.1155/2019/5620989).
- [3] G. Sharma, R. Soni, and N. D. Jasuja. (2017). "Phytoassisted synthesis of magnesium oxide nanoparticles with Swertia chirayaita". *Journal of Taibah University for Science*. **11** (3): 471–477. [10.1016/j.jtusci.2016.09.004](https://doi.org/10.1016/j.jtusci.2016.09.004).
- [4] G. Pal, P. Rai, and A. Pandey. (2019). in "A. K. Shukla and I. Siavash (ed) Green Synthesis, Characterization and Applications of Nanoparticles". Elsevier Inc, Amsterdam. [10.1016/C2017-0-02526-0](https://doi.org/10.1016/C2017-0-02526-0).
- [5] B. Wang, X. Xiong, H. Ren, and Z. Huang. (2017). "Preparation of MgO nanocrystals and catalytic mechanism on phenol ozonation". *RSC Advances*. **7** (69): 43464–43473. [10.1039/c7ra07553g](https://doi.org/10.1039/c7ra07553g).
- [6] M. B. Gawande, P. S. Branco, K. Parghi, J. J. Shrikhande, R. K. Pandey, C. A. A. Ghuman, N. Bundaleski, O. M. N. D. Teodorod, and R. V. Jayaram. (2011). "Synthesis and characterization of versatile MgO-ZrO₂ mixed metal oxide nanoparticles and their applications," *Catalysis Science & Technology*. **1** (9): 1653–1664. [10.1039/c1cy00259g](https://doi.org/10.1039/c1cy00259g).
- [7] J. Chen, M. Zhang, C. Pang, F. Xiang, M. Zhu, X. Ma, G. Chang, and W. Yin. (2020). "Hydrophilic Pd/MgO Nanosystem for the Highly Efficient Aqueous-Phase Catalysis of Suzuki-Miyaura Reactions". *Industrial & Engineering Chemistry Research*. **59** (1): 81–

87. [10.1021/acs.iecr.9b05248](https://doi.org/10.1021/acs.iecr.9b05248).
- [8] V. Srivastava, Y. C. Sharma, and M. Sillanpää. (2015). “Green synthesis of magnesium oxide nanoflower and its application for the removal of divalent metallic species from synthetic wastewater”. *Ceramics International*. **41** (5): 6702–6709. [10.1016/j.ceramint.2015.01.112](https://doi.org/10.1016/j.ceramint.2015.01.112).
- [9] Z. Camtakan, S. Erenturk, and S. Yusun. (2012). “Magnesium oxide nanoparticles: Preparation, characterization, and uranium sorption properties,” *Environmental Progress & Sustainable Energy*. **31** (4): 536–543. [10.1002/ep.10575](https://doi.org/10.1002/ep.10575).
- [10] A. A. Pilarska, Ł. Klapiszewski, and T. Jesionowski. (2017). “Recent development in the synthesis, modification and application of Mg(OH)₂ and MgO: A review”. *Powder Technology*. **319** : 373–407. [10.1016/j.powtec.2017.07.009](https://doi.org/10.1016/j.powtec.2017.07.009).
- [11] H. R. Raveesha, S. Nayana, D. R. Vasudha, J. P. S. Begum, S. Pratibha, C. R. Ravikumara, N. Dhananjaya. (2019). “The electrochemical behavior, antifungal and cytotoxic activities of phytofabricated MgO nanoparticles using *Withania somnifera* leaf extract”. *Journal of Science: Advanced Materials and Devices*. **4** (1): 57–65. [10.1016/j.jsamd.2019.01.003](https://doi.org/10.1016/j.jsamd.2019.01.003).
- [12] K. Kandiah, T. Jeevanantham, and B. Ramasamy. (2019). “Reliability of antioxidant potential and in vivo compatibility with extremophilic actinobacterial-mediated magnesium oxide nanoparticle synthesis”. *Artificial Cells, Nanomedicine, and Biotechnology*. **47** (1): 862–872. [10.1080/21691401.2019.1580287](https://doi.org/10.1080/21691401.2019.1580287).
- [13] A. M. Azzam, M. A. Shenashen, B. B. Mostafa, W. A. Kandeel, and S. A. El-Safty. (2019). “Antibacterial Activity of Magnesium Oxide Nano-hexagonal Sheets for Wastewater Remediation”. *Environmental Progress & Sustainable Energy*. **38** (s1): S260–S266. [10.1002/ep.12999](https://doi.org/10.1002/ep.12999).
- [14] M. Suma, G. N. Sushma, M. Zikriya, and Y. F. Nadaf. (2020). “Photocatalytic and antibacterial approach of green synthesised MgO nanoparticles”. *3rd International Conference on Condensed Matter and Applied Physics*. **2220** : 020072. [10.1063/5.0002154](https://doi.org/10.1063/5.0002154).
- [15] S. C. De La Rosa-García, P. Martínez-Torres, S. Gómez-Cornelio, M. A. Corral-Aguado, P. Quintana, and N. M. Gómez-Ortíz. (2018). “Antifungal activity of ZnO and MgO nanomaterials and their mixtures against *colletotrichum gloeosporioides* strains from tropical fruit”. *Journal of Nanomaterials*. **2018**. [10.1155/2018/3498527](https://doi.org/10.1155/2018/3498527).
- [16] B. Mangalampalli, N. Dumala, and P. Grover. (2019). “Toxicity assessment of magnesium oxide nano and microparticles on cancer and non-cancer cell lines”. *The Nucleus*. **62** (3): 227–241. [10.1007/s13237-019-00298-9](https://doi.org/10.1007/s13237-019-00298-9).
- [17] A. F. A. Razis, M. D. Ibrahim, and S. B. Kntayya. (2014). “Health benefits of *Moringa oleifera*”. *Asian Pacific Journal of Cancer Prevention*. **15** (20): 8571–8576. [10.7314/APJCP.2014.15.20.8571](https://doi.org/10.7314/APJCP.2014.15.20.8571).
- [18] K. Anand, C. Tiloke, A. Phulukdaree, B. Ranjan, A. Chuturgoon, S. Singh, R. M. Gengan. (2016). “Biosynthesis of palladium nanoparticles by using *Moringa oleifera* flower extract and their catalytic and biological properties”. *Journal of Photochemistry and Photobiology B: Biology*. **165** : 87–95. [10.1016/j.jphotobiol.2016.09.039](https://doi.org/10.1016/j.jphotobiol.2016.09.039).
- [19] M. R. Bindhu, M. Umadevi, G. A. Esmai, N. A. Al-Dhabi, and M. V. Arasu. (2020). “Green synthesis and characterization of silver nanoparticles from *Moringa oleifera* flower and assessment of antimicrobial and sensing properties”. *Journal of Photochemistry and Photobiology B: Biology*. **205**. [10.1016/j.jphotobiol.2020.111836](https://doi.org/10.1016/j.jphotobiol.2020.111836).
- [20] M. Sundrarajan, S. Jegatheeswaran, S. Selvam, N. Sanjeevi, and M. Balaji. (2015). “The ionic liquid assisted green synthesis of hydroxyapatite nanoplates by *Moringa oleifera* flower extract: A biomimetic approach”. *Materials & Design*. **88** : 1183–1190. [10.1016/j.matdes.2015.09.051](https://doi.org/10.1016/j.matdes.2015.09.051).
- [21] J. S. Moodley, S. B. N. Krishna, K. Pillay, Sershen, and P. Govender. (2018). “Green synthesis of silver nanoparticles from *Moringa oleifera* leaf extracts and its antimicrobial potential”. *Advances in Natural Sciences: Nanoscience and Nanotechnology*.

- 9 (1): 015011. [10.1088/2043-6254/aaabb2](https://doi.org/10.1088/2043-6254/aaabb2).
- [22] K. Elumalai, S. Velmurugan, S. Ravi, V. Kathiravan, and S. Ashokkumar. (2015). “Green synthesis of zinc oxide nanoparticles using Moringa oleifera leaf extract and evaluation of its antimicrobial activity”. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*. **143** : 158–164. [10.1016/j.saa.2015.02.011](https://doi.org/10.1016/j.saa.2015.02.011).
- [23] V. Sivarajani and P. Philominathan. (2016). “Synthesize of Titanium dioxide nanoparticles using Moringa oleifera leaves and evaluation of wound healing activity”. *Wound Medicine*. **12** : 1–5. [10.1016/j.wndm.2015.11.002](https://doi.org/10.1016/j.wndm.2015.11.002).
- [24] A. A. Ezhilarasi, J. J. Vijaya, K. Kaviyarasu, M. Maaza, A. Ayeshamariam, and L. J. Kennedy. (2016). “Green synthesis of NiO nanoparticles using Moringa oleifera extract and their biomedical applications: Cytotoxicity effect of nanoparticles against HT-29 cancer cells”. *Journal of Photochemistry and Photobiology B: Biology*. **164** : 352–360. [10.1016/j.jphotobiol.2016.10.003](https://doi.org/10.1016/j.jphotobiol.2016.10.003).
- [25] H. P. N. Sholapur and B. M. Patil. (2013). “Pharmacognostic and phytochemical investigations on the bark of Moringa oleifera Lam.”. *Indian Journal of Natural Products and Resources*. **4** (1): 96–101.
- [26] C. Tiloke and A. A. Chuturgoon. In “V. C. Kalia and A. K. Saini (eds) Engineering for Bioactive Compounds: Strategies and Processes”. Springer Singapore, Singapore.
- [27] R. Magesh, R. M. Poorani, V. Karthikeyan, K. Sivakumar, and C. Mohanapriya. (2015). “Proportionate phytochemical screening and assessment of antioxidant potency on selected species of lamiaceae family”. *International Journal of Pharmacognosy and Phytochemical Research*. **7** (5): 1066–1072.
- [28] B. Das, S. Moumita, S. Ghosh, M. I. Khan, D. Indira, R. Jayabalan, S. K. Tripathy, A. Mishra, and P. Balasubramanian. (2018). “Biosynthesis of magnesium oxide (MgO) nanoflakes by using leaf extract of Bauhinia purpurea and evaluation of its antibacterial property against *Staphylococcus aureus*”. *Materials Science and Engineering: C*. **91** : 436–444. [10.1016/j.msec.2018.05.059](https://doi.org/10.1016/j.msec.2018.05.059).
- [29] P. E. Das, A. F. Majdalawieh, I. A. Abu-Yousef, S. Narasimhan, and P. Poltronieri. (2020). “Use of a hydroalcoholic extract of moringa oleifera leaves for the green synthesis of bismuth nanoparticles and evaluation of their anti-microbial and antioxidant activities,” *Materials*. **13** (4). [10.3390/ma13040876](https://doi.org/10.3390/ma13040876).
- [30] P. Siddhuraju and K. Becker. (2003). “Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam.) leaves”. *Journal of Agricultural and Food Chemistry*. **51** (8): 2144–2155. [10.1021/jf020444+](https://doi.org/10.1021/jf020444+).
- [31] S. Mohammed and F. A. Manan. (2015). “Analysis of total phenolics , tannins and flavonoids from Moringa oleifera seed extract”. *Journal of Chemical and Pharmaceutical Research*. **7** (1): 132–135.
- [32] M. O. Okumu, J. M. Mbaria, L. W. Kanja, D. W. Gakuya, S. G. Kiama, and F. O. Ochola. (2016). “Phytochemical profile and antioxidant capacity of leaves of Moringa oleifera (Lam) extracted using different solvent systems”. *Journal of Pharmacognosy and Phytochemistry*. **5** (4): 302–308.
- [33] H. Amrulloh, A. Fatiqin, W. Simanjuntak, H. Afriyani, and A. Annissa. (2021). “Bioactivities of Nano-scale Magnesium Oxide Prepared Using Aqueous Extract of Moringa Oleifera Leaves as Green Agent”. *Advances in Natural Sciences: Nanoscience and Nanotechnology*.
- [34] M. Hariram, S. Vivekanandhan, V. Ganesan, S. Muthuramkumar, A. Rodriguez-uribe, A. K. Mohanty, M. Misra. (2019). “Tecoma stans flower extract assisted biogenic synthesis of functional Ag-Talc nanostructures for antimicrobial applications”. *Bioresource Technology Reports*. **7**. [10.1016/j.biteb.2019.100298](https://doi.org/10.1016/j.biteb.2019.100298).
- [35] D. T. C. Nguyen, H. H. Dang, D. V. N. Vo, L. G. Bach, T. D. Nguyen, and T. Van Tran. (2021). “Biogenic synthesis of MgO nanoparticles from different extracts (flower, bark, leaf) of Tecoma stans (L.) and their utilization in selected organic dyes treatment”.

- Journal of Hazardous Materials.* **404**.
[10.1016/j.jhazmat.2020.124146](https://doi.org/10.1016/j.jhazmat.2020.124146).
- [36] E. R. Essien, V. N. Atasie, E. U. Udobang, and G. Umanu. (2019). “Preparation of monodispersed and cytotoxic silver nanoparticles using Launaea taraxacifolia leaf extract”. *Journal of Nanostructure in Chemistry.* **9** (4): 259–268. [10.1007/s40097-019-00316-x](https://doi.org/10.1007/s40097-019-00316-x).
- [37] S. Dewanjee, M. Gangopadhyay, N. Bhattacharya, R. Khanra, and T. K. Dua. (2015). “Bioautography and its scope in the field of natural product chemistry”. *Journal of Pharmaceutical Analysis.* **5** (2): 75–84. [10.1016/j.jpha.2014.06.002](https://doi.org/10.1016/j.jpha.2014.06.002).
- [38] T. Safawo, B. V. Sandeep, S. Pola, and A. Tadesse. (2018). “Synthesis and characterization of zinc oxide nanoparticles using tuber extract of anchote (*Coccinia abyssinica* (Lam.) Cong.) for antimicrobial and antioxidant activity assessment”. *OpenNano.* **3** : 56–63. [10.1016/j.onano.2018.08.001](https://doi.org/10.1016/j.onano.2018.08.001).
- [39] R. Dobrucka. (2018). “Antioxidant and Catalytic Activity of Biosynthesized CuO Nanoparticles Using Extract of *Galeopsidis herba*”. *Jounal of Inorganic and Organometallic Polymers and Materials.* **28** (3): 812–819. [10.1007/s10904-017-0750-2](https://doi.org/10.1007/s10904-017-0750-2).
- [40] K. Z. Khor, V. Lim, E. J. Moses, and N. Abdul Samad. (2018). “The in Vitro and in Vivo Anticancer Properties of *Moringa oleifera*”. *Evidence-based Complementary and Alternative Medicine.* **2018**. [10.1155/2018/1071243](https://doi.org/10.1155/2018/1071243).
- [41] N. Y. T. Nguyen, N. Grelling, C. L. Wetteland, R. Rosario, and H. Liu. (2018). “Antimicrobial Activities and Mechanisms of Magnesium Oxide Nanoparticles (nMgO) against Pathogenic Bacteria, Yeasts, and Biofilms”. *Scientific Reports.* **8** (1). [10.1038/s41598-018-34567-5](https://doi.org/10.1038/s41598-018-34567-5).